

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	929	2160	43.01
Children & Youth Community Residence (Total)	24	57	42.11
Children & Youth Community Residence (Central New York)	8	12	66.67
Children & Youth Community Residence (Hudson River)	0	7	0.00
Children & Youth Community Residence (Long Island)	5	13	38.46
Children & Youth Community Residence (New York City)	9	12	75.00
Children & Youth Community Residence (Western New York)	2	13	15.38

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	24	20	83	-	96
Cultural (Q4-Q6)	24	23	96	-	99
Access(Q7-Q9)	24	23	96	NS	96
Participation (Q10-Q13)	23	23	100	+	97
Global(Q14-Q17)	23	21	91	-	96
Outcomes/Functioning (Q18-Q22)	23	19	83	NS	84
Social Connectedness (Q23-Q27)	23	21	91	+	87
Medication (Y/N) (Q28)	24	22	92	NS	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	22	20	91	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	8	5	63	-	83
Cultural (Q4-Q6)	8	8	100	NS	96
Access(Q7-Q9)	8	8	100	NS	96
Participation (Q10-Q13)	7	7	100	NS	100
Global(Q14-Q17)	7	7	100	NS	91
Outcomes/Functioning (Q18-Q22)	7	5	71	NS	83
Social Connectedness (Q23-Q27)	7	6	86	NS	91
Medication (Y/N) (Q28)	8	6	75	-	92
Medication Scale (Q28a-Q28e) <sup>4</sup>	6	6	100	NS	91

REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	5	100	+	83
Cultural (Q4-Q6)	5	5	100	NS	96
Access(Q7-Q9)	5	5	100	NS	96
Participation (Q10-Q13)	5	5	100	NS	100
Global(Q14-Q17)	5	4	80	NS	91
Outcomes/Functioning (Q18-Q22)	5	4	80	NS	83
Social Connectedness (Q23-Q27)	5	5	100	NS	91
Medication (Y/N) (Q28)	5	5	100	NS	92
Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	9	100	+	83
Cultural (Q4-Q6)	9	9	100	NS	96
Access(Q7-Q9)	9	9	100	NS	96
Participation (Q10-Q13)	9	9	100	NS	100
Global(Q14-Q17)	9	9	100	NS	91
Outcomes/Functioning (Q18-Q22)	9	9	100	+	83
Social Connectedness (Q23-Q27)	9	9	100	NS	91
Medication (Y/N) (Q28)	9	9	100	NS	92
Medication Scale (Q28a-Q28e) <sup>4</sup>	9	8	89	NS	91

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	83
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	96
Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
Global(Q14-Q17)	< 5	N/A	N/A	N/A	91
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	83
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	91
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	92
Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	91

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Catholic Charities - Boys of Courage Chi	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	63
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	71
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100
Washington Street Community Residence	Appropriateness (Q1-Q3)	5	2	40	NS	63
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	5	100	NS	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	71
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86
	Medication (Y/N) (Q28)	5	3	60	NS	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Merrick House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100
Pederson-Krag House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
JBFCS-Ittleson Bronx Community Residence	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	89
SCO Family of Services Children's Commun	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q9)	8	8	100	NS	100
	Participation (Q10-Q13)	8	8	100	NS	100
	Global(Q14-Q17)	8	8	100	NS	100
	Outcomes/Functioning (Q18-Q22)	8	8	100	NS	100
	Social Connectedness (Q23-Q27)	8	8	100	NS	100
	Medication (Y/N) (Q28)	8	8	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	8	8	100	NS	89

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Conable House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	50
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	50
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	50
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	50
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	50
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	50
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	50
Tuckahoe Road Children's Community Resid	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	50
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	50
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	50
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	50
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	50
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	50
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	50

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	712	1072	66.42
Children & Youth Community Residence (Total)	41	66	62.12
Children & Youth Community Residence (Central New York)	12	15	80.00
Children & Youth Community Residence (Hudson River)	5	12	41.67
Children & Youth Community Residence (Long Island)	9	9	100.00
Children & Youth Community Residence (New York City)	8	14	57.14
Children & Youth Community Residence (Western New York)	7	16	43.75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	41	38	93	+	90
Cultural (Q4-Q6)	41	39	95	NS	94
Access(Q7-Q10)	41	38	93	-	94
Participation (Q11-Q14)	41	38	93	+	90
Global(Q15)	41	38	93	+	87
Outcomes/Functioning (Q16-Q20a)	41	39	95	+	87
Medication (Y/N) (Q21)	41	34	83	-	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	34	31	91	+	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	12	12	100	NS	93
Cultural (Q4-Q6)	12	11	92	NS	95
Access(Q7-Q10)	12	12	100	NS	93
Participation (Q11-Q14)	12	11	92	NS	93
Global(Q15)	12	10	83	-	93
Outcomes/Functioning (Q16-Q20a)	12	11	92	NS	95
Medication (Y/N) (Q21)	12	9	75	NS	83
Medication Scale (Q21a-Q21e) <sup>4</sup>	9	9	100	NS	91

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	4	80	-	93
Cultural (Q4-Q6)	5	4	80	-	95
Access(Q7-Q10)	5	4	80	-	93
Participation (Q11-Q14)	5	4	80	-	93
Global(Q15)	5	4	80	-	93
Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	95
Medication (Y/N) (Q21)	5	4	80	NS	83
Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	91

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	9	100	NS	93
Cultural (Q4-Q6)	9	9	100	NS	95
Access(Q7-Q10)	9	9	100	NS	93
Participation (Q11-Q14)	9	9	100	NS	93
Global(Q15)	9	9	100	NS	93
Outcomes/Functioning (Q16-Q20a)	9	9	100	NS	95
Medication (Y/N) (Q21)	9	8	89	NS	83
Medication Scale (Q21a-Q21e) <sup>4</sup>	8	7	88	NS	91

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	8	7	88	NS	93
Cultural (Q4-Q6)	8	8	100	NS	95
Access(Q7-Q10)	8	7	88	NS	93
Participation (Q11-Q14)	8	7	88	NS	93
Global(Q15)	8	8	100	NS	93
Outcomes/Functioning (Q16-Q20a)	8	8	100	NS	95
Medication (Y/N) (Q21)	8	8	100	+	83
Medication Scale (Q21a-Q21e) <sup>4</sup>	8	7	88	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	7	6	86	NS	93
Cultural (Q4-Q6)	7	7	100	NS	95
Access(Q7-Q10)	7	6	86	NS	93
Participation (Q11-Q14)	7	7	100	NS	93
Global(Q15)	7	7	100	NS	93
Outcomes/Functioning (Q16-Q20a)	7	6	86	-	95
Medication (Y/N) (Q21)	7	5	71	NS	83
Medication Scale (Q21a-Q21e) <sup>4</sup>	5	5	100	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Catholic Charities - Boys of Courage Chi	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	92
	Access(Q7-Q10)	7	7	100	NS	100
	Participation (Q11-Q14)	7	7	100	NS	92
	Global(Q15)	7	7	100	NS	83
	Outcomes/Functioning (Q16-Q20a)	7	7	100	NS	92
	Medication (Y/N) (Q21)	7	6	86	NS	75
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	6	100	NS	100
Washington Street Community Residence	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	4	80	NS	92
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	4	80	NS	92
	Global(Q15)	5	3	60	NS	83
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	92
	Medication (Y/N) (Q21)	5	3	60	NS	75
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Miriam House	Appropriateness (Q1-Q3)	5	4	80	NS	80
	Cultural (Q4-Q6)	5	4	80	NS	80
	Access(Q7-Q10)	5	4	80	NS	80
	Participation (Q11-Q14)	5	4	80	NS	80
	Global(Q15)	5	4	80	NS	80

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

#### REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	100
	Medication (Y/N) (Q21)	5	4	80	NS	80
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	75

#### REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Merrick House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	88
Pederson-Krag House	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	5	100	NS	100
	Global(Q15)	5	5	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	100
	Medication (Y/N) (Q21)	5	5	100	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	5	5	100	NS	88

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Children & Youth Community Residence

### Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
SCO Family of Services Children's Commun	Appropriateness (Q1-Q3)	8	7	88	NS	88
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q10)	8	7	88	NS	88
	Participation (Q11-Q14)	8	7	88	NS	88
	Global(Q15)	8	8	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	8	8	100	NS	100
	Medication (Y/N) (Q21)	8	8	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	8	7	88	NS	88

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Tuckahoe Road Children's Community Resid	Appropriateness (Q1-Q3)	7	6	86	NS	86
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q10)	7	6	86	NS	86
	Participation (Q11-Q14)	7	7	100	NS	100
	Global(Q15)	7	7	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	7	6	86	NS	86
	Medication (Y/N) (Q21)	7	5	71	NS	71
	Medication Scale (Q21a-Q21e) <sup>4</sup>	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	929	2160	43.01
Day Treatment (Total)	175	429	40.79
Day Treatment (Central New York)	26	40	65.00
Day Treatment (Hudson River)	73	166	43.98
Day Treatment (Long Island)	46	151	30.46
Day Treatment (New York City)	19	34	55.88
Day Treatment (Western New York)	11	38	28.95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	175	168	96	NS	96
Cultural (Q4-Q6)	175	171	98	-	99
Access(Q7-Q9)	175	172	98	+	96
Participation (Q10-Q13)	175	166	95	-	97
Global(Q14-Q17)	175	166	95	-	96
Outcomes/Functioning (Q18-Q22)	175	155	89	+	84
Social Connectedness (Q23-Q27)	173	150	87	NS	87
Medication (Y/N) (Q28)	175	146	83	-	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	146	140	96	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	26	24	92	-	96
Cultural (Q4-Q6)	26	25	96	NS	98
Access(Q7-Q9)	26	26	100	NS	98
Participation (Q10-Q13)	26	25	96	NS	95
Global(Q14-Q17)	26	24	92	NS	95
Outcomes/Functioning (Q18-Q22)	26	23	88	NS	89
Social Connectedness (Q23-Q27)	26	20	77	-	87
Medication (Y/N) (Q28)	26	22	85	NS	83
Medication Scale (Q28a-Q28e) <sup>4</sup>	22	22	100	+	96

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	73	70	96	NS	96
Cultural (Q4-Q6)	73	71	97	NS	98
Access(Q7-Q9)	73	70	96	-	98
Participation (Q10-Q13)	73	69	95	NS	95
Global(Q14-Q17)	73	68	93	NS	95
Outcomes/Functioning (Q18-Q22)	73	66	90	NS	89
Social Connectedness (Q23-Q27)	73	66	90	NS	87
Medication (Y/N) (Q28)	73	55	75	-	83
Medication Scale (Q28a-Q28e) <sup>4</sup>	55	54	98	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	46	45	98	NS	96
Cultural (Q4-Q6)	46	45	98	NS	98
Access(Q7-Q9)	46	46	100	NS	98
Participation (Q10-Q13)	46	43	93	NS	95
Global(Q14-Q17)	46	45	98	NS	95
Outcomes/Functioning (Q18-Q22)	46	40	87	NS	89
Social Connectedness (Q23-Q27)	44	36	82	NS	87
Medication (Y/N) (Q28)	46	43	93	+	83
Medication Scale (Q28a-Q28e) <sup>4</sup>	43	42	98	NS	96

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	19	19	100	+	96
Cultural (Q4-Q6)	19	19	100	+	98
Access(Q7-Q9)	19	19	100	NS	98
Participation (Q10-Q13)	19	18	95	NS	95
Global(Q14-Q17)	19	19	100	+	95
Outcomes/Functioning (Q18-Q22)	19	17	89	NS	89
Social Connectedness (Q23-Q27)	19	18	95	+	87
Medication (Y/N) (Q28)	19	18	95	+	83
Medication Scale (Q28a-Q28e) <sup>4</sup>	18	15	83	-	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	11	10	91	-	96
Cultural (Q4-Q6)	11	11	100	+	98
Access(Q7-Q9)	11	11	100	NS	98
Participation (Q10-Q13)	11	11	100	+	95
Global(Q14-Q17)	11	10	91	-	95
Outcomes/Functioning (Q18-Q22)	11	9	82	-	89
Social Connectedness (Q23-Q27)	11	10	91	NS	87
Medication (Y/N) (Q28)	11	8	73	-	83
Medication Scale (Q28a-Q28e) <sup>4</sup>	8	7	88	-	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Adolescent Day Treatment Program	Appropriateness (Q1-Q3)	12	12	100	NS	92
	Cultural (Q4-Q6)	12	12	100	NS	96
	Access(Q7-Q9)	12	12	100	NS	100
	Participation (Q10-Q13)	12	11	92	NS	96
	Global(Q14-Q17)	12	12	100	NS	92
	Outcomes/Functioning (Q18-Q22)	12	9	75	-	88
	Social Connectedness (Q23-Q27)	12	9	75	NS	77
	Medication (Y/N) (Q28)	12	10	83	NS	85
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	NS	100
	Jefferson/Lewis Collaborative Day Treatm	Appropriateness (Q1-Q3)	6	5	83	NS
Cultural (Q4-Q6)		6	6	100	NS	96
Access(Q7-Q9)		6	6	100	NS	100
Participation (Q10-Q13)		6	6	100	NS	96
Global(Q14-Q17)		6	5	83	NS	92
Outcomes/Functioning (Q18-Q22)		6	6	100	NS	88
Social Connectedness (Q23-Q27)		6	4	67	NS	77
Medication (Y/N) (Q28)		6	5	83	NS	85
Medication Scale (Q28a-Q28e) <sup>4</sup>		5	5	100	NS	100
Potsdam Collaborative Day Treatment Prog		Appropriateness (Q1-Q3)	8	7	88	NS
	Cultural (Q4-Q6)	8	7	88	-	96
	Access(Q7-Q9)	8	8	100	NS	100
	Participation (Q10-Q13)	8	8	100	NS	96
	Global(Q14-Q17)	8	7	88	NS	92
	Outcomes/Functioning (Q18-Q22)	8	8	100	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

#### REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Social Connectedness (Q23-Q27)	8	7	88	NS	77
	Medication (Y/N) (Q28)	8	7	88	NS	85
	Medication Scale (Q28a-Q28e) <sup>4</sup>	7	7	100	NS	100

#### REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Dutchess Intensive Day Treatment Program	Appropriateness (Q1-Q3)	8	8	100	NS	96
	Cultural (Q4-Q6)	8	8	100	NS	97
	Access(Q7-Q9)	8	8	100	NS	96
	Participation (Q10-Q13)	8	8	100	+	95
	Global(Q14-Q17)	8	8	100	+	93
	Outcomes/Functioning (Q18-Q22)	8	7	88	NS	90
	Social Connectedness (Q23-Q27)	8	8	100	+	90
	Medication (Y/N) (Q28)	8	7	88	+	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	7	6	86	-	98
No. Westchester/Putnam Day Treatment Pro	Appropriateness (Q1-Q3)	5	5	100	NS	96
	Cultural (Q4-Q6)	5	5	100	NS	97
	Access(Q7-Q9)	5	5	100	NS	96
	Participation (Q10-Q13)	5	5	100	+	95
	Global(Q14-Q17)	5	5	100	+	93
	Outcomes/Functioning (Q18-Q22)	5	5	100	+	90
	Social Connectedness (Q23-Q27)	5	5	100	+	90
	Medication (Y/N) (Q28)	5	3	60	-	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	98
Orange Day Treatment Program	Appropriateness (Q1-Q3)	20	19	95	NS	96
	Cultural (Q4-Q6)	20	20	100	NS	97
	Access(Q7-Q9)	20	20	100	NS	96
	Participation (Q10-Q13)	20	18	90	NS	95
	Global(Q14-Q17)	20	18	90	NS	93
	Outcomes/Functioning (Q18-Q22)	20	18	90	NS	90
	Social Connectedness (Q23-Q27)	20	18	90	NS	90
	Medication (Y/N) (Q28)	20	18	90	+	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	18	18	100	NS	98
Rockland Intensive Day Treatment Program	Appropriateness (Q1-Q3)	11	11	100	NS	96
	Cultural (Q4-Q6)	11	10	91	-	97
	Access(Q7-Q9)	11	11	100	NS	96
	Participation (Q10-Q13)	11	11	100	+	95
	Global(Q14-Q17)	11	11	100	+	93
	Outcomes/Functioning (Q18-Q22)	11	11	100	+	90
	Social Connectedness (Q23-Q27)	11	10	91	NS	90
	Medication (Y/N) (Q28)	11	6	55	-	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	6	6	100	NS	98
Sullivan Day Treatment	Appropriateness (Q1-Q3)	7	7	100	NS	96
	Cultural (Q4-Q6)	7	7	100	NS	97
	Access(Q7-Q9)	7	7	100	NS	96
	Participation (Q10-Q13)	7	7	100	+	95
	Global(Q14-Q17)	7	7	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q18-Q22)	7	5	71	-	90
	Social Connectedness (Q23-Q27)	7	6	86	NS	90
	Medication (Y/N) (Q28)	7	4	57	-	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	98
Ulster County Day Treatment Program	Appropriateness (Q1-Q3)	11	9	82	-	96
	Cultural (Q4-Q6)	11	10	91	-	97
	Access(Q7-Q9)	11	9	82	-	96
	Participation (Q10-Q13)	11	9	82	-	95
	Global(Q14-Q17)	11	9	82	-	93
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	90
	Social Connectedness (Q23-Q27)	11	9	82	-	90
	Medication (Y/N) (Q28)	11	9	82	NS	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	9	9	100	NS	98
Yonkers Day Treatment Program	Appropriateness (Q1-Q3)	11	11	100	NS	96
	Cultural (Q4-Q6)	11	11	100	NS	97
	Access(Q7-Q9)	11	10	91	-	96
	Participation (Q10-Q13)	11	11	100	+	95
	Global(Q14-Q17)	11	10	91	NS	93
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	90
	Social Connectedness (Q23-Q27)	11	10	91	NS	90
	Medication (Y/N) (Q28)	11	8	73	NS	75
	Medication Scale (Q28a-Q28e) <sup>4</sup>	8	8	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Bellport Day Treatment	Appropriateness (Q1-Q3)	9	9	100	NS	98
	Cultural (Q4-Q6)	9	9	100	NS	98
	Access(Q7-Q9)	9	9	100	NS	100
	Participation (Q10-Q13)	9	8	89	NS	93
	Global(Q14-Q17)	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	87
	Social Connectedness (Q23-Q27)	8	8	100	+	82
	Medication (Y/N) (Q28)	9	9	100	NS	93
	Medication Scale (Q28a-Q28e) <sup>4</sup>	9	9	100	NS	98
SCPC Western Suffolk Day Treatment	Appropriateness (Q1-Q3)	7	6	86	-	98
	Cultural (Q4-Q6)	7	6	86	-	98
	Access(Q7-Q9)	7	7	100	NS	100
	Participation (Q10-Q13)	7	6	86	-	93
	Global(Q14-Q17)	7	6	86	-	98
	Outcomes/Functioning (Q18-Q22)	7	5	71	-	87
	Social Connectedness (Q23-Q27)	7	5	71	NS	82
	Medication (Y/N) (Q28)	7	6	86	-	93
	Medication Scale (Q28a-Q28e) <sup>4</sup>	6	6	100	NS	98
Sayville Day Treatment Program	Appropriateness (Q1-Q3)	11	11	100	NS	98
	Cultural (Q4-Q6)	11	11	100	NS	98
	Access(Q7-Q9)	11	11	100	NS	100
	Participation (Q10-Q13)	11	11	100	NS	93
	Global(Q14-Q17)	11	11	100	NS	98
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	87
	Social Connectedness (Q23-Q27)	11	10	91	NS	82
	Medication (Y/N) (Q28)	11	10	91	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

#### REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	NS	98
Wantagh Day Treatment Program	Appropriateness (Q1-Q3)	19	19	100	NS	98
	Cultural (Q4-Q6)	19	19	100	NS	98
	Access(Q7-Q9)	19	19	100	NS	100
	Participation (Q10-Q13)	19	18	95	NS	93
	Global(Q14-Q17)	19	19	100	NS	98
	Outcomes/Functioning (Q18-Q22)	19	16	84	NS	87
	Social Connectedness (Q23-Q27)	18	13	72	NS	82
	Medication (Y/N) (Q28)	19	18	95	NS	93
	Medication Scale (Q28a-Q28e) <sup>4</sup>	18	17	94	NS	98

#### REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Brooklyn Children's Day Treatment Center	Appropriateness (Q1-Q3)	14	14	100	NS	100
	Cultural (Q4-Q6)	14	14	100	NS	100
	Access(Q7-Q9)	14	14	100	NS	100
	Participation (Q10-Q13)	14	13	93	NS	95
	Global(Q14-Q17)	14	14	100	NS	100
	Outcomes/Functioning (Q18-Q22)	14	12	86	NS	89
	Social Connectedness (Q23-Q27)	14	13	93	NS	95
	Medication (Y/N) (Q28)	14	13	93	NS	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	13	10	77	NS	83
South Beach Adolescent Day Treatment Pro	Appropriateness (Q1-Q3)	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	5	100	NS	100
	Participation (Q10-Q13)	5	5	100	NS	95
	Global(Q14-Q17)	5	5	100	NS	100
	Outcomes/Functioning (Q18-Q22)	5	5	100	NS	89
	Social Connectedness (Q23-Q27)	5	5	100	NS	95
	Medication (Y/N) (Q28)	5	5	100	NS	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	NS	83

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
WNYCPC Day Treatment Center	Appropriateness (Q1-Q3)	6	5	83	NS	91
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q9)	6	6	100	NS	100
	Participation (Q10-Q13)	6	6	100	NS	100
	Global(Q14-Q17)	6	5	83	NS	91
	Outcomes/Functioning (Q18-Q22)	6	5	83	NS	82
	Social Connectedness (Q23-Q27)	6	5	83	NS	91
	Medication (Y/N) (Q28)	6	3	50	NS	73
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	88
Wayne Finger Lakes Day Treatment Program	Appropriateness (Q1-Q3)	5	5	100	NS	91
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Participation (Q10-Q13)	5	5	100	NS	100
	Global(Q14-Q17)	5	5	100	NS	91
	Outcomes/Functioning (Q18-Q22)	5	4	80	NS	82
	Social Connectedness (Q23-Q27)	5	5	100	NS	91
	Medication (Y/N) (Q28)	5	5	100	NS	73
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	712	1072	66.42
Day Treatment (Total)	167	271	61.62
Day Treatment (Central New York)	32	33	96.97
Day Treatment (Hudson River)	46	64	71.88
Day Treatment (Long Island)	26	107	24.30
Day Treatment (New York City)	29	32	90.63
Day Treatment (Western New York)	34	35	97.14

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	167	152	91	NS	90
Cultural (Q4-Q6)	167	156	93	NS	94
Access(Q7-Q10)	167	161	96	+	94
Participation (Q11-Q14)	167	149	89	NS	90
Global(Q15)	167	151	90	+	87
Outcomes/Functioning (Q16-Q20a)	167	135	81	-	87
Medication (Y/N) (Q21)	167	128	77	-	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	128	96	75	-	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	32	30	94	NS	91
Cultural (Q4-Q6)	32	28	88	-	93
Access(Q7-Q10)	32	31	97	NS	96
Participation (Q11-Q14)	32	30	94	NS	89
Global(Q15)	32	29	91	NS	90
Outcomes/Functioning (Q16-Q20a)	32	28	88	+	81
Medication (Y/N) (Q21)	32	29	91	+	77
Medication Scale (Q21a-Q21e) <sup>4</sup>	29	24	83	+	75

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	46	43	93	NS	91
Cultural (Q4-Q6)	46	44	96	NS	93
Access(Q7-Q10)	46	46	100	+	96
Participation (Q11-Q14)	46	43	93	NS	89
Global(Q15)	46	43	93	NS	90
Outcomes/Functioning (Q16-Q20a)	46	38	83	NS	81
Medication (Y/N) (Q21)	46	32	70	-	77
Medication Scale (Q21a-Q21e) <sup>4</sup>	32	24	75	NS	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	26	23	88	NS	91
Cultural (Q4-Q6)	26	25	96	NS	93
Access(Q7-Q10)	26	25	96	NS	96
Participation (Q11-Q14)	26	25	96	+	89
Global(Q15)	26	24	92	NS	90
Outcomes/Functioning (Q16-Q20a)	26	21	81	NS	81
Medication (Y/N) (Q21)	26	23	88	+	77
Medication Scale (Q21a-Q21e) <sup>4</sup>	23	18	78	NS	75

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	29	27	93	NS	91
Cultural (Q4-Q6)	29	27	93	NS	93
Access(Q7-Q10)	29	25	86	-	96
Participation (Q11-Q14)	29	24	83	-	89
Global(Q15)	29	25	86	NS	90
Outcomes/Functioning (Q16-Q20a)	29	25	86	NS	81
Medication (Y/N) (Q21)	29	20	69	-	77
Medication Scale (Q21a-Q21e) <sup>4</sup>	20	14	70	NS	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	34	29	85	-	91
Cultural (Q4-Q6)	34	32	94	NS	93
Access(Q7-Q10)	34	34	100	+	96
Participation (Q11-Q14)	34	27	79	-	89
Global(Q15)	34	30	88	NS	90
Outcomes/Functioning (Q16-Q20a)	34	23	68	-	81
Medication (Y/N) (Q21)	34	24	71	NS	77
Medication Scale (Q21a-Q21e) <sup>4</sup>	24	16	67	-	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Adolescent Day Treatment Program	Appropriateness (Q1-Q3)	14	12	86	NS	94
	Cultural (Q4-Q6)	14	11	79	NS	88
	Access(Q7-Q10)	14	13	93	NS	97
	Participation (Q11-Q14)	14	13	93	NS	94
	Global(Q15)	14	12	86	NS	91
	Outcomes/Functioning (Q16-Q20a)	14	11	79	NS	88
	Medication (Y/N) (Q21)	14	12	86	NS	91
	Medication Scale (Q21a-Q21e) <sup>4</sup>	12	11	92	NS	83
Jefferson/Lewis Collaborative Day Treatm	Appropriateness (Q1-Q3)	10	10	100	NS	94
	Cultural (Q4-Q6)	10	9	90	NS	88
	Access(Q7-Q10)	10	10	100	NS	97
	Participation (Q11-Q14)	10	10	100	NS	94
	Global(Q15)	10	9	90	NS	91
	Outcomes/Functioning (Q16-Q20a)	10	9	90	NS	88
	Medication (Y/N) (Q21)	10	10	100	NS	91
	Medication Scale (Q21a-Q21e) <sup>4</sup>	10	8	80	NS	83
Potsdam Collaborative Day Treatment Prog	Appropriateness (Q1-Q3)	8	8	100	NS	94
	Cultural (Q4-Q6)	8	8	100	+	88
	Access(Q7-Q10)	8	8	100	NS	97
	Participation (Q11-Q14)	8	7	88	NS	94
	Global(Q15)	8	8	100	NS	91
	Outcomes/Functioning (Q16-Q20a)	8	8	100	+	88
	Medication (Y/N) (Q21)	8	7	88	NS	91
	Medication Scale (Q21a-Q21e) <sup>4</sup>	7	5	71	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Dutchess Intensive Day Treatment Program	Appropriateness (Q1-Q3)	8	8	100	NS	93
	Cultural (Q4-Q6)	8	8	100	NS	96
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	8	100	NS	93
	Global(Q15)	8	8	100	NS	93
	Outcomes/Functioning (Q16-Q20a)	8	6	75	NS	83
	Medication (Y/N) (Q21)	8	7	88	+	70
	Medication Scale (Q21a-Q21e) <sup>4</sup>	7	5	71	NS	75
No. Westchester/Putnam Day Treatment Pro	Appropriateness (Q1-Q3)	6	6	100	NS	93
	Cultural (Q4-Q6)	6	6	100	NS	96
	Access(Q7-Q10)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	93
	Global(Q15)	6	6	100	NS	93
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	83
	Medication (Y/N) (Q21)	6	5	83	NS	70
	Medication Scale (Q21a-Q21e) <sup>4</sup>	5	4	80	NS	75
Orange Day Treatment Program	Appropriateness (Q1-Q3)	12	12	100	NS	93
	Cultural (Q4-Q6)	12	11	92	NS	96
	Access(Q7-Q10)	12	12	100	NS	100
	Participation (Q11-Q14)	12	11	92	NS	93
	Global(Q15)	12	11	92	NS	93
	Outcomes/Functioning (Q16-Q20a)	12	11	92	NS	83
	Medication (Y/N) (Q21)	12	10	83	NS	70

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication Scale (Q21a-Q21e) <sup>4</sup>	10	7	70	NS	75
Rockland Intensive Day Treatment Program	Appropriateness (Q1-Q3)	8	6	75	-	93
	Cultural (Q4-Q6)	8	7	88	-	96
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	8	100	NS	93
	Global(Q15)	8	6	75	-	93
	Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	83
	Medication (Y/N) (Q21)	8	4	50	-	70
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	75
Ulster County Day Treatment Program	Appropriateness (Q1-Q3)	12	11	92	NS	93
	Cultural (Q4-Q6)	12	12	100	NS	96
	Access(Q7-Q10)	12	12	100	NS	100
	Participation (Q11-Q14)	12	10	83	-	93
	Global(Q15)	12	12	100	NS	93
	Outcomes/Functioning (Q16-Q20a)	12	9	75	NS	83
	Medication (Y/N) (Q21)	12	6	50	-	70
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	5	83	NS	75

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

#### REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
SCPC Western Suffolk Day Treatment	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	88
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	96
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	96
	Global(Q15)	< 5	N/A	N/A	N/A	92
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	81
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	88
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	78
Wantagh Day Treatment Program	Appropriateness (Q1-Q3)	22	19	86	NS	88
	Cultural (Q4-Q6)	22	21	95	NS	96
	Access(Q7-Q10)	22	21	95	NS	96
	Participation (Q11-Q14)	22	21	95	NS	96
	Global(Q15)	22	20	91	NS	92
	Outcomes/Functioning (Q16-Q20a)	22	17	77	NS	81
	Medication (Y/N) (Q21)	22	19	86	NS	88
	Medication Scale (Q21a-Q21e) <sup>4</sup>	19	14	74	NS	78

#### REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Brooklyn Children's Day Treatment Center	Appropriateness (Q1-Q3)	16	15	94	NS	93
	Cultural (Q4-Q6)	16	15	94	NS	93
	Access(Q7-Q10)	16	13	81	NS	86
	Participation (Q11-Q14)	16	15	94	NS	83
	Global(Q15)	16	14	88	NS	86

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	16	15	94	NS	86
	Medication (Y/N) (Q21)	16	11	69	NS	69
	Medication Scale (Q21a-Q21e) <sup>4</sup>	11	10	91	NS	70
South Beach Adolescent Day Treatment Pro	Appropriateness (Q1-Q3)	13	12	92	NS	93
	Cultural (Q4-Q6)	13	12	92	NS	93
	Access(Q7-Q10)	13	12	92	NS	86
	Participation (Q11-Q14)	13	9	69	NS	83
	Global(Q15)	13	11	85	NS	86
	Outcomes/Functioning (Q16-Q20a)	13	10	77	NS	86
	Medication (Y/N) (Q21)	13	9	69	NS	69
	Medication Scale (Q21a-Q21e) <sup>4</sup>	9	4	44	-	70

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
WNYCPC Day Treatment Center	Appropriateness (Q1-Q3)	20	18	90	NS	85
	Cultural (Q4-Q6)	20	19	95	NS	94
	Access(Q7-Q10)	20	20	100	NS	100
	Participation (Q11-Q14)	20	15	75	NS	79
	Global(Q15)	20	18	90	NS	88
	Outcomes/Functioning (Q16-Q20a)	20	12	60	NS	68
	Medication (Y/N) (Q21)	20	14	70	NS	71
	Medication Scale (Q21a-Q21e) <sup>4</sup>	14	11	79	NS	67

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Day Treatment

### Day Treatment Results by Program compared to Region Day Treatment Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Wayne Finger Lakes Day Treatment Program	Appropriateness (Q1-Q3)	14	11	79	NS	85
	Cultural (Q4-Q6)	14	13	93	NS	94
	Access(Q7-Q10)	14	14	100	NS	100
	Participation (Q11-Q14)	14	12	86	NS	79
	Global(Q15)	14	12	86	NS	88
	Outcomes/Functioning (Q16-Q20a)	14	11	79	NS	68
	Medication (Y/N) (Q21)	14	10	71	NS	71
	Medication Scale (Q21a-Q21e) <sup>4</sup>	10	5	50	NS	67

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	929	2160	43.01
Family Based Treatment (Total)	46	102	45.10
Family Based Treatment (Central New York)	2	18	11.11
Family Based Treatment (Hudson River)	20	27	74.07
Family Based Treatment (Long Island)	10	18	55.56
Family Based Treatment (New York City)	8	18	44.44
Family Based Treatment (Western New York)	6	21	28.57

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	46	45	98	+	96
Cultural (Q4-Q6)	46	46	100	+	99
Access(Q7-Q9)	44	43	98	+	96
Participation (Q10-Q13)	45	44	98	NS	97
Global(Q14-Q17)	46	44	96	NS	96
Outcomes/Functioning (Q18-Q22)	46	39	85	NS	84
Social Connectedness (Q23-Q27)	46	43	93	+	87
Medication (Y/N) (Q28)	46	40	87	-	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	39	37	95	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	98
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	98
Global(Q14-Q17)	< 5	N/A	N/A	N/A	96
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	85
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	93
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	87
Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	95

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	20	19	95	NS	98
Cultural (Q4-Q6)	20	20	100	NS	100
Access(Q7-Q9)	19	19	100	NS	98
Participation (Q10-Q13)	20	20	100	NS	98
Global(Q14-Q17)	20	19	95	NS	96
Outcomes/Functioning (Q18-Q22)	20	16	80	NS	85
Social Connectedness (Q23-Q27)	20	18	90	NS	93
Medication (Y/N) (Q28)	20	16	80	NS	87
Medication Scale (Q28a-Q28e) <sup>4</sup>	16	15	94	NS	95

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	10	10	100	NS	98
Cultural (Q4-Q6)	10	10	100	NS	100
Access(Q7-Q9)	9	8	89	-	98
Participation (Q10-Q13)	9	9	100	NS	98
Global(Q14-Q17)	10	10	100	NS	96
Outcomes/Functioning (Q18-Q22)	10	8	80	NS	85
Social Connectedness (Q23-Q27)	10	10	100	NS	93
Medication (Y/N) (Q28)	10	8	80	NS	87
Medication Scale (Q28a-Q28e) <sup>4</sup>	7	7	100	NS	95

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	8	8	100	NS	98
Cultural (Q4-Q6)	8	8	100	NS	100
Access(Q7-Q9)	8	8	100	NS	98
Participation (Q10-Q13)	8	7	88	-	98
Global(Q14-Q17)	8	7	88	-	96
Outcomes/Functioning (Q18-Q22)	8	7	88	NS	85
Social Connectedness (Q23-Q27)	8	7	88	NS	93
Medication (Y/N) (Q28)	8	8	100	+	87
Medication Scale (Q28a-Q28e) <sup>4</sup>	8	7	88	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	6	6	100	NS	98
Cultural (Q4-Q6)	6	6	100	NS	100
Access(Q7-Q9)	6	6	100	NS	98
Participation (Q10-Q13)	6	6	100	NS	98
Global(Q14-Q17)	6	6	100	NS	96
Outcomes/Functioning (Q18-Q22)	6	6	100	+	85
Social Connectedness (Q23-Q27)	6	6	100	NS	93
Medication (Y/N) (Q28)	6	6	100	+	87
Medication Scale (Q28a-Q28e) <sup>4</sup>	6	6	100	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Family to Family	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Astor Home For Children Family Based Tx	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	95
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	90
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	80
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	94
MHA of Ulster County - The Harbour Progr	Appropriateness (Q1-Q3)	9	9	100	NS	95
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q9)	9	9	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Participation (Q10-Q13)	9	9	100	NS	100
	Global(Q14-Q17)	9	9	100	NS	95
	Outcomes/Functioning (Q18-Q22)	9	8	89	NS	80
	Social Connectedness (Q23-Q27)	9	9	100	NS	90
	Medication (Y/N) (Q28)	9	6	67	NS	80
	Medication Scale (Q28a-Q28e) <sup>4</sup>	6	5	83	NS	94
St. Catherine's Family Based Treatment P	Appropriateness (Q1-Q3)	8	8	100	NS	95
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q9)	7	7	100	NS	100
	Participation (Q10-Q13)	8	8	100	NS	100
	Global(Q14-Q17)	8	8	100	NS	95
	Outcomes/Functioning (Q18-Q22)	8	6	75	NS	80
	Social Connectedness (Q23-Q27)	8	7	88	NS	90
	Medication (Y/N) (Q28)	8	8	100	+	80
	Medication Scale (Q28a-Q28e) <sup>4</sup>	8	8	100	NS	94

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Circle Family Based Treatment Program	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q9)	6	5	83	NS	89
	Participation (Q10-Q13)	6	6	100	NS	100
	Global(Q14-Q17)	7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

#### REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q18-Q22)	7	5	71	NS	80
	Social Connectedness (Q23-Q27)	7	7	100	NS	100
	Medication (Y/N) (Q28)	7	6	86	NS	80
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	NS	100
Turnabout Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	89
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	80
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

#### REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Bonding Links	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	88
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	88
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	88

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	88
SCO Family of Services FBT Program - Bro	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	88
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	88
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	88
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	88
SCO Family of Services FBT Program - Que	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	5	100	NS	100
	Participation (Q10-Q13)	5	4	80	NS	88
	Global(Q14-Q17)	5	4	80	NS	88
	Outcomes/Functioning (Q18-Q22)	5	4	80	NS	88
	Social Connectedness (Q23-Q27)	5	5	100	NS	88
	Medication (Y/N) (Q28)	5	5	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Child & Family Services Family Based Tre	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100
Hillside Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *Family Based Treatment*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42
Family Based Treatment (Total)	103	136	75.74
Family Based Treatment (Central New York)	8	14	57.14
Family Based Treatment (Hudson River)	27	33	81.82
Family Based Treatment (Long Island)	14	20	70.00
Family Based Treatment (New York City)	38	49	77.55
Family Based Treatment (Western New York)	16	20	80.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	103	96	93	+	90
Cultural (Q4-Q6)	103	101	98	+	94
Access(Q7-Q10)	103	99	96	+	94
Participation (Q11-Q14)	103	94	91	NS	90
Global(Q15)	101	89	88	NS	87
Outcomes/Functioning (Q16-Q20a)	103	93	90	+	87
Medication (Y/N) (Q21)	103	93	90	NS	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	93	81	87	+	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	8	8	100	+	93
Cultural (Q4-Q6)	8	8	100	NS	98
Access(Q7-Q10)	8	8	100	+	96
Participation (Q11-Q14)	8	7	88	NS	91
Global(Q15)	8	8	100	+	88
Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	90
Medication (Y/N) (Q21)	8	7	88	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	7	6	86	NS	87

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	27	27	100	+	93
Cultural (Q4-Q6)	27	27	100	NS	98
Access(Q7-Q10)	27	27	100	+	96
Participation (Q11-Q14)	27	26	96	NS	91
Global(Q15)	26	24	92	NS	88
Outcomes/Functioning (Q16-Q20a)	27	26	96	+	90
Medication (Y/N) (Q21)	27	24	89	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	24	19	79	-	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	14	12	86	-	93
Cultural (Q4-Q6)	14	14	100	NS	98
Access(Q7-Q10)	14	14	100	+	96
Participation (Q11-Q14)	14	13	93	NS	91
Global(Q15)	13	12	92	NS	88
Outcomes/Functioning (Q16-Q20a)	14	13	93	NS	90
Medication (Y/N) (Q21)	14	11	79	-	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	11	8	73	-	87

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	38	35	92	NS	93
Cultural (Q4-Q6)	38	36	95	-	98
Access(Q7-Q10)	38	36	95	NS	96
Participation (Q11-Q14)	38	34	89	NS	91
Global(Q15)	38	33	87	NS	88
Outcomes/Functioning (Q16-Q20a)	38	34	89	NS	90
Medication (Y/N) (Q21)	38	35	92	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	35	33	94	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	16	14	88	-	93
Cultural (Q4-Q6)	16	16	100	NS	98
Access(Q7-Q10)	16	14	88	-	96
Participation (Q11-Q14)	16	14	88	NS	91
Global(Q15)	16	12	75	-	88
Outcomes/Functioning (Q16-Q20a)	16	13	81	-	90
Medication (Y/N) (Q21)	16	16	100	+	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	16	15	94	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Family to Family	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	7	88	NS	88
	Global(Q15)	8	8	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	88
	Medication (Y/N) (Q21)	8	7	88	NS	88
	Medication Scale (Q21a-Q21e) <sup>4</sup>	7	6	86	NS	86

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Astor Home For Children Family Based Tx	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q10)	9	9	100	NS	100
	Participation (Q11-Q14)	9	9	100	NS	96
	Global(Q15)	9	8	89	NS	92
	Outcomes/Functioning (Q16-Q20a)	9	9	100	NS	96
	Medication (Y/N) (Q21)	9	9	100	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	9	8	89	NS	79
MHA of Ulster County - The Harbour Progr	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q10)	10	10	100	NS	100
	Participation (Q11-Q14)	10	10	100	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Global(Q15)	9	9	100	NS	92
	Outcomes/Functioning (Q16-Q20a)	10	10	100	NS	96
	Medication (Y/N) (Q21)	10	7	70	-	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	7	5	71	NS	79
St. Catherine's Family Based Treatment P	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	7	88	-	96
	Global(Q15)	8	7	88	NS	92
	Outcomes/Functioning (Q16-Q20a)	8	7	88	-	96
	Medication (Y/N) (Q21)	8	8	100	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	8	6	75	NS	79

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Circle Family Based Treatment Program	Appropriateness (Q1-Q3)	10	8	80	NS	86
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q10)	10	10	100	NS	100
	Participation (Q11-Q14)	10	9	90	NS	93
	Global(Q15)	9	8	89	NS	92
	Outcomes/Functioning (Q16-Q20a)	10	9	90	NS	93
	Medication (Y/N) (Q21)	10	9	90	NS	79
	Medication Scale (Q21a-Q21e) <sup>4</sup>	9	6	67	NS	73

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

#### REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Turnabout Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	86
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	93
	Global(Q15)	< 5	N/A	N/A	N/A	92
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	93
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	79
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	73

#### REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Bonding Links	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	95
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	95
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	89
	Global(Q15)	< 5	N/A	N/A	N/A	87
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	89
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	92
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	94
Bonding Links - Enlazos Familiares Queen	Appropriateness (Q1-Q3)	5	4	80	-	92
	Cultural (Q4-Q6)	5	5	100	NS	95
	Access(Q7-Q10)	5	4	80	-	95

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Participation (Q11-Q14)	5	4	80	NS	89
	Global(Q15)	5	4	80	NS	87
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	89
	Medication (Y/N) (Q21)	5	4	80	-	92
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	94
SCO Family of Services FBT Program - Bro	Appropriateness (Q1-Q3)	22	20	91	NS	92
	Cultural (Q4-Q6)	22	20	91	NS	95
	Access(Q7-Q10)	22	21	95	NS	95
	Participation (Q11-Q14)	22	19	86	NS	89
	Global(Q15)	22	19	86	NS	87
	Outcomes/Functioning (Q16-Q20a)	22	19	86	NS	89
	Medication (Y/N) (Q21)	22	22	100	NS	92
	Medication Scale (Q21a-Q21e) <sup>4</sup>	22	21	95	NS	94
SCO Family of Services FBT Program - Que	Appropriateness (Q1-Q3)	7	7	100	NS	92
	Cultural (Q4-Q6)	7	7	100	NS	95
	Access(Q7-Q10)	7	7	100	NS	95
	Participation (Q11-Q14)	7	7	100	+	89
	Global(Q15)	7	7	100	+	87
	Outcomes/Functioning (Q16-Q20a)	7	7	100	+	89
	Medication (Y/N) (Q21)	7	6	86	NS	92
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	5	83	-	94

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Family Based Treatment

### Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Child & Family Services Family Based Tre	Appropriateness (Q1-Q3)	6	5	83	NS	88
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q10)	6	5	83	NS	88
	Participation (Q11-Q14)	6	6	100	NS	88
	Global(Q15)	6	5	83	NS	75
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	81
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	5	83	NS	94
Hillside Family Based Treatment Program	Appropriateness (Q1-Q3)	10	9	90	NS	88
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q10)	10	9	90	NS	88
	Participation (Q11-Q14)	10	8	80	NS	88
	Global(Q15)	10	7	70	NS	75
	Outcomes/Functioning (Q16-Q20a)	10	8	80	NS	81
	Medication (Y/N) (Q21)	10	10	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	10	10	100	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	929	2160	43.01
HCBS Waiver Individualized Care Coordination (Total)	520	1105	47.06
HCBS Waiver Individualized Care Coordination (Central New York)	63	147	42.86
HCBS Waiver Individualized Care Coordination (Hudson River)	130	235	55.32
HCBS Waiver Individualized Care Coordination (Long Island)	61	106	57.55
HCBS Waiver Individualized Care Coordination (New York City)	139	385	36.10
HCBS Waiver Individualized Care Coordination (Western New York)	127	232	54.74

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	517	498	96	NS	96
Cultural (Q4-Q6)	520	516	99	NS	99
Access(Q7-Q9)	518	494	95	NS	96
Participation (Q10-Q13)	518	513	99	+	97
Global(Q14-Q17)	518	504	97	NS	96
Outcomes/Functioning (Q18-Q22)	513	423	82	NS	84
Social Connectedness (Q23-Q27)	514	439	85	NS	87
Medication (Y/N) (Q28)	520	481	93	NS	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	479	456	95	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	93	91	98	NS	96
Cultural (Q4-Q6)	94	93	99	NS	99
Access(Q7-Q9)	94	92	98	+	95
Participation (Q10-Q13)	94	93	99	NS	99
Global(Q14-Q17)	94	93	99	+	97
Outcomes/Functioning (Q18-Q22)	93	84	90	+	82
Social Connectedness (Q23-Q27)	93	83	89	+	85
Medication (Y/N) (Q28)	94	90	96	+	93
Medication Scale (Q28a-Q28e) <sup>4</sup>	90	88	98	+	95

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	110	109	99	+	96
Cultural (Q4-Q6)	110	110	100	+	99
Access(Q7-Q9)	109	106	97	+	95
Participation (Q10-Q13)	109	109	100	+	99
Global(Q14-Q17)	110	109	99	+	97
Outcomes/Functioning (Q18-Q22)	107	86	80	NS	82
Social Connectedness (Q23-Q27)	108	88	81	-	85
Medication (Y/N) (Q28)	110	105	95	+	93
Medication Scale (Q28a-Q28e) <sup>4</sup>	105	98	93	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	60	58	97	NS	96
Cultural (Q4-Q6)	61	61	100	+	99
Access(Q7-Q9)	60	57	95	NS	95
Participation (Q10-Q13)	61	59	97	-	99
Global(Q14-Q17)	60	58	97	NS	97
Outcomes/Functioning (Q18-Q22)	60	49	82	NS	82
Social Connectedness (Q23-Q27)	61	53	87	NS	85
Medication (Y/N) (Q28)	61	60	98	+	93
Medication Scale (Q28a-Q28e) <sup>4</sup>	60	56	93	NS	95

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	128	125	98	NS	96
Cultural (Q4-Q6)	128	127	99	NS	99
Access(Q7-Q9)	128	122	95	NS	95
Participation (Q10-Q13)	128	128	100	+	99
Global(Q14-Q17)	128	125	98	NS	97
Outcomes/Functioning (Q18-Q22)	128	104	81	NS	82
Social Connectedness (Q23-Q27)	127	112	88	NS	85
Medication (Y/N) (Q28)	128	110	86	-	93
Medication Scale (Q28a-Q28e) <sup>4</sup>	109	104	95	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	126	115	91	-	96
Cultural (Q4-Q6)	127	125	98	-	99
Access(Q7-Q9)	127	117	92	-	95
Participation (Q10-Q13)	126	124	98	NS	99
Global(Q14-Q17)	126	119	94	-	97
Outcomes/Functioning (Q18-Q22)	125	100	80	NS	82
Social Connectedness (Q23-Q27)	125	103	82	NS	85
Medication (Y/N) (Q28)	127	116	91	NS	93
Medication Scale (Q28a-Q28e) <sup>4</sup>	115	110	96	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Behav Health HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	98
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	99
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	90
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	98
C.C. Broome HCBS - ICC	Appropriateness (Q1-Q3)	14	14	100	NS	98
	Cultural (Q4-Q6)	14	14	100	NS	99
	Access(Q7-Q9)	14	14	100	NS	98
	Participation (Q10-Q13)	14	14	100	NS	99
	Global(Q14-Q17)	14	14	100	NS	99
	Outcomes/Functioning (Q18-Q22)	14	12	86	NS	90
	Social Connectedness (Q23-Q27)	14	12	86	NS	89
	Medication (Y/N) (Q28)	14	14	100	+	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	14	14	100	NS	98
Citizens Advocate HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	98
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	99
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	90
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	98
Families First HCBS - ICC	Appropriateness (Q1-Q3)	9	8	89	-	98
	Cultural (Q4-Q6)	9	9	100	NS	99
	Access(Q7-Q9)	9	9	100	NS	98
	Participation (Q10-Q13)	9	9	100	NS	99
	Global(Q14-Q17)	9	9	100	NS	99
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	90
	Social Connectedness (Q23-Q27)	9	8	89	NS	89
	Medication (Y/N) (Q28)	9	7	78	-	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	7	7	100	NS	98
Hillside HCBS - ICC CENTRAL	Appropriateness (Q1-Q3)	19	19	100	NS	98
	Cultural (Q4-Q6)	19	19	100	NS	99
	Access(Q7-Q9)	19	19	100	NS	98
	Participation (Q10-Q13)	19	19	100	NS	99
	Global(Q14-Q17)	19	18	95	-	99
	Outcomes/Functioning (Q18-Q22)	19	16	84	NS	90
	Social Connectedness (Q23-Q27)	19	16	84	NS	89
	Medication (Y/N) (Q28)	19	19	100	+	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	19	18	95	NS	98
MHA Ulster HCBS - ICC	Appropriateness (Q1-Q3)	24	24	100	NS	98
	Cultural (Q4-Q6)	24	24	100	NS	99
	Access(Q7-Q9)	24	24	100	NS	98
	Participation (Q10-Q13)	24	24	100	NS	99
	Global(Q14-Q17)	24	24	100	NS	99

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q18-Q22)	24	23	96	NS	90
	Social Connectedness (Q23-Q27)	24	24	100	+	89
	Medication (Y/N) (Q28)	24	22	92	NS	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	22	22	100	NS	98
North Country TLS HCBS - ICC	Appropriateness (Q1-Q3)	14	13	93	-	98
	Cultural (Q4-Q6)	14	13	93	-	99
	Access(Q7-Q9)	14	13	93	-	98
	Participation (Q10-Q13)	14	13	93	-	99
	Global(Q14-Q17)	14	14	100	NS	99
	Outcomes/Functioning (Q18-Q22)	14	11	79	-	90
	Social Connectedness (Q23-Q27)	14	11	79	-	89
	Medication (Y/N) (Q28)	14	14	100	+	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	14	13	93	-	98
Parsons HCBS - ICC	Appropriateness (Q1-Q3)	6	6	100	NS	98
	Cultural (Q4-Q6)	7	7	100	NS	99
	Access(Q7-Q9)	7	6	86	-	98
	Participation (Q10-Q13)	7	7	100	NS	99
	Global(Q14-Q17)	7	7	100	NS	99
	Outcomes/Functioning (Q18-Q22)	6	6	100	+	90
	Social Connectedness (Q23-Q27)	6	5	83	NS	89
	Medication (Y/N) (Q28)	7	7	100	+	96
	Medication Scale (Q28a-Q28e) <sup>4</sup>	7	7	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Astor HCBS - ICC	Appropriateness (Q1-Q3)	15	15	100	NS	99
	Cultural (Q4-Q6)	15	15	100	NS	100
	Access(Q7-Q9)	15	14	93	-	97
	Participation (Q10-Q13)	15	15	100	NS	100
	Global(Q14-Q17)	15	15	100	NS	99
	Outcomes/Functioning (Q18-Q22)	15	11	73	NS	80
	Social Connectedness (Q23-Q27)	15	12	80	NS	81
	Medication (Y/N) (Q28)	15	14	93	NS	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	14	14	100	+	93
Green Chimneys HCBS Waiver Individualize	Appropriateness (Q1-Q3)	5	5	100	NS	99
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	4	80	-	97
	Participation (Q10-Q13)	5	5	100	NS	100
	Global(Q14-Q17)	5	4	80	-	99
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	5	4	80	NS	81
	Medication (Y/N) (Q28)	5	5	100	+	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	+	93
MHA Ulster HCBS - ICC	Appropriateness (Q1-Q3)	18	18	100	NS	99
	Cultural (Q4-Q6)	18	18	100	NS	100
	Access(Q7-Q9)	17	17	100	NS	97
	Participation (Q10-Q13)	17	17	100	NS	100
	Global(Q14-Q17)	18	18	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q18-Q22)	17	12	71	-	80
	Social Connectedness (Q23-Q27)	17	13	76	NS	81
	Medication (Y/N) (Q28)	18	17	94	NS	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	17	16	94	NS	93
MHA Westchester HCBS - ICC	Appropriateness (Q1-Q3)	20	19	95	-	99
	Cultural (Q4-Q6)	20	20	100	NS	100
	Access(Q7-Q9)	20	20	100	NS	97
	Participation (Q10-Q13)	20	20	100	NS	100
	Global(Q14-Q17)	20	20	100	NS	99
	Outcomes/Functioning (Q18-Q22)	19	13	68	-	80
	Social Connectedness (Q23-Q27)	19	14	74	-	81
	Medication (Y/N) (Q28)	20	17	85	-	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	17	17	100	+	93
Occupations Inc. HCBS - ICC	Appropriateness (Q1-Q3)	13	13	100	NS	99
	Cultural (Q4-Q6)	13	13	100	NS	100
	Access(Q7-Q9)	13	12	92	-	97
	Participation (Q10-Q13)	13	13	100	NS	100
	Global(Q14-Q17)	13	13	100	NS	99
	Outcomes/Functioning (Q18-Q22)	13	13	100	+	80
	Social Connectedness (Q23-Q27)	13	11	85	NS	81
	Medication (Y/N) (Q28)	13	13	100	+	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	13	13	100	+	93
Parsons HCBS - ICC	Appropriateness (Q1-Q3)	19	19	100	NS	99
	Cultural (Q4-Q6)	19	19	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Access(Q7-Q9)	19	19	100	NS	97
	Participation (Q10-Q13)	19	19	100	NS	100
	Global(Q14-Q17)	19	19	100	NS	99
	Outcomes/Functioning (Q18-Q22)	19	16	84	NS	80
	Social Connectedness (Q23-Q27)	19	17	89	+	81
	Medication (Y/N) (Q28)	19	19	100	+	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	19	17	89	NS	93
St. Dominics HCBS - ICC	Appropriateness (Q1-Q3)	11	11	100	NS	99
	Cultural (Q4-Q6)	11	11	100	NS	100
	Access(Q7-Q9)	11	11	100	NS	97
	Participation (Q10-Q13)	11	11	100	NS	100
	Global(Q14-Q17)	11	11	100	NS	99
	Outcomes/Functioning (Q18-Q22)	11	9	82	NS	80
	Social Connectedness (Q23-Q27)	11	9	82	NS	81
	Medication (Y/N) (Q28)	11	11	100	+	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	11	10	91	NS	93
WJCS HCBS - ICC	Appropriateness (Q1-Q3)	9	9	100	NS	99
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q9)	9	9	100	NS	97
	Participation (Q10-Q13)	9	9	100	NS	100
	Global(Q14-Q17)	9	9	100	NS	99
	Outcomes/Functioning (Q18-Q22)	9	8	89	+	80
	Social Connectedness (Q23-Q27)	9	8	89	NS	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication (Y/N) (Q28)	9	9	100	+	95
	Medication Scale (Q28a-Q28e) <sup>4</sup>	9	6	67	-	93

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Family and Children HCBS - ICC	Appropriateness (Q1-Q3)	22	22	100	NS	97
	Cultural (Q4-Q6)	22	22	100	NS	100
	Access(Q7-Q9)	22	22	100	NS	95
	Participation (Q10-Q13)	22	22	100	NS	97
	Global(Q14-Q17)	22	22	100	NS	97
	Outcomes/Functioning (Q18-Q22)	21	17	81	NS	82
	Social Connectedness (Q23-Q27)	22	20	91	NS	87
	Medication (Y/N) (Q28)	22	22	100	NS	98
	Medication Scale (Q28a-Q28e) <sup>4</sup>	22	20	91	NS	93
Pederson-Krag House	Appropriateness (Q1-Q3)	38	36	95	NS	97
	Cultural (Q4-Q6)	39	39	100	NS	100
	Access(Q7-Q9)	38	35	92	NS	95
	Participation (Q10-Q13)	39	37	95	NS	97
	Global(Q14-Q17)	38	36	95	NS	97
	Outcomes/Functioning (Q18-Q22)	39	32	82	NS	82
	Social Connectedness (Q23-Q27)	39	33	85	NS	87
	Medication (Y/N) (Q28)	39	38	97	NS	98
	Medication Scale (Q28a-Q28e) <sup>4</sup>	38	36	95	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Jewish Board F&C HCBS - ICC	Appropriateness (Q1-Q3)	23	23	100	NS	98
	Cultural (Q4-Q6)	23	23	100	NS	99
	Access(Q7-Q9)	23	22	96	NS	95
	Participation (Q10-Q13)	23	23	100	NS	100
	Global(Q14-Q17)	23	23	100	NS	98
	Outcomes/Functioning (Q18-Q22)	23	13	57	-	81
	Social Connectedness (Q23-Q27)	23	17	74	-	88
	Medication (Y/N) (Q28)	23	22	96	+	86
	Medication Scale (Q28a-Q28e) <sup>4</sup>	21	20	95	NS	95
Jewish Child Care Assoc HCBS - ICC	Appropriateness (Q1-Q3)	8	8	100	NS	98
	Cultural (Q4-Q6)	8	8	100	NS	99
	Access(Q7-Q9)	8	7	88	-	95
	Participation (Q10-Q13)	8	8	100	NS	100
	Global(Q14-Q17)	8	8	100	NS	98
	Outcomes/Functioning (Q18-Q22)	8	8	100	+	81
	Social Connectedness (Q23-Q27)	8	8	100	+	88
	Medication (Y/N) (Q28)	8	5	63	-	86
	Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	+	95
SCO-HCBS - ICC	Appropriateness (Q1-Q3)	12	12	100	NS	98
	Cultural (Q4-Q6)	12	12	100	NS	99
	Access(Q7-Q9)	12	11	92	NS	95
	Participation (Q10-Q13)	12	12	100	NS	100
	Global(Q14-Q17)	12	12	100	NS	98
	Outcomes/Functioning (Q18-Q22)	12	9	75	NS	81
	Social Connectedness (Q23-Q27)	12	10	83	NS	88
	Medication (Y/N) (Q28)	12	11	92	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication Scale (Q28a-Q28e) <sup>4</sup>	11	11	100	+	95
St. Dominics HCBS - ICC	Appropriateness (Q1-Q3)	10	10	100	NS	98
	Cultural (Q4-Q6)	10	10	100	NS	99
	Access(Q7-Q9)	10	9	90	-	95
	Participation (Q10-Q13)	10	10	100	NS	100
	Global(Q14-Q17)	10	10	100	NS	98
	Outcomes/Functioning (Q18-Q22)	10	8	80	NS	81
	Social Connectedness (Q23-Q27)	10	9	90	NS	88
	Medication (Y/N) (Q28)	10	10	100	+	86
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	9	90	-	95
St. Lukes-Roosevelt HCBS - ICC	Appropriateness (Q1-Q3)	23	23	100	NS	98
	Cultural (Q4-Q6)	23	23	100	NS	99
	Access(Q7-Q9)	23	23	100	+	95
	Participation (Q10-Q13)	23	23	100	NS	100
	Global(Q14-Q17)	23	23	100	NS	98
	Outcomes/Functioning (Q18-Q22)	23	23	100	+	81
	Social Connectedness (Q23-Q27)	23	23	100	+	88
	Medication (Y/N) (Q28)	23	19	83	NS	86
	Medication Scale (Q28a-Q28e) <sup>4</sup>	19	17	89	-	95
Steinway HCBS - ICC	Appropriateness (Q1-Q3)	52	49	94	-	98
	Cultural (Q4-Q6)	52	51	98	NS	99
	Access(Q7-Q9)	52	50	96	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Participation (Q10-Q13)	52	52	100	NS	100
	Global(Q14-Q17)	52	49	94	-	98
	Outcomes/Functioning (Q18-Q22)	52	43	83	NS	81
	Social Connectedness (Q23-Q27)	51	45	88	NS	88
	Medication (Y/N) (Q28)	52	43	83	NS	86
	Medication Scale (Q28a-Q28e) <sup>4</sup>	43	42	98	NS	95

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Child & Family HCBS - ICC	Appropriateness (Q1-Q3)	26	24	92	NS	91
	Cultural (Q4-Q6)	26	26	100	NS	98
	Access(Q7-Q9)	26	26	100	+	92
	Participation (Q10-Q13)	26	25	96	-	98
	Global(Q14-Q17)	26	26	100	+	94
	Outcomes/Functioning (Q18-Q22)	26	24	92	+	80
	Social Connectedness (Q23-Q27)	26	25	96	+	82
	Medication (Y/N) (Q28)	26	23	88	NS	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	23	21	91	-	96
Hillside Monroe HCBS - ICC	Appropriateness (Q1-Q3)	36	30	83	-	91
	Cultural (Q4-Q6)	37	36	97	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Access(Q7-Q9)	37	28	76	-	92
	Participation (Q10-Q13)	36	36	100	NS	98
	Global(Q14-Q17)	36	31	86	-	94
	Outcomes/Functioning (Q18-Q22)	35	23	66	-	80
	Social Connectedness (Q23-Q27)	35	24	69	-	82
	Medication (Y/N) (Q28)	37	33	89	NS	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	32	31	97	NS	96
Hillside NIGLO HCBS - ICC	Appropriateness (Q1-Q3)	22	22	100	+	91
	Cultural (Q4-Q6)	22	22	100	NS	98
	Access(Q7-Q9)	22	22	100	+	92
	Participation (Q10-Q13)	22	22	100	NS	98
	Global(Q14-Q17)	22	22	100	+	94
	Outcomes/Functioning (Q18-Q22)	22	18	82	NS	80
	Social Connectedness (Q23-Q27)	22	17	77	NS	82
	Medication (Y/N) (Q28)	22	20	91	NS	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	20	19	95	NS	96
Mid-Erie Counseling HCBS - ICC	Appropriateness (Q1-Q3)	13	12	92	NS	91
	Cultural (Q4-Q6)	13	13	100	NS	98
	Access(Q7-Q9)	13	13	100	+	92
	Participation (Q10-Q13)	13	13	100	NS	98
	Global(Q14-Q17)	13	13	100	+	94
	Outcomes/Functioning (Q18-Q22)	13	10	77	NS	80
	Social Connectedness (Q23-Q27)	13	11	85	NS	82
	Medication (Y/N) (Q28)	13	11	85	-	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	11	10	91	-	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Pathways Inc. HCBS - ICC	Appropriateness (Q1-Q3)	27	25	93	NS	91
	Cultural (Q4-Q6)	27	26	96	NS	98
	Access(Q7-Q9)	27	26	96	NS	92
	Participation (Q10-Q13)	27	26	96	NS	98
	Global(Q14-Q17)	27	25	93	NS	94
	Outcomes/Functioning (Q18-Q22)	27	23	85	NS	80
	Social Connectedness (Q23-Q27)	27	24	89	NS	82
	Medication (Y/N) (Q28)	27	27	100	+	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	27	27	100	+	96
Rehab Ctr HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	91
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	98
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	92
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	98
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	82
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	91
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	96

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *HCBS Waiver Individualized Care Coordination*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42
HCBS Waiver Individualized Care Coordination (Total)	165	300	55.00
HCBS Waiver Individualized Care Coordination (Central New York)	38	52	73.08
HCBS Waiver Individualized Care Coordination (Hudson River)	17	41	41.46
HCBS Waiver Individualized Care Coordination (Long Island)	58	93	62.37
HCBS Waiver Individualized Care Coordination (New York City)	19	59	32.20
HCBS Waiver Individualized Care Coordination (Western New York)	33	55	60.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	165	158	96	+	90
Cultural (Q4-Q6)	165	165	100	+	94
Access(Q7-Q10)	165	163	99	+	94
Participation (Q11-Q14)	165	155	94	+	90
Global(Q15)	164	156	95	+	87
Outcomes/Functioning (Q16-Q20a)	165	146	88	NS	87
Medication (Y/N) (Q21)	165	149	90	NS	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	148	127	86	+	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	38	38	100	+	96
Cultural (Q4-Q6)	38	38	100	NS	100
Access(Q7-Q10)	38	38	100	NS	99
Participation (Q11-Q14)	38	36	95	NS	94
Global(Q15)	37	36	97	NS	95
Outcomes/Functioning (Q16-Q20a)	38	35	92	NS	88
Medication (Y/N) (Q21)	38	33	87	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	33	30	91	NS	86

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	17	16	94	NS	96
Cultural (Q4-Q6)	17	17	100	NS	100
Access(Q7-Q10)	17	17	100	NS	99
Participation (Q11-Q14)	17	17	100	+	94
Global(Q15)	17	16	94	NS	95
Outcomes/Functioning (Q16-Q20a)	17	13	76	-	88
Medication (Y/N) (Q21)	17	17	100	+	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	17	16	94	+	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	58	54	93	NS	96
Cultural (Q4-Q6)	58	58	100	NS	100
Access(Q7-Q10)	58	58	100	NS	99
Participation (Q11-Q14)	58	54	93	NS	94
Global(Q15)	58	56	97	NS	95
Outcomes/Functioning (Q16-Q20a)	58	51	88	NS	88
Medication (Y/N) (Q21)	58	54	93	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	53	46	87	NS	86

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	19	19	100	+	96
Cultural (Q4-Q6)	19	19	100	NS	100
Access(Q7-Q10)	19	19	100	NS	99
Participation (Q11-Q14)	19	17	89	-	94
Global(Q15)	19	18	95	NS	95
Outcomes/Functioning (Q16-Q20a)	19	17	89	NS	88
Medication (Y/N) (Q21)	19	17	89	NS	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	17	13	76	-	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	33	31	94	NS	96
Cultural (Q4-Q6)	33	33	100	NS	100
Access(Q7-Q10)	33	31	94	-	99
Participation (Q11-Q14)	33	31	94	NS	94
Global(Q15)	33	30	91	-	95
Outcomes/Functioning (Q16-Q20a)	33	30	91	NS	88
Medication (Y/N) (Q21)	33	28	85	-	90
Medication Scale (Q21a-Q21e) <sup>4</sup>	28	22	79	-	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
C.C. Broome HCBS - ICC	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q10)	7	7	100	NS	100
	Participation (Q11-Q14)	7	7	100	NS	95
	Global(Q15)	7	7	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	7	7	100	NS	92
	Medication (Y/N) (Q21)	7	6	86	NS	87
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	6	100	NS	91
Hillside HCBS - ICC CENTRAL	Appropriateness (Q1-Q3)	12	12	100	NS	100
	Cultural (Q4-Q6)	12	12	100	NS	100
	Access(Q7-Q10)	12	12	100	NS	100
	Participation (Q11-Q14)	12	11	92	NS	95
	Global(Q15)	11	11	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	12	11	92	NS	92
	Medication (Y/N) (Q21)	12	10	83	NS	87
	Medication Scale (Q21a-Q21e) <sup>4</sup>	10	8	80	-	91
North Country TLS HCBS - ICC	Appropriateness (Q1-Q3)	19	19	100	NS	100
	Cultural (Q4-Q6)	19	19	100	NS	100
	Access(Q7-Q10)	19	19	100	NS	100
	Participation (Q11-Q14)	19	18	95	NS	95
	Global(Q15)	19	18	95	NS	97
	Outcomes/Functioning (Q16-Q20a)	19	17	89	NS	92
	Medication (Y/N) (Q21)	19	17	89	NS	87
	Medication Scale (Q21a-Q21e) <sup>4</sup>	17	16	94	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Astor HCBS - ICC	Appropriateness (Q1-Q3)	11	11	100	NS	94
	Cultural (Q4-Q6)	11	11	100	NS	100
	Access(Q7-Q10)	11	11	100	NS	100
	Participation (Q11-Q14)	11	11	100	NS	100
	Global(Q15)	11	11	100	NS	94
	Outcomes/Functioning (Q16-Q20a)	11	8	73	NS	76
	Medication (Y/N) (Q21)	11	11	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	11	10	91	NS	94
	Green Chimneys HCBS Waiver Individualize	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A
Cultural (Q4-Q6)		< 5	N/A	N/A	N/A	100
Access(Q7-Q10)		< 5	N/A	N/A	N/A	100
Participation (Q11-Q14)		< 5	N/A	N/A	N/A	100
Global(Q15)		< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q16-Q20a)		< 5	N/A	N/A	N/A	76
Medication (Y/N) (Q21)		< 5	N/A	N/A	N/A	100
Medication Scale (Q21a-Q21e) <sup>4</sup>		< 5	N/A	N/A	N/A	94
MHA Ulster HCBS - ICC		Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	76
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	94
Parsons HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	76
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	94

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Family and Children HCBS - ICC	Appropriateness (Q1-Q3)	31	30	97	NS	93
	Cultural (Q4-Q6)	31	31	100	NS	100
	Access(Q7-Q10)	31	31	100	NS	100
	Participation (Q11-Q14)	31	29	94	NS	93
	Global(Q15)	31	31	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	31	28	90	NS	88
	Medication (Y/N) (Q21)	31	28	90	NS	93
	Medication Scale (Q21a-Q21e) <sup>4</sup>	28	24	86	NS	87
Pederson-Krag House	Appropriateness (Q1-Q3)	27	24	89	NS	93
	Cultural (Q4-Q6)	27	27	100	NS	100
	Access(Q7-Q10)	27	27	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Participation (Q11-Q14)	27	25	93	NS	93
	Global(Q15)	27	25	93	NS	97
	Outcomes/Functioning (Q16-Q20a)	27	23	85	NS	88
	Medication (Y/N) (Q21)	27	26	96	NS	93
	Medication Scale (Q21a-Q21e) <sup>4</sup>	25	22	88	NS	87

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Jewish Board F&C HCBS - ICC	Appropriateness (Q1-Q3)	13	13	100	NS	100
	Cultural (Q4-Q6)	13	13	100	NS	100
	Access(Q7-Q10)	13	13	100	NS	100
	Participation (Q11-Q14)	13	12	92	NS	89
	Global(Q15)	13	12	92	NS	95
	Outcomes/Functioning (Q16-Q20a)	13	12	92	NS	89
	Medication (Y/N) (Q21)	13	12	92	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	12	10	83	NS	76
SCO-HCBS - ICC	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q10)	6	6	100	NS	100
	Participation (Q11-Q14)	6	5	83	NS	89
	Global(Q15)	6	6	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	89
	Medication (Y/N) (Q21)	6	5	83	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	5	3	60	NS	76

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## HCBS Waiver Individualized Care Coordination

### HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Child & Family HCBS - ICC	Appropriateness (Q1-Q3)	24	23	96	NS	94
	Cultural (Q4-Q6)	24	24	100	NS	100
	Access(Q7-Q10)	24	23	96	NS	94
	Participation (Q11-Q14)	24	23	96	NS	94
	Global(Q15)	24	22	92	NS	91
	Outcomes/Functioning (Q16-Q20a)	24	22	92	NS	91
	Medication (Y/N) (Q21)	24	19	79	NS	85
	Medication Scale (Q21a-Q21e) <sup>4</sup>	19	15	79	NS	79
Hillside NIGLO HCBS - ICC	Appropriateness (Q1-Q3)	6	5	83	-	94
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q10)	6	5	83	-	94
	Participation (Q11-Q14)	6	5	83	-	94
	Global(Q15)	6	5	83	NS	91
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	91
	Medication (Y/N) (Q21)	6	6	100	+	85
	Medication Scale (Q21a-Q21e) <sup>4</sup>	6	4	67	NS	79
Pathways Inc. HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	94
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	94
	Global(Q15)	< 5	N/A	N/A	N/A	91
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	79

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Family Assessment of Care Survey Results 2008*

## *Residential Treatment Facility - Children & Youth*

### **Family Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	929	2160	43.01
Residential Treatment Facility - Children & Youth (Total)	115	330	34.85
Residential Treatment Facility - Children & Youth (Central New York)	23	52	44.23
Residential Treatment Facility - Children & Youth (Hudson River)	54	157	34.39
Residential Treatment Facility - Children & Youth (Long Island)	1	14	7.14
Residential Treatment Facility - Children & Youth (New York City)	5	47	10.64
Residential Treatment Facility - Children & Youth (Western New York)	32	60	53.33

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	115	111	97	NS	96
Cultural (Q4-Q6)	115	113	98	NS	99
Access(Q7-Q9)	115	106	92	-	96
Participation (Q10-Q13)	115	107	93	-	97
Global(Q14-Q17)	114	108	95	-	96
Outcomes/Functioning (Q18-Q22)	114	96	84	NS	84
Social Connectedness (Q23-Q27)	114	105	92	+	87
Medication (Y/N) (Q28)	115	114	99	+	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	114	106	93	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	23	22	96	NS	97
Cultural (Q4-Q6)	23	23	100	NS	98
Access(Q7-Q9)	23	20	87	-	92
Participation (Q10-Q13)	23	22	96	NS	93
Global(Q14-Q17)	22	22	100	+	95
Outcomes/Functioning (Q18-Q22)	22	18	82	NS	84
Social Connectedness (Q23-Q27)	22	21	95	NS	92
Medication (Y/N) (Q28)	23	23	100	NS	99
Medication Scale (Q28a-Q28e) <sup>4</sup>	23	21	91	NS	93

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	54	53	98	NS	97
Cultural (Q4-Q6)	54	52	96	NS	98
Access(Q7-Q9)	54	52	96	NS	92
Participation (Q10-Q13)	54	49	91	NS	93
Global(Q14-Q17)	54	50	93	NS	95
Outcomes/Functioning (Q18-Q22)	54	46	85	NS	84
Social Connectedness (Q23-Q27)	54	49	91	NS	92
Medication (Y/N) (Q28)	54	54	100	NS	99
Medication Scale (Q28a-Q28e) <sup>4</sup>	54	49	91	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	97
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	98
Access(Q7-Q9)	< 5	N/A	N/A	N/A	92
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	93
Global(Q14-Q17)	< 5	N/A	N/A	N/A	95
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	84
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	92
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	99
Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	93

REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	5	100	+	97
Cultural (Q4-Q6)	5	5	100	NS	98
Access(Q7-Q9)	5	5	100	+	92
Participation (Q10-Q13)	5	5	100	+	93
Global(Q14-Q17)	5	5	100	+	95
Outcomes/Functioning (Q18-Q22)	5	4	80	NS	84
Social Connectedness (Q23-Q27)	5	5	100	+	92
Medication (Y/N) (Q28)	5	5	100	NS	99
Medication Scale (Q28a-Q28e) <sup>4</sup>	5	5	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	32	30	94	NS	97
Cultural (Q4-Q6)	32	32	100	NS	98
Access(Q7-Q9)	32	28	88	NS	92
Participation (Q10-Q13)	32	30	94	NS	93
Global(Q14-Q17)	32	30	94	NS	95
Outcomes/Functioning (Q18-Q22)	32	27	84	NS	84
Social Connectedness (Q23-Q27)	32	29	91	NS	92
Medication (Y/N) (Q28)	32	31	97	-	99
Medication Scale (Q28a-Q28e) <sup>4</sup>	31	30	97	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Hillside Finger Lakes Campus, RTF	Appropriateness (Q1-Q3)	16	16	100	NS	96
	Cultural (Q4-Q6)	16	16	100	NS	100
	Access(Q7-Q9)	16	14	88	NS	87
	Participation (Q10-Q13)	16	16	100	NS	96
	Global(Q14-Q17)	15	15	100	NS	100
	Outcomes/Functioning (Q18-Q22)	15	15	100	+	82
	Social Connectedness (Q23-Q27)	15	15	100	NS	95
	Medication (Y/N) (Q28)	16	16	100	NS	100
Stillwater RTF	Medication Scale (Q28a-Q28e) <sup>4</sup>	16	16	100	NS	91
	Appropriateness (Q1-Q3)	7	6	86	-	96
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q9)	7	6	86	NS	87
	Participation (Q10-Q13)	7	6	86	-	96
	Global(Q14-Q17)	7	7	100	NS	100
	Outcomes/Functioning (Q18-Q22)	7	3	43	-	82
	Social Connectedness (Q23-Q27)	7	6	86	-	95
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	7	5	71	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Astor Home For Children	Appropriateness (Q1-Q3)	15	15	100	NS	98
	Cultural (Q4-Q6)	15	15	100	NS	96
	Access(Q7-Q9)	15	14	93	NS	96
	Participation (Q10-Q13)	15	15	100	+	91
	Global(Q14-Q17)	15	15	100	+	93
	Outcomes/Functioning (Q18-Q22)	15	15	100	+	85
	Social Connectedness (Q23-Q27)	15	14	93	NS	91
	Medication (Y/N) (Q28)	15	15	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	15	14	93	NS	91
David Hall RTF	Appropriateness (Q1-Q3)	6	5	83	-	98
	Cultural (Q4-Q6)	6	6	100	NS	96
	Access(Q7-Q9)	6	6	100	NS	96
	Participation (Q10-Q13)	6	4	67	-	91
	Global(Q14-Q17)	6	5	83	-	93
	Outcomes/Functioning (Q18-Q22)	6	3	50	-	85
	Social Connectedness (Q23-Q27)	6	5	83	NS	91
	Medication (Y/N) (Q28)	6	6	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	6	4	67	-	91
Goldsmith Center for Adolescent Treatment	Appropriateness (Q1-Q3)	10	10	100	NS	98
	Cultural (Q4-Q6)	10	10	100	NS	96
	Access(Q7-Q9)	10	10	100	NS	96
	Participation (Q10-Q13)	10	10	100	+	91
	Global(Q14-Q17)	10	10	100	+	93
	Outcomes/Functioning (Q18-Q22)	10	10	100	+	85
	Social Connectedness (Q23-Q27)	10	10	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication (Y/N) (Q28)	10	10	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	+	91
JBFCS-Henry Ittleson Center RTF	Appropriateness (Q1-Q3)	9	9	100	NS	98
	Cultural (Q4-Q6)	9	8	89	-	96
	Access(Q7-Q9)	9	9	100	NS	96
	Participation (Q10-Q13)	9	8	89	NS	91
	Global(Q14-Q17)	9	7	78	-	93
	Outcomes/Functioning (Q18-Q22)	9	7	78	NS	85
	Social Connectedness (Q23-Q27)	9	8	89	NS	91
	Medication (Y/N) (Q28)	9	9	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	9	8	89	NS	91
Parsons Child & Family Center RTF	Appropriateness (Q1-Q3)	10	10	100	NS	98
	Cultural (Q4-Q6)	10	9	90	-	96
	Access(Q7-Q9)	10	9	90	-	96
	Participation (Q10-Q13)	10	8	80	-	91
	Global(Q14-Q17)	10	9	90	NS	93
	Outcomes/Functioning (Q18-Q22)	10	7	70	-	85
	Social Connectedness (Q23-Q27)	10	8	80	-	91
	Medication (Y/N) (Q28)	10	10	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	9	90	NS	91
The Children's Village	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	98
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	96
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	91
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	85
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	91

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
McKeown House RTF	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
August Aichhorn Center	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100
JBFCS-Henry Ittleson Center RTF	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Baker Victory Services Residential Treat	Appropriateness (Q1-Q3)	19	17	89	NS	94
	Cultural (Q4-Q6)	19	19	100	NS	100
	Access(Q7-Q9)	19	15	79	NS	88
	Participation (Q10-Q13)	19	18	95	NS	94
	Global(Q14-Q17)	19	17	89	NS	94
	Outcomes/Functioning (Q18-Q22)	19	14	74	NS	84
	Social Connectedness (Q23-Q27)	19	16	84	NS	91

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Medication (Y/N) (Q28)	19	18	95	NS	97
	Medication Scale (Q28a-Q28e) <sup>4</sup>	18	17	94	NS	97
Hillside Children's Center RTF	Appropriateness (Q1-Q3)	10	10	100	NS	94
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q9)	10	10	100	+	88
	Participation (Q10-Q13)	10	9	90	NS	94
	Global(Q14-Q17)	10	10	100	NS	94
	Outcomes/Functioning (Q18-Q22)	10	10	100	+	84
	Social Connectedness (Q23-Q27)	10	10	100	NS	91
	Medication (Y/N) (Q28)	10	10	100	NS	97
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	NS	97
St. Joseph's Villa RTF	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	88
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	94
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	84
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	97
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	97

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *Residential Treatment Facility - Children & Youth*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42
Residential Treatment Facility - Children & Youth (Total)	134	164	81.71
Residential Treatment Facility - Children & Youth (Central New York)	44	58	75.86
Residential Treatment Facility - Children & Youth (Hudson River)	42	49	85.71
Residential Treatment Facility - Children & Youth (Long Island)	11	13	84.62
Residential Treatment Facility - Children & Youth (New York City)	28	31	90.32
Residential Treatment Facility - Children & Youth (Western New York)	9	13	69.23

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	133	118	89	NS	90
Cultural (Q4-Q6)	134	124	93	-	94
Access(Q7-Q10)	134	125	93	NS	94
Participation (Q11-Q14)	134	118	88	NS	90
Global(Q15)	134	110	82	-	87
Outcomes/Functioning (Q16-Q20a)	133	118	89	NS	87
Medication (Y/N) (Q21)	134	127	95	+	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	126	98	78	-	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Central New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	44	38	86	NS	89
Cultural (Q4-Q6)	44	39	89	NS	93
Access(Q7-Q10)	44	38	86	-	93
Participation (Q11-Q14)	44	37	84	NS	88
Global(Q15)	44	33	75	-	82
Outcomes/Functioning (Q16-Q20a)	44	38	86	NS	89
Medication (Y/N) (Q21)	44	42	95	NS	95
Medication Scale (Q21a-Q21e) <sup>4</sup>	42	33	79	NS	78

REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	41	37	90	NS	89
Cultural (Q4-Q6)	42	39	93	NS	93
Access(Q7-Q10)	42	40	95	NS	93
Participation (Q11-Q14)	42	36	86	NS	88
Global(Q15)	42	34	81	NS	82
Outcomes/Functioning (Q16-Q20a)	42	38	90	NS	89
Medication (Y/N) (Q21)	42	39	93	NS	95
Medication Scale (Q21a-Q21e) <sup>4</sup>	39	27	69	-	78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	11	9	82	-	89
Cultural (Q4-Q6)	11	10	91	NS	93
Access(Q7-Q10)	11	11	100	+	93
Participation (Q11-Q14)	11	11	100	+	88
Global(Q15)	11	9	82	NS	82
Outcomes/Functioning (Q16-Q20a)	11	10	91	NS	89
Medication (Y/N) (Q21)	11	11	100	+	95
Medication Scale (Q21a-Q21e) <sup>4</sup>	11	10	91	+	78

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	28	27	96	+	89
Cultural (Q4-Q6)	28	28	100	+	93
Access(Q7-Q10)	28	28	100	+	93
Participation (Q11-Q14)	28	27	96	+	88
Global(Q15)	28	26	93	+	82
Outcomes/Functioning (Q16-Q20a)	27	25	93	NS	89
Medication (Y/N) (Q21)	28	27	96	NS	95
Medication Scale (Q21a-Q21e) <sup>4</sup>	26	20	77	NS	78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	7	78	-	89
Cultural (Q4-Q6)	9	8	89	NS	93
Access(Q7-Q10)	9	8	89	-	93
Participation (Q11-Q14)	9	7	78	-	88
Global(Q15)	9	8	89	+	82
Outcomes/Functioning (Q16-Q20a)	9	7	78	-	89
Medication (Y/N) (Q21)	9	8	89	-	95
Medication Scale (Q21a-Q21e) <sup>4</sup>	8	8	100	+	78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Central New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Hillside Finger Lakes Campus, RTF	Appropriateness (Q1-Q3)	31	28	90	NS	86
	Cultural (Q4-Q6)	31	29	94	NS	89
	Access(Q7-Q10)	31	27	87	NS	86
	Participation (Q11-Q14)	31	27	87	NS	84
	Global(Q15)	31	25	81	NS	75
	Outcomes/Functioning (Q16-Q20a)	31	27	87	NS	86
	Medication (Y/N) (Q21)	31	30	97	NS	95
	Medication Scale (Q21a-Q21e) <sup>4</sup>	30	24	80	NS	79
Stillwater RTF	Appropriateness (Q1-Q3)	13	10	77	NS	86
	Cultural (Q4-Q6)	13	10	77	-	89
	Access(Q7-Q10)	13	11	85	NS	86
	Participation (Q11-Q14)	13	10	77	NS	84
	Global(Q15)	13	8	62	-	75
	Outcomes/Functioning (Q16-Q20a)	13	11	85	NS	86
	Medication (Y/N) (Q21)	13	12	92	NS	95
	Medication Scale (Q21a-Q21e) <sup>4</sup>	12	9	75	NS	79

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Goldsmith Center for Adolescent Treatment	Appropriateness (Q1-Q3)	41	37	90	NS	90
	Cultural (Q4-Q6)	42	39	93	NS	93
	Access(Q7-Q10)	42	40	95	NS	95
	Participation (Q11-Q14)	42	36	86	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Global(Q15)	42	34	81	NS	81
	Outcomes/Functioning (Q16-Q20a)	42	38	90	NS	90
	Medication (Y/N) (Q21)	42	39	93	NS	93
	Medication Scale (Q21a-Q21e) <sup>4</sup>	39	27	69	NS	69

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
McKeown House RTF	Appropriateness (Q1-Q3)	11	9	82	NS	82
	Cultural (Q4-Q6)	11	10	91	NS	91
	Access(Q7-Q10)	11	11	100	NS	100
	Participation (Q11-Q14)	11	11	100	NS	100
	Global(Q15)	11	9	82	NS	82
	Outcomes/Functioning (Q16-Q20a)	11	10	91	NS	91
	Medication (Y/N) (Q21)	11	11	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	11	10	91	NS	91

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
August Aichhorn Center	Appropriateness (Q1-Q3)	28	27	96	NS	96
	Cultural (Q4-Q6)	28	28	100	NS	100
	Access(Q7-Q10)	28	28	100	NS	100
	Participation (Q11-Q14)	28	27	96	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Residential Treatment Facility - Children & Youth

### Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
	Global(Q15)	28	26	93	NS	93
	Outcomes/Functioning (Q16-Q20a)	27	25	93	NS	93
	Medication (Y/N) (Q21)	28	27	96	NS	96
	Medication Scale (Q21a-Q21e) <sup>4</sup>	26	20	77	NS	77

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
St. Joseph's Villa RTF	Appropriateness (Q1-Q3)	9	7	78	NS	78
	Cultural (Q4-Q6)	9	8	89	NS	89
	Access(Q7-Q10)	9	8	89	NS	89
	Participation (Q11-Q14)	9	7	78	NS	78
	Global(Q15)	9	8	89	NS	89
	Outcomes/Functioning (Q16-Q20a)	9	7	78	NS	78
	Medication (Y/N) (Q21)	9	8	89	NS	89
	Medication Scale (Q21a-Q21e) <sup>4</sup>	8	8	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Family Assessment of Care Survey Results 2008*

## *Single Point of Access (SPOA)*

### **Family Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	929	2160	43.01

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *Single Point of Access (SPOA)*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Family Assessment of Care Survey Results 2008*

## *State Psychiatric Center Inpatient*

### **Family Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	929	2160	43.01
State Psychiatric Center Inpatient (Total)	32	113	28.32
State Psychiatric Center Inpatient (Hudson River)	4	35	11.43
State Psychiatric Center Inpatient (New York City)	18	36	50.00
State Psychiatric Center Inpatient (Western New York)	10	42	23.81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	32	31	97	NS	96
Cultural (Q4-Q6)	32	32	100	+	99
Access(Q7-Q9)	32	30	94	-	96
Participation (Q10-Q13)	32	32	100	+	97
Global(Q14-Q17)	32	31	97	NS	96
Outcomes/Functioning (Q18-Q22)	32	31	97	+	84
Social Connectedness (Q23-Q27)	32	30	94	+	87
Medication (Y/N) (Q28)	32	32	100	+	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	32	30	94	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

#### REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	97
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
Access(Q7-Q9)	< 5	N/A	N/A	N/A	94
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
Global(Q14-Q17)	< 5	N/A	N/A	N/A	97
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	97
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	94
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	94

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	18	17	94	NS	97
Cultural (Q4-Q6)	18	18	100	NS	100
Access(Q7-Q9)	18	17	94	NS	94
Participation (Q10-Q13)	18	18	100	NS	100
Global(Q14-Q17)	18	17	94	NS	97
Outcomes/Functioning (Q18-Q22)	18	17	94	NS	97
Social Connectedness (Q23-Q27)	18	16	89	NS	94
Medication (Y/N) (Q28)	18	18	100	NS	100
Medication Scale (Q28a-Q28e) <sup>4</sup>	18	16	89	NS	94

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	10	10	100	NS	97
Cultural (Q4-Q6)	10	10	100	NS	100
Access(Q7-Q9)	10	9	90	NS	94
Participation (Q10-Q13)	10	10	100	NS	100
Global(Q14-Q17)	10	10	100	NS	97
Outcomes/Functioning (Q18-Q22)	10	10	100	NS	97
Social Connectedness (Q23-Q27)	10	10	100	NS	94
Medication (Y/N) (Q28)	10	10	100	NS	100
Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Rockland Children's Psychiatric Center	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Brooklyn Children's Psychiatric Center	Appropriateness (Q1-Q3)	18	17	94	NS	94
	Cultural (Q4-Q6)	18	18	100	NS	100
	Access(Q7-Q9)	18	17	94	NS	94
	Participation (Q10-Q13)	18	18	100	NS	100
	Global(Q14-Q17)	18	17	94	NS	94
	Outcomes/Functioning (Q18-Q22)	18	17	94	NS	94
	Social Connectedness (Q23-Q27)	18	16	89	NS	89
	Medication (Y/N) (Q28)	18	18	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	18	16	89	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Psychiatric Inpatient Unit	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q9)	10	9	90	NS	90
	Participation (Q10-Q13)	10	10	100	NS	100
	Global(Q14-Q17)	10	10	100	NS	100
	Outcomes/Functioning (Q18-Q22)	10	10	100	NS	100
	Social Connectedness (Q23-Q27)	10	10	100	NS	100
	Medication (Y/N) (Q28)	10	10	100	NS	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	10	10	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *State Psychiatric Center Inpatient*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42
State Psychiatric Center Inpatient (Total)	78	111	70.27
State Psychiatric Center Inpatient (Hudson River)	33	49	67.35
State Psychiatric Center Inpatient (New York City)	19	36	52.78
State Psychiatric Center Inpatient (Western New York)	26	26	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	78	60	77	-	90
Cultural (Q4-Q6)	78	64	82	-	94
Access(Q7-Q10)	78	64	82	-	94
Participation (Q11-Q14)	77	60	78	-	90
Global(Q15)	76	52	68	-	87
Outcomes/Functioning (Q16-Q20a)	77	63	82	-	87
Medication (Y/N) (Q21)	78	73	94	+	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	72	53	74	-	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

#### REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	33	22	67	-	77
Cultural (Q4-Q6)	33	23	70	-	82
Access(Q7-Q10)	33	23	70	-	82
Participation (Q11-Q14)	32	20	63	-	78
Global(Q15)	32	17	53	-	68
Outcomes/Functioning (Q16-Q20a)	32	26	81	NS	82
Medication (Y/N) (Q21)	33	28	85	-	94
Medication Scale (Q21a-Q21e) <sup>4</sup>	28	18	64	NS	74

#### REGION\_DESC=New York City

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	19	16	84	NS	77
Cultural (Q4-Q6)	19	18	95	+	82
Access(Q7-Q10)	19	17	89	NS	82
Participation (Q11-Q14)	19	18	95	+	78
Global(Q15)	18	16	89	+	68
Outcomes/Functioning (Q16-Q20a)	19	16	84	NS	82
Medication (Y/N) (Q21)	19	19	100	+	94
Medication Scale (Q21a-Q21e) <sup>4</sup>	18	16	89	+	74

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION\_DESC=Western New York

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	26	22	85	NS	77
Cultural (Q4-Q6)	26	23	88	NS	82
Access(Q7-Q10)	26	24	92	+	82
Participation (Q11-Q14)	26	22	85	NS	78
Global(Q15)	26	19	73	NS	68
Outcomes/Functioning (Q16-Q20a)	26	21	81	NS	82
Medication (Y/N) (Q21)	26	26	100	+	94
Medication Scale (Q21a-Q21e) <sup>4</sup>	26	19	73	NS	74

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Rockland Children's Psychiatric Center	Appropriateness (Q1-Q3)	33	22	67	NS	67
	Cultural (Q4-Q6)	33	23	70	NS	70
	Access(Q7-Q10)	33	23	70	NS	70
	Participation (Q11-Q14)	32	20	63	NS	63
	Global(Q15)	32	17	53	NS	53
	Outcomes/Functioning (Q16-Q20a)	32	26	81	NS	81
	Medication (Y/N) (Q21)	33	28	85	NS	85
	Medication Scale (Q21a-Q21e) <sup>4</sup>	28	18	64	NS	64

REGION\_DESC=New York City

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Brooklyn Children's Psychiatric Center	Appropriateness (Q1-Q3)	19	16	84	NS	84
	Cultural (Q4-Q6)	19	18	95	NS	95
	Access(Q7-Q10)	19	17	89	NS	89
	Participation (Q11-Q14)	19	18	95	NS	95
	Global(Q15)	18	16	89	NS	89
	Outcomes/Functioning (Q16-Q20a)	19	16	84	NS	84
	Medication (Y/N) (Q21)	19	19	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	18	16	89	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## State Psychiatric Center Inpatient

### State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION\_DESC=Western New York

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Psychiatric Inpatient Unit	Appropriateness (Q1-Q3)	26	22	85	NS	85
	Cultural (Q4-Q6)	26	23	88	NS	88
	Access(Q7-Q10)	26	24	92	NS	92
	Participation (Q11-Q14)	26	22	85	NS	85
	Global(Q15)	26	19	73	NS	73
	Outcomes/Functioning (Q16-Q20a)	26	21	81	NS	81
	Medication (Y/N) (Q21)	26	26	100	NS	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	26	19	73	NS	73

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Family Assessment of Care Survey Results 2008*

## *Teaching Family Home*

### **Family Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	929	2160	43.01
Teaching Family Home (Total)	17	24	70.83
Teaching Family Home (Hudson River)	1	4	25.00
Teaching Family Home (Long Island)	16	20	80.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	17	16	94	-	96
Cultural (Q4-Q6)	17	16	94	-	99
Access(Q7-Q9)	17	16	94	-	96
Participation (Q10-Q13)	16	15	94	-	97
Global(Q14-Q17)	17	16	94	-	96
Outcomes/Functioning (Q18-Q22)	17	14	82	NS	84
Social Connectedness (Q23-Q27)	16	13	81	-	87
Medication (Y/N) (Q28)	17	14	82	-	91
Medication Scale (Q28a-Q28e) <sup>4</sup>	14	13	93	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results by Region Compared to Statewide Teaching Family Home Results

#### REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	94
Access(Q7-Q9)	< 5	N/A	N/A	N/A	94
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	94
Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	82
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	81
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	82
Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	93

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	16	15	94	NS	94
Cultural (Q4-Q6)	16	15	94	NS	94
Access(Q7-Q9)	16	15	94	NS	94
Participation (Q10-Q13)	16	15	94	NS	94
Global(Q14-Q17)	16	15	94	NS	94
Outcomes/Functioning (Q18-Q22)	16	13	81	NS	82
Social Connectedness (Q23-Q27)	16	13	81	NS	81
Medication (Y/N) (Q28)	16	13	81	NS	82
Medication Scale (Q28a-Q28e) <sup>4</sup>	13	12	92	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Family Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results by Program compared to Region Teaching Family Home Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Harbour House/Teaching Family Home Commu	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	.
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	.
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Teaching Family Homes	Appropriateness (Q1-Q3)	16	15	94	NS	94
	Cultural (Q4-Q6)	16	15	94	NS	94
	Access(Q7-Q9)	16	15	94	NS	94
	Participation (Q10-Q13)	16	15	94	NS	94
	Global(Q14-Q17)	16	15	94	NS	94
	Outcomes/Functioning (Q18-Q22)	16	13	81	NS	81
	Social Connectedness (Q23-Q27)	16	13	81	NS	81
	Medication (Y/N) (Q28)	16	13	81	NS	81
	Medication Scale (Q28a-Q28e) <sup>4</sup>	13	12	92	NS	92

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# *NYSOMH Youth Assessment of Care Survey Results 2008*

## *Teaching Family Home*

### **Youth Response Rate**

<b>Region</b>	<b>Surveys Completed</b>	<b>Surveys Distributed</b>	<b>Response Rate</b>
Statewide	712	1072	66.42
Teaching Family Home (Total)	24	24	100.00
Teaching Family Home (Hudson River)	4	4	100.00
Teaching Family Home (Long Island)	20	20	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results Compared to All Programs Statewide

Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>3</sup>	Statewide % Positive
Appropriateness (Q1-Q3)	24	21	88	-	90
Cultural (Q4-Q6)	24	23	96	NS	94
Access(Q7-Q10)	24	22	92	-	94
Participation (Q11-Q14)	24	24	100	+	90
Global(Q15)	24	18	75	-	87
Outcomes/Functioning (Q16-Q20a)	24	21	88	NS	87
Medication (Y/N) (Q21)	24	22	92	+	88
Medication Scale (Q21a-Q21e) <sup>4</sup>	22	21	95	+	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results by Region Compared to Statewide Teaching Family Home Results

#### REGION\_DESC=Hudson River

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	88
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	96
Access(Q7-Q10)	< 5	N/A	N/A	N/A	92
Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
Global(Q15)	< 5	N/A	N/A	N/A	75
Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	88
Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	92
Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	95

#### REGION\_DESC=Long Island

Domain	Region N <sup>1</sup>	Region N Positive <sup>2</sup>	Region % Positive	95% Confidence Interval <sup>4</sup>	Statewide Region % Positive
Appropriateness (Q1-Q3)	20	17	85	NS	88
Cultural (Q4-Q6)	20	19	95	NS	96
Access(Q7-Q10)	20	18	90	NS	92
Participation (Q11-Q14)	20	20	100	NS	100
Global(Q15)	20	14	70	NS	75
Outcomes/Functioning (Q16-Q20a)	20	17	85	NS	88
Medication (Y/N) (Q21)	20	18	90	NS	92
Medication Scale (Q21a-Q21e) <sup>4</sup>	18	17	94	NS	95

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

# NYSOMH Youth Assessment of Care Survey Results 2008

## Teaching Family Home

### Teaching Family Home Results by Program compared to Region Teaching Family Home Results

REGION\_DESC=Hudson River

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Harbour House/Teaching Family Home Commu	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q21a-Q21e) <sup>4</sup>	< 5	N/A	N/A	N/A	100

REGION\_DESC=Long Island

Program	Domain	Program N <sup>1</sup>	Program N Positive <sup>2</sup>	Program % Positive	95% Confidence Interval <sup>5</sup>	Region % Positive
Teaching Family Homes	Appropriateness (Q1-Q3)	20	17	85	NS	85
	Cultural (Q4-Q6)	20	19	95	NS	95
	Access(Q7-Q10)	20	18	90	NS	90
	Participation (Q11-Q14)	20	20	100	NS	100
	Global(Q15)	20	14	70	NS	70
	Outcomes/Functioning (Q16-Q20a)	20	17	85	NS	85
	Medication (Y/N) (Q21)	20	18	90	NS	90
	Medication Scale (Q21a-Q21e) <sup>4</sup>	18	17	94	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question