

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
Children & Youth Community Residence (Total)	29	85	34.12
Children & Youth Community Residence (Central New York)	11	20	55.00
Children & Youth Community Residence (Hudson River)	2	8	25.00
Children & Youth Community Residence (Long Island)	4	14	28.57
Children & Youth Community Residence (New York City)	5	21	23.81
Children & Youth Community Residence (Western New York)	7	22	31.82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	29	26	90	-	96
Cultural (Q4-Q6)	29	29	100	+	99
Access(Q7-Q9)	29	26	90	-	96
Participation (Q10-Q13)	29	27	93	-	98
Global(Q14-Q17)	29	26	90	-	98
Outcomes/Functioning (Q18-Q22)	28	17	61	-	84
Social Connectedness (Q23-Q27)	28	24	86	NS	87
Medication (Y/N) (Q28)	29	29	100	+	85
Medication Scale (Q28a-Q28e) ⁴	29	27	93	-	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	11	11	100	NS	90
Cultural (Q4-Q6)	11	11	100	NS	100
Access(Q7-Q9)	11	9	82	NS	90
Participation (Q10-Q13)	11	11	100	NS	93
Global(Q14-Q17)	11	10	91	NS	90
Outcomes/Functioning (Q18-Q22)	11	5	45	NS	61
Social Connectedness (Q23-Q27)	11	10	91	NS	86
Medication (Y/N) (Q28)	11	11	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	11	10	91	NS	93

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	90
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
Access(Q7-Q9)	< 5	N/A	N/A	N/A	90
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	93
Global(Q14-Q17)	< 5	N/A	N/A	N/A	90
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	61
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	93

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	90
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
Access(Q7-Q9)	< 5	N/A	N/A	N/A	90
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	93
Global(Q14-Q17)	< 5	N/A	N/A	N/A	90
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	61
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	93

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	5	100	NS	90
Cultural (Q4-Q6)	5	5	100	NS	100
Access(Q7-Q9)	5	5	100	NS	90
Participation (Q10-Q13)	5	5	100	NS	93
Global(Q14-Q17)	5	4	80	NS	90
Outcomes/Functioning (Q18-Q22)	5	5	100	+	61
Social Connectedness (Q23-Q27)	5	5	100	+	86
Medication (Y/N) (Q28)	5	5	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	5	4	80	-	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	7	4	57	-	90
Cultural (Q4-Q6)	7	7	100	NS	100
Access(Q7-Q9)	7	6	86	NS	90
Participation (Q10-Q13)	7	5	71	-	93
Global(Q14-Q17)	7	6	86	NS	90
Outcomes/Functioning (Q18-Q22)	6	2	33	-	61
Social Connectedness (Q23-Q27)	6	5	83	NS	86
Medication (Y/N) (Q28)	7	7	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Catholic Charities - Boys of Courage Chi	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	82
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	91
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	45
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	91
Highland Road Community Residence	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	82
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	91
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	45
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	91
Washington Street Community Residence	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	4	80	NS	82
	Participation (Q10-Q13)	5	5	100	NS	100
	Global(Q14-Q17)	5	4	80	NS	91
	Outcomes/Functioning (Q18-Q22)	5	0	0	-	45
	Social Connectedness (Q23-Q27)	5	5	100	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	5	5	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	5	4	80	NS	91

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Miriam House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	50
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	50
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Merrick House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	75
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Pederson-Krag House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	75
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
JBFCS-Ittleson Bronx Community Residence	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	80
SCO Family of Services Children's Commun	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	80

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Conable House	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	57
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	71
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	86
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	33
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Lake Breeze Community Residence	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	57
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	71
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	86
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	33
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Tuckahoe Road Children's Community Resid	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	57
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	71
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	86
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	33
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
Children & Youth Community Residence (Total)	66	88	75.00
Children & Youth Community Residence (Central New York)	17	20	85.00
Children & Youth Community Residence (Hudson River)	5	8	62.50
Children & Youth Community Residence (Long Island)	12	14	85.71
Children & Youth Community Residence (New York City)	14	24	58.33
Children & Youth Community Residence (Western New York)	18	22	81.82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	66	61	92	NS	93
Cultural (Q4-Q6)	66	62	94	-	96
Access(Q7-Q10)	66	64	97	+	96
Participation (Q11-Q14)	66	62	94	+	91
Global(Q15)	66	58	88	NS	90
Outcomes/Functioning (Q16-Q20a)	66	57	86	-	91
Medication (Y/N) (Q21)	66	65	98	+	88
Medication Scale (Q21a-Q21e) ⁴	64	58	91	+	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	17	17	100	+	92
Cultural (Q4-Q6)	17	16	94	NS	94
Access(Q7-Q10)	17	17	100	NS	97
Participation (Q11-Q14)	17	17	100	+	94
Global(Q15)	17	16	94	NS	88
Outcomes/Functioning (Q16-Q20a)	17	15	88	NS	86
Medication (Y/N) (Q21)	17	17	100	NS	98
Medication Scale (Q21a-Q21e) ⁴	17	17	100	+	91

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	5	100	+	92
Cultural (Q4-Q6)	5	5	100	+	94
Access(Q7-Q10)	5	5	100	NS	97
Participation (Q11-Q14)	5	5	100	+	94
Global(Q15)	5	5	100	+	88
Outcomes/Functioning (Q16-Q20a)	5	5	100	+	86
Medication (Y/N) (Q21)	5	5	100	NS	98
Medication Scale (Q21a-Q21e) ⁴	5	5	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	12	10	83	-	92
Cultural (Q4-Q6)	12	12	100	+	94
Access(Q7-Q10)	12	11	92	-	97
Participation (Q11-Q14)	12	10	83	-	94
Global(Q15)	12	9	75	-	88
Outcomes/Functioning (Q16-Q20a)	12	11	92	NS	86
Medication (Y/N) (Q21)	12	12	100	NS	98
Medication Scale (Q21a-Q21e) ⁴	11	10	91	NS	91

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	14	13	93	NS	92
Cultural (Q4-Q6)	14	13	93	NS	94
Access(Q7-Q10)	14	14	100	NS	97
Participation (Q11-Q14)	14	14	100	+	94
Global(Q15)	14	14	100	+	88
Outcomes/Functioning (Q16-Q20a)	14	13	93	NS	86
Medication (Y/N) (Q21)	14	14	100	NS	98
Medication Scale (Q21a-Q21e) ⁴	14	13	93	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	18	16	89	NS	92
Cultural (Q4-Q6)	18	16	89	NS	94
Access(Q7-Q10)	18	17	94	NS	97
Participation (Q11-Q14)	18	16	89	NS	94
Global(Q15)	18	14	78	-	88
Outcomes/Functioning (Q16-Q20a)	18	13	72	-	86
Medication (Y/N) (Q21)	18	17	94	-	98
Medication Scale (Q21a-Q21e) ⁴	17	13	76	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Catholic Charities - Boys of Courage Chi	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	94
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	8	100	NS	100
	Global(Q15)	8	8	100	NS	94
	Outcomes/Functioning (Q16-Q20a)	8	8	100	NS	88
	Medication (Y/N) (Q21)	8	8	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	8	8	100	NS	100
Highland Road Community Residence	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	94
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	88
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	100
Washington Street Community Residence	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	5	83	NS	94
	Access(Q7-Q10)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	100
	Global(Q15)	6	5	83	NS	94
	Outcomes/Functioning (Q16-Q20a)	6	4	67	-	88
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Miriam House	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	5	100	NS	100
	Global(Q15)	5	5	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	100
	Medication (Y/N) (Q21)	5	5	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	5	5	100	NS	100

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Merrick House	Appropriateness (Q1-Q3)	5	3	60	NS	83
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	4	80	NS	92
	Participation (Q11-Q14)	5	3	60	NS	83
	Global(Q15)	5	2	40	-	75
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	92
	Medication (Y/N) (Q21)	5	5	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	91
Pederson-Krag House	Appropriateness (Q1-Q3)	7	7	100	NS	83
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q10)	7	7	100	NS	92
	Participation (Q11-Q14)	7	7	100	NS	83
	Global(Q15)	7	7	100	NS	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	7	7	100	NS	92
	Medication (Y/N) (Q21)	7	7	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	7	6	86	NS	91

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
JBFCS-Ittleson Bronx Community Residence	Appropriateness (Q1-Q3)	8	7	88	NS	93
	Cultural (Q4-Q6)	8	7	88	NS	93
	Access(Q7-Q10)	8	8	100	NS	100
	Participation (Q11-Q14)	8	8	100	NS	100
	Global(Q15)	8	8	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	8	8	100	NS	93
	Medication (Y/N) (Q21)	8	8	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	8	7	88	NS	93
SCO Family of Services Children's Commun	Appropriateness (Q1-Q3)	6	6	100	NS	93
	Cultural (Q4-Q6)	6	6	100	NS	93
	Access(Q7-Q10)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	100
	Global(Q15)	6	6	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	93

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	6	6	100	NS	93

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Conable House	Appropriateness (Q1-Q3)	5	4	80	NS	89
	Cultural (Q4-Q6)	5	5	100	NS	89
	Access(Q7-Q10)	5	5	100	NS	94
	Participation (Q11-Q14)	5	4	80	NS	89
	Global(Q15)	5	3	60	NS	78
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	72
	Medication (Y/N) (Q21)	5	5	100	NS	94
	Medication Scale (Q21a-Q21e) ⁴	5	4	80	NS	76
Lake Breeze Community Residence	Appropriateness (Q1-Q3)	6	5	83	NS	89
	Cultural (Q4-Q6)	6	5	83	NS	89
	Access(Q7-Q10)	6	5	83	NS	94
	Participation (Q11-Q14)	6	6	100	NS	89
	Global(Q15)	6	5	83	NS	78
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	72
	Medication (Y/N) (Q21)	6	6	100	NS	94
	Medication Scale (Q21a-Q21e) ⁴	6	5	83	NS	76
Tuckahoe Road Children's Community Resid	Appropriateness (Q1-Q3)	7	7	100	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	7	6	86	NS	89
	Access(Q7-Q10)	7	7	100	NS	94
	Participation (Q11-Q14)	7	6	86	NS	89
	Global(Q15)	7	6	86	NS	78
	Outcomes/Functioning (Q16-Q20a)	7	4	57	NS	72
	Medication (Y/N) (Q21)	7	6	86	NS	94
	Medication Scale (Q21a-Q21e) ⁴	6	4	67	NS	76

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
Clinic Treatment (Total)	277	610	45.41
Clinic Treatment (Central New York)	32	156	20.51
Clinic Treatment (Hudson River)	119	223	53.36
Clinic Treatment (New York City)	35	57	61.40
Clinic Treatment (Western New York)	91	174	52.30

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	277	266	96	NS	96
Cultural (Q4-Q6)	277	277	100	+	99
Access(Q7-Q9)	277	269	97	+	96
Participation (Q10-Q13)	275	273	99	+	98
Global(Q14-Q17)	276	271	98	NS	98
Outcomes/Functioning (Q18-Q22)	271	238	88	+	84
Social Connectedness (Q23-Q27)	272	236	87	NS	87
Medication (Y/N) (Q28)	277	160	58	-	85
Medication Scale (Q28a-Q28e) ⁴	160	157	98	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	32	30	94	NS	96
Cultural (Q4-Q6)	32	32	100	NS	100
Access(Q7-Q9)	32	30	94	-	97
Participation (Q10-Q13)	32	32	100	NS	99
Global(Q14-Q17)	32	32	100	+	98
Outcomes/Functioning (Q18-Q22)	32	24	75	-	88
Social Connectedness (Q23-Q27)	32	26	81	-	87
Medication (Y/N) (Q28)	32	21	66	+	58
Medication Scale (Q28a-Q28e) ⁴	21	20	95	-	98

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	119	114	96	NS	96
Cultural (Q4-Q6)	119	119	100	NS	100
Access(Q7-Q9)	119	115	97	NS	97
Participation (Q10-Q13)	118	116	98	NS	99
Global(Q14-Q17)	118	114	97	NS	98
Outcomes/Functioning (Q18-Q22)	115	102	89	NS	88
Social Connectedness (Q23-Q27)	115	97	84	NS	87
Medication (Y/N) (Q28)	119	73	61	NS	58
Medication Scale (Q28a-Q28e) ⁴	73	72	99	NS	98

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	35	35	100	+	96
Cultural (Q4-Q6)	35	35	100	NS	100
Access(Q7-Q9)	35	35	100	+	97
Participation (Q10-Q13)	34	34	100	NS	99
Global(Q14-Q17)	35	35	100	+	98
Outcomes/Functioning (Q18-Q22)	35	32	91	NS	88
Social Connectedness (Q23-Q27)	35	30	86	NS	87
Medication (Y/N) (Q28)	35	15	43	-	58
Medication Scale (Q28a-Q28e) ⁴	15	14	93	-	98

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	91	87	96	NS	96
Cultural (Q4-Q6)	91	91	100	NS	100
Access(Q7-Q9)	91	89	98	NS	97
Participation (Q10-Q13)	91	91	100	NS	99
Global(Q14-Q17)	91	90	99	NS	98
Outcomes/Functioning (Q18-Q22)	89	80	90	NS	88
Social Connectedness (Q23-Q27)	90	83	92	+	87
Medication (Y/N) (Q28)	91	51	56	NS	58
Medication Scale (Q28a-Q28e) ⁴	51	51	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Arise Child & Family Service Outpatient	Appropriateness (Q1-Q3)	32	30	94	NS	94
	Cultural (Q4-Q6)	32	32	100	NS	100
	Access(Q7-Q9)	32	30	94	NS	94
	Participation (Q10-Q13)	32	32	100	NS	100
	Global(Q14-Q17)	32	32	100	NS	100
	Outcomes/Functioning (Q18-Q22)	32	24	75	NS	75
	Social Connectedness (Q23-Q27)	32	26	81	NS	81
	Medication (Y/N) (Q28)	32	21	66	NS	66
	Medication Scale (Q28a-Q28e) ⁴	21	20	95	NS	95

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child and Family Guidance Clinic	Appropriateness (Q1-Q3)	88	86	98	NS	96
	Cultural (Q4-Q6)	88	88	100	NS	100
	Access(Q7-Q9)	88	87	99	NS	97
	Participation (Q10-Q13)	88	87	99	NS	98
	Global(Q14-Q17)	88	86	98	NS	97
	Outcomes/Functioning (Q18-Q22)	86	73	85	NS	89
	Social Connectedness (Q23-Q27)	86	73	85	NS	84
	Medication (Y/N) (Q28)	88	53	60	NS	61
	Medication Scale (Q28a-Q28e) ⁴	53	52	98	NS	99
Putnam Community Mental Health Services	Appropriateness (Q1-Q3)	31	28	90	-	96
	Cultural (Q4-Q6)	31	31	100	NS	100
	Access(Q7-Q9)	31	28	90	-	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	30	29	97	NS	98
	Global(Q14-Q17)	30	28	93	NS	97
	Outcomes/Functioning (Q18-Q22)	29	29	100	+	89
	Social Connectedness (Q23-Q27)	29	24	83	NS	84
	Medication (Y/N) (Q28)	31	20	65	NS	61
	Medication Scale (Q28a-Q28e) ⁴	20	20	100	NS	99

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child and Family Outpatient Clinic	Appropriateness (Q1-Q3)	17	17	100	NS	100
	Cultural (Q4-Q6)	17	17	100	NS	100
	Access(Q7-Q9)	17	17	100	NS	100
	Participation (Q10-Q13)	17	17	100	NS	100
	Global(Q14-Q17)	17	17	100	NS	100
	Outcomes/Functioning (Q18-Q22)	17	16	94	NS	91
	Social Connectedness (Q23-Q27)	17	14	82	NS	86
	Medication (Y/N) (Q28)	17	13	76	+	43
	Medication Scale (Q28a-Q28e) ⁴	13	12	92	NS	93
Ohel - Tikvah Clinic	Appropriateness (Q1-Q3)	18	18	100	NS	100
	Cultural (Q4-Q6)	18	18	100	NS	100
	Access(Q7-Q9)	18	18	100	NS	100
	Participation (Q10-Q13)	17	17	100	NS	100
	Global(Q14-Q17)	18	18	100	NS	100
	Outcomes/Functioning (Q18-Q22)	18	16	89	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	18	16	89	NS	86
	Medication (Y/N) (Q28)	18	2	11	-	43
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	93

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Cattaraugus County Counseling Center	Appropriateness (Q1-Q3)	31	31	100	+	96
	Cultural (Q4-Q6)	31	31	100	NS	100
	Access(Q7-Q9)	31	31	100	NS	98
	Participation (Q10-Q13)	31	31	100	NS	100
	Global(Q14-Q17)	31	31	100	NS	99
	Outcomes/Functioning (Q18-Q22)	31	26	84	NS	90
	Social Connectedness (Q23-Q27)	31	29	94	NS	92
	Medication (Y/N) (Q28)	31	14	45	-	56
	Medication Scale (Q28a-Q28e) ⁴	14	14	100	NS	100
South Buffalo Counseling Center	Appropriateness (Q1-Q3)	60	56	93	NS	96
	Cultural (Q4-Q6)	60	60	100	NS	100
	Access(Q7-Q9)	60	58	97	NS	98
	Participation (Q10-Q13)	60	60	100	NS	100
	Global(Q14-Q17)	60	59	98	NS	99
	Outcomes/Functioning (Q18-Q22)	58	54	93	NS	90
	Social Connectedness (Q23-Q27)	59	54	92	NS	92
	Medication (Y/N) (Q28)	60	37	62	NS	56
	Medication Scale (Q28a-Q28e) ⁴	37	37	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
Clinic Treatment (Total)	77	197	39.09
Clinic Treatment (Central New York)	0	15	0.00
Clinic Treatment (Hudson River)	63	107	58.88
Clinic Treatment (New York City)	9	25	36.00
Clinic Treatment (Western New York)	5	50	10.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	76	72	95	NS	93
Cultural (Q4-Q6)	77	75	97	+	96
Access(Q7-Q10)	77	74	96	NS	96
Participation (Q11-Q14)	77	68	88	-	91
Global(Q15)	75	67	89	NS	90
Outcomes/Functioning (Q16-Q20a)	73	64	88	-	91
Medication (Y/N) (Q21)	77	56	73	-	88
Medication Scale (Q21a-Q21e) ⁴	56	48	86	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	62	59	95	NS	95
Cultural (Q4-Q6)	63	61	97	NS	97
Access(Q7-Q10)	63	61	97	NS	96
Participation (Q11-Q14)	63	57	90	NS	88
Global(Q15)	61	54	89	NS	89
Outcomes/Functioning (Q16-Q20a)	59	53	90	NS	88
Medication (Y/N) (Q21)	63	48	76	NS	73
Medication Scale (Q21a-Q21e) ⁴	48	41	85	NS	86

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	9	100	+	95
Cultural (Q4-Q6)	9	9	100	NS	97
Access(Q7-Q10)	9	8	89	-	96
Participation (Q11-Q14)	9	7	78	-	88
Global(Q15)	9	8	89	NS	89
Outcomes/Functioning (Q16-Q20a)	9	8	89	NS	88
Medication (Y/N) (Q21)	9	5	56	-	73
Medication Scale (Q21a-Q21e) ⁴	5	4	80	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	5	4	80	-	95
Cultural (Q4-Q6)	5	5	100	NS	97
Access(Q7-Q10)	5	5	100	NS	96
Participation (Q11-Q14)	5	4	80	-	88
Global(Q15)	5	5	100	+	89
Outcomes/Functioning (Q16-Q20a)	5	3	60	-	88
Medication (Y/N) (Q21)	5	3	60	-	73
Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child and Family Guidance Clinic	Appropriateness (Q1-Q3)	31	29	94	NS	95
	Cultural (Q4-Q6)	32	31	97	NS	97
	Access(Q7-Q10)	32	31	97	NS	97
	Participation (Q11-Q14)	32	31	97	NS	90
	Global(Q15)	31	28	90	NS	89
	Outcomes/Functioning (Q16-Q20a)	28	25	89	NS	90
	Medication (Y/N) (Q21)	32	24	75	NS	76
	Medication Scale (Q21a-Q21e) ⁴	24	21	88	NS	85
Putnam Community Mental Health Services	Appropriateness (Q1-Q3)	31	30	97	NS	95
	Cultural (Q4-Q6)	31	30	97	NS	97
	Access(Q7-Q10)	31	30	97	NS	97
	Participation (Q11-Q14)	31	26	84	NS	90
	Global(Q15)	30	26	87	NS	89
	Outcomes/Functioning (Q16-Q20a)	31	28	90	NS	90
	Medication (Y/N) (Q21)	31	24	77	NS	76
	Medication Scale (Q21a-Q21e) ⁴	24	20	83	NS	85

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child and Family Outpatient Clinic	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	89
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Global(Q15)	< 5	N/A	N/A	N/A	89
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	89
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	56
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	80
Ohel - Tikvah Clinic	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	4	80	NS	89
	Participation (Q11-Q14)	5	3	60	NS	78
	Global(Q15)	5	4	80	NS	89
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	89
	Medication (Y/N) (Q21)	5	3	60	NS	56
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	80

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
South Buffalo Counseling Center	Appropriateness (Q1-Q3)	5	4	80	NS	80
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	4	80	NS	80
	Global(Q15)	5	5	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	5	3	60	NS	60
	Medication (Y/N) (Q21)	5	3	60	NS	60
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
Day Treatment (Total)	154	458	33.62
Day Treatment (Central New York)	15	28	53.57
Day Treatment (Hudson River)	38	160	23.75
Day Treatment (Long Island)	52	148	35.14
Day Treatment (New York City)	16	74	21.62
Day Treatment (Western New York)	33	48	68.75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	154	152	99	+	96
Cultural (Q4-Q6)	154	153	99	NS	99
Access(Q7-Q9)	154	150	97	+	96
Participation (Q10-Q13)	154	151	98	NS	98
Global(Q14-Q17)	154	152	99	NS	98
Outcomes/Functioning (Q18-Q22)	153	138	90	+	84
Social Connectedness (Q23-Q27)	153	135	88	NS	87
Medication (Y/N) (Q28)	154	140	91	+	85
Medication Scale (Q28a-Q28e) ⁴	139	138	99	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	15	15	100	NS	99
Cultural (Q4-Q6)	15	15	100	NS	99
Access(Q7-Q9)	15	13	87	-	97
Participation (Q10-Q13)	15	15	100	NS	98
Global(Q14-Q17)	15	15	100	NS	99
Outcomes/Functioning (Q18-Q22)	15	14	93	NS	90
Social Connectedness (Q23-Q27)	15	13	87	NS	88
Medication (Y/N) (Q28)	15	15	100	+	91
Medication Scale (Q28a-Q28e) ⁴	15	15	100	NS	99

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	38	38	100	NS	99
Cultural (Q4-Q6)	38	38	100	NS	99
Access(Q7-Q9)	38	38	100	+	97
Participation (Q10-Q13)	38	37	97	NS	98
Global(Q14-Q17)	38	37	97	NS	99
Outcomes/Functioning (Q18-Q22)	38	34	89	NS	90
Social Connectedness (Q23-Q27)	38	35	92	NS	88
Medication (Y/N) (Q28)	38	30	79	-	91
Medication Scale (Q28a-Q28e) ⁴	30	30	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	52	50	96	-	99
Cultural (Q4-Q6)	52	51	98	NS	99
Access(Q7-Q9)	52	50	96	NS	97
Participation (Q10-Q13)	52	51	98	NS	98
Global(Q14-Q17)	52	51	98	NS	99
Outcomes/Functioning (Q18-Q22)	52	46	88	NS	90
Social Connectedness (Q23-Q27)	52	43	83	-	88
Medication (Y/N) (Q28)	52	47	90	NS	91
Medication Scale (Q28a-Q28e) ⁴	46	46	100	NS	99

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	16	16	100	NS	99
Cultural (Q4-Q6)	16	16	100	NS	99
Access(Q7-Q9)	16	16	100	+	97
Participation (Q10-Q13)	16	16	100	NS	98
Global(Q14-Q17)	16	16	100	NS	99
Outcomes/Functioning (Q18-Q22)	16	15	94	NS	90
Social Connectedness (Q23-Q27)	16	15	94	+	88
Medication (Y/N) (Q28)	16	15	94	NS	91
Medication Scale (Q28a-Q28e) ⁴	15	15	100	NS	99

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	33	33	100	NS	99
Cultural (Q4-Q6)	33	33	100	NS	99
Access(Q7-Q9)	33	33	100	+	97
Participation (Q10-Q13)	33	32	97	NS	98
Global(Q14-Q17)	33	33	100	NS	99
Outcomes/Functioning (Q18-Q22)	32	29	91	NS	90
Social Connectedness (Q23-Q27)	32	29	91	NS	88
Medication (Y/N) (Q28)	33	33	100	+	91
Medication Scale (Q28a-Q28e) ⁴	33	32	97	-	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Adolescent Day Treatment Program	Appropriateness (Q1-Q3)	12	12	100	NS	100
	Cultural (Q4-Q6)	12	12	100	NS	100
	Access(Q7-Q9)	12	11	92	NS	87
	Participation (Q10-Q13)	12	12	100	NS	100
	Global(Q14-Q17)	12	12	100	NS	100
	Outcomes/Functioning (Q18-Q22)	12	11	92	NS	93
	Social Connectedness (Q23-Q27)	12	10	83	NS	87
	Medication (Y/N) (Q28)	12	12	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	12	12	100	NS	100
	Jefferson/Lewis Collaborative Day Treatm	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A
Cultural (Q4-Q6)		< 5	N/A	N/A	N/A	100
Access(Q7-Q9)		< 5	N/A	N/A	N/A	87
Participation (Q10-Q13)		< 5	N/A	N/A	N/A	100
Global(Q14-Q17)		< 5	N/A	N/A	N/A	100
Outcomes/Functioning (Q18-Q22)		< 5	N/A	N/A	N/A	93
Social Connectedness (Q23-Q27)		< 5	N/A	N/A	N/A	87
Medication (Y/N) (Q28)		< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁴		< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Dutchess Intensive Day Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	97
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	89
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	79
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Orange Day Treatment Program	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q9)	5	5	100	NS	100
	Participation (Q10-Q13)	5	4	80	-	97
	Global(Q14-Q17)	5	4	80	-	97
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	89
	Social Connectedness (Q23-Q27)	5	3	60	-	92
	Medication (Y/N) (Q28)	5	4	80	NS	79
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Rockland Intensive Day Treatment Program	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q9)	7	7	100	NS	100
	Participation (Q10-Q13)	7	7	100	NS	97
	Global(Q14-Q17)	7	7	100	NS	97

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	89
	Social Connectedness (Q23-Q27)	7	7	100	NS	92
	Medication (Y/N) (Q28)	7	5	71	NS	79
	Medication Scale (Q28a-Q28e) ⁴	5	5	100	NS	100
Sullivan Day Treatment	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	97
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	89
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	79
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Ulster County Day Treatment Program	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q9)	8	8	100	NS	100
	Participation (Q10-Q13)	8	8	100	NS	97
	Global(Q14-Q17)	8	8	100	NS	97
	Outcomes/Functioning (Q18-Q22)	8	8	100	+	89
	Social Connectedness (Q23-Q27)	8	8	100	NS	92
	Medication (Y/N) (Q28)	8	7	88	NS	79
	Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	100
Yonkers Day Treatment Program	Appropriateness (Q1-Q3)	14	14	100	NS	100
	Cultural (Q4-Q6)	14	14	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Access(Q7-Q9)	14	14	100	NS	100
	Participation (Q10-Q13)	14	14	100	NS	97
	Global(Q14-Q17)	14	14	100	NS	97
	Outcomes/Functioning (Q18-Q22)	14	14	100	+	89
	Social Connectedness (Q23-Q27)	14	14	100	NS	92
	Medication (Y/N) (Q28)	14	11	79	NS	79
	Medication Scale (Q28a-Q28e) ⁴	11	11	100	NS	100

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bellport Day Treatment	Appropriateness (Q1-Q3)	9	8	89	-	96
	Cultural (Q4-Q6)	9	9	100	NS	98
	Access(Q7-Q9)	9	8	89	-	96
	Participation (Q10-Q13)	9	9	100	NS	98
	Global(Q14-Q17)	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	5	56	-	88
	Social Connectedness (Q23-Q27)	9	5	56	-	83
	Medication (Y/N) (Q28)	9	9	100	+	90
	Medication Scale (Q28a-Q28e) ⁴	9	9	100	NS	100
SCPC Western Suffolk Day Treatment	Appropriateness (Q1-Q3)	12	12	100	NS	96
	Cultural (Q4-Q6)	12	12	100	NS	98
	Access(Q7-Q9)	12	12	100	NS	96
	Participation (Q10-Q13)	12	12	100	NS	98
	Global(Q14-Q17)	12	12	100	NS	98

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	12	12	100	+	88
	Social Connectedness (Q23-Q27)	12	11	92	NS	83
	Medication (Y/N) (Q28)	12	11	92	NS	90
	Medication Scale (Q28a-Q28e) ⁴	10	10	100	NS	100
Sayville Day Treatment Program	Appropriateness (Q1-Q3)	9	9	100	NS	96
	Cultural (Q4-Q6)	9	9	100	NS	98
	Access(Q7-Q9)	9	9	100	NS	96
	Participation (Q10-Q13)	9	9	100	NS	98
	Global(Q14-Q17)	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	88
	Social Connectedness (Q23-Q27)	9	8	89	NS	83
	Medication (Y/N) (Q28)	9	9	100	+	90
	Medication Scale (Q28a-Q28e) ⁴	9	9	100	NS	100
Wantagh Day Treatment Program	Appropriateness (Q1-Q3)	22	21	95	NS	96
	Cultural (Q4-Q6)	22	21	95	NS	98
	Access(Q7-Q9)	22	21	95	NS	96
	Participation (Q10-Q13)	22	21	95	NS	98
	Global(Q14-Q17)	22	21	95	NS	98
	Outcomes/Functioning (Q18-Q22)	22	20	91	NS	88
	Social Connectedness (Q23-Q27)	22	19	86	NS	83
	Medication (Y/N) (Q28)	22	18	82	-	90
	Medication Scale (Q28a-Q28e) ⁴	18	18	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Brooklyn Children's Day Treatment Center	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	8	8	100	NS	100
	Access(Q7-Q9)	8	8	100	NS	100
	Participation (Q10-Q13)	8	8	100	NS	100
	Global(Q14-Q17)	8	8	100	NS	100
	Outcomes/Functioning (Q18-Q22)	8	7	88	NS	94
	Social Connectedness (Q23-Q27)	8	7	88	NS	94
	Medication (Y/N) (Q28)	8	7	88	NS	94
	Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	100
QCPC Intensive Day Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
Queens Children's PC Iris Hill Day Treat	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
South Beach Adolescent Day Treatment Pro	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
WNYCPC Day Treatment Center	Appropriateness (Q1-Q3)	23	23	100	NS	100
	Cultural (Q4-Q6)	23	23	100	NS	100
	Access(Q7-Q9)	23	23	100	NS	100
	Participation (Q10-Q13)	23	23	100	NS	97
	Global(Q14-Q17)	23	23	100	NS	100
	Outcomes/Functioning (Q18-Q22)	23	20	87	NS	91
	Social Connectedness (Q23-Q27)	23	22	96	NS	91
	Medication (Y/N) (Q28)	23	23	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁴	23	23	100	NS	97
Wayne Finger Lakes Day Treatment Program	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q9)	10	10	100	NS	100
	Participation (Q10-Q13)	10	9	90	-	97
	Global(Q14-Q17)	10	10	100	NS	100
	Outcomes/Functioning (Q18-Q22)	9	9	100	NS	91
	Social Connectedness (Q23-Q27)	9	7	78	-	91
	Medication (Y/N) (Q28)	10	10	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	10	9	90	-	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
Day Treatment (Total)	216	357	60.50
Day Treatment (Central New York)	20	20	100.00
Day Treatment (Hudson River)	39	63	61.90
Day Treatment (Long Island)	87	163	53.37
Day Treatment (New York City)	31	72	43.06
Day Treatment (Western New York)	39	39	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	216	203	94	NS	93
Cultural (Q4-Q6)	216	211	98	+	96
Access(Q7-Q10)	216	208	96	NS	96
Participation (Q11-Q14)	215	189	88	-	91
Global(Q15)	213	190	89	NS	90
Outcomes/Functioning (Q16-Q20a)	214	199	93	+	91
Medication (Y/N) (Q21)	216	182	84	-	88
Medication Scale (Q21a-Q21e) ⁴	180	153	85	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	20	19	95	NS	94
Cultural (Q4-Q6)	20	18	90	-	98
Access(Q7-Q10)	20	20	100	+	96
Participation (Q11-Q14)	20	18	90	NS	88
Global(Q15)	20	19	95	+	89
Outcomes/Functioning (Q16-Q20a)	20	19	95	NS	93
Medication (Y/N) (Q21)	20	18	90	+	84
Medication Scale (Q21a-Q21e) ⁴	17	15	88	NS	85

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	39	37	95	NS	94
Cultural (Q4-Q6)	39	38	97	NS	98
Access(Q7-Q10)	39	37	95	NS	96
Participation (Q11-Q14)	39	36	92	+	88
Global(Q15)	39	37	95	+	89
Outcomes/Functioning (Q16-Q20a)	39	38	97	+	93
Medication (Y/N) (Q21)	39	27	69	-	84
Medication Scale (Q21a-Q21e) ⁴	27	23	85	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	87	84	97	NS	94
Cultural (Q4-Q6)	87	87	100	+	98
Access(Q7-Q10)	87	84	97	NS	96
Participation (Q11-Q14)	87	73	84	NS	88
Global(Q15)	87	75	86	NS	89
Outcomes/Functioning (Q16-Q20a)	87	80	92	NS	93
Medication (Y/N) (Q21)	87	78	90	+	84
Medication Scale (Q21a-Q21e) ⁴	77	64	83	NS	85

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	31	27	87	-	94
Cultural (Q4-Q6)	31	29	94	-	98
Access(Q7-Q10)	31	29	94	-	96
Participation (Q11-Q14)	31	27	87	NS	88
Global(Q15)	29	25	86	NS	89
Outcomes/Functioning (Q16-Q20a)	30	27	90	NS	93
Medication (Y/N) (Q21)	31	24	77	-	84
Medication Scale (Q21a-Q21e) ⁴	24	20	83	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	39	36	92	NS	94
Cultural (Q4-Q6)	39	39	100	+	98
Access(Q7-Q10)	39	38	97	NS	96
Participation (Q11-Q14)	38	35	92	NS	88
Global(Q15)	38	34	89	NS	89
Outcomes/Functioning (Q16-Q20a)	38	35	92	NS	93
Medication (Y/N) (Q21)	39	35	90	+	84
Medication Scale (Q21a-Q21e) ⁴	35	31	89	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Adolescent Day Treatment Program	Appropriateness (Q1-Q3)	15	14	93	NS	95
	Cultural (Q4-Q6)	15	13	87	NS	90
	Access(Q7-Q10)	15	15	100	NS	100
	Participation (Q11-Q14)	15	13	87	NS	90
	Global(Q15)	15	14	93	NS	95
	Outcomes/Functioning (Q16-Q20a)	15	14	93	NS	95
	Medication (Y/N) (Q21)	15	13	87	NS	90
	Medication Scale (Q21a-Q21e) ⁴	12	10	83	NS	88
	Jefferson/Lewis Collaborative Day Treatm	Appropriateness (Q1-Q3)	5	5	100	NS
Jefferson/Lewis Collaborative Day Treatm	Cultural (Q4-Q6)	5	5	100	NS	90
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	5	100	NS	90
	Global(Q15)	5	5	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	95
	Medication (Y/N) (Q21)	5	5	100	NS	90
	Medication Scale (Q21a-Q21e) ⁴	5	5	100	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Dutchess Intensive Day Treatment Program	Appropriateness (Q1-Q3)	8	7	88	-	95
	Cultural (Q4-Q6)	8	8	100	NS	97
	Access(Q7-Q10)	8	6	75	-	95
	Participation (Q11-Q14)	8	7	88	NS	92
	Global(Q15)	8	8	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	8	7	88	-	97
	Medication (Y/N) (Q21)	8	5	63	NS	69
	Medication Scale (Q21a-Q21e) ⁴	5	4	80	NS	85
Orange Day Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	95
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	97
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	95
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	92
	Global(Q15)	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	97
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	69
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	85
Rockland Intensive Day Treatment Program	Appropriateness (Q1-Q3)	6	6	100	NS	95
	Cultural (Q4-Q6)	6	6	100	NS	97
	Access(Q7-Q10)	6	6	100	NS	95
	Participation (Q11-Q14)	6	6	100	NS	92
	Global(Q15)	6	6	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	97
	Medication (Y/N) (Q21)	6	5	83	NS	69

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁴	5	5	100	+	85
Sullivan Day Treatment	Appropriateness (Q1-Q3)	5	5	100	NS	95
	Cultural (Q4-Q6)	5	5	100	NS	97
	Access(Q7-Q10)	5	5	100	NS	95
	Participation (Q11-Q14)	5	5	100	NS	92
	Global(Q15)	5	5	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	97
	Medication (Y/N) (Q21)	5	1	20	-	69
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	85
Ulster County Day Treatment Program	Appropriateness (Q1-Q3)	16	16	100	NS	95
	Cultural (Q4-Q6)	16	15	94	NS	97
	Access(Q7-Q10)	16	16	100	NS	95
	Participation (Q11-Q14)	16	14	88	NS	92
	Global(Q15)	16	15	94	NS	95
	Outcomes/Functioning (Q16-Q20a)	16	16	100	NS	97
	Medication (Y/N) (Q21)	16	12	75	NS	69
	Medication Scale (Q21a-Q21e) ⁴	12	9	75	NS	85

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bellport Day Treatment	Appropriateness (Q1-Q3)	19	19	100	NS	97
	Cultural (Q4-Q6)	19	19	100	NS	100
	Access(Q7-Q10)	19	19	100	NS	97
	Participation (Q11-Q14)	19	15	79	NS	84
	Global(Q15)	19	18	95	+	86
	Outcomes/Functioning (Q16-Q20a)	19	18	95	NS	92
	Medication (Y/N) (Q21)	19	18	95	NS	90
	Medication Scale (Q21a-Q21e) ⁴	17	13	76	NS	83
SCPC Western Suffolk Day Treatment	Appropriateness (Q1-Q3)	43	40	93	NS	97
	Cultural (Q4-Q6)	43	43	100	NS	100
	Access(Q7-Q10)	43	41	95	NS	97
	Participation (Q11-Q14)	43	36	84	NS	84
	Global(Q15)	43	36	84	NS	86
	Outcomes/Functioning (Q16-Q20a)	43	39	91	NS	92
	Medication (Y/N) (Q21)	43	39	91	NS	90
	Medication Scale (Q21a-Q21e) ⁴	39	31	79	NS	83
Wantagh Day Treatment Program	Appropriateness (Q1-Q3)	25	25	100	NS	97
	Cultural (Q4-Q6)	25	25	100	NS	100
	Access(Q7-Q10)	25	24	96	NS	97
	Participation (Q11-Q14)	25	22	88	NS	84
	Global(Q15)	25	21	84	NS	86
	Outcomes/Functioning (Q16-Q20a)	25	23	92	NS	92
	Medication (Y/N) (Q21)	25	21	84	NS	90
	Medication Scale (Q21a-Q21e) ⁴	21	20	95	+	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Brooklyn Children's Day Treatment Center	Appropriateness (Q1-Q3)	15	13	87	NS	87
	Cultural (Q4-Q6)	15	15	100	NS	94
	Access(Q7-Q10)	15	15	100	NS	94
	Participation (Q11-Q14)	15	14	93	NS	87
	Global(Q15)	13	12	92	NS	86
	Outcomes/Functioning (Q16-Q20a)	14	14	100	NS	90
	Medication (Y/N) (Q21)	15	12	80	NS	77
	Medication Scale (Q21a-Q21e) ⁴	12	11	92	NS	83
QCPC Intensive Day Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	87
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	94
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	94
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	87
	Global(Q15)	< 5	N/A	N/A	N/A	86
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	90
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	77
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	83
South Beach Adolescent Day Treatment Pro	Appropriateness (Q1-Q3)	15	13	87	NS	87
	Cultural (Q4-Q6)	15	13	87	NS	94
	Access(Q7-Q10)	15	13	87	NS	94
	Participation (Q11-Q14)	15	12	80	NS	87
	Global(Q15)	15	12	80	NS	86
	Outcomes/Functioning (Q16-Q20a)	15	12	80	NS	90

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	15	11	73	NS	77
	Medication Scale (Q21a-Q21e) ⁴	11	8	73	NS	83

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
WNYCPC Day Treatment Center	Appropriateness (Q1-Q3)	25	24	96	NS	92
	Cultural (Q4-Q6)	25	25	100	NS	100
	Access(Q7-Q10)	25	24	96	NS	97
	Participation (Q11-Q14)	25	22	88	NS	92
	Global(Q15)	25	23	92	NS	89
	Outcomes/Functioning (Q16-Q20a)	25	24	96	NS	92
	Medication (Y/N) (Q21)	25	23	92	NS	90
	Medication Scale (Q21a-Q21e) ⁴	23	19	83	NS	89
Wayne Finger Lakes Day Treatment Program	Appropriateness (Q1-Q3)	14	12	86	NS	92
	Cultural (Q4-Q6)	14	14	100	NS	100
	Access(Q7-Q10)	14	14	100	NS	97
	Participation (Q11-Q14)	13	13	100	NS	92
	Global(Q15)	13	11	85	NS	89
	Outcomes/Functioning (Q16-Q20a)	13	11	85	NS	92
	Medication (Y/N) (Q21)	14	12	86	NS	90
	Medication Scale (Q21a-Q21e) ⁴	12	12	100	+	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
Family Based Treatment (Total)	50	106	47.17
Family Based Treatment (Central New York)	3	14	21.43
Family Based Treatment (Hudson River)	13	21	61.90
Family Based Treatment (Long Island)	9	14	64.29
Family Based Treatment (New York City)	18	38	47.37
Family Based Treatment (Western New York)	7	19	36.84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	50	44	88	-	96
Cultural (Q4-Q6)	50	46	92	-	99
Access(Q7-Q9)	50	43	86	-	96
Participation (Q10-Q13)	50	46	92	-	98
Global(Q14-Q17)	50	47	94	-	98
Outcomes/Functioning (Q18-Q22)	50	38	76	-	84
Social Connectedness (Q23-Q27)	50	39	78	-	87
Medication (Y/N) (Q28)	50	47	94	+	85
Medication Scale (Q28a-Q28e) ⁴	47	44	94	-	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	88
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	92
Access(Q7-Q9)	< 5	N/A	N/A	N/A	86
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	92
Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	76
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	78
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	94

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	13	11	85	NS	88
Cultural (Q4-Q6)	13	12	92	NS	92
Access(Q7-Q9)	13	11	85	NS	86
Participation (Q10-Q13)	13	12	92	NS	92
Global(Q14-Q17)	13	12	92	NS	94
Outcomes/Functioning (Q18-Q22)	13	10	77	NS	76
Social Connectedness (Q23-Q27)	13	12	92	+	78
Medication (Y/N) (Q28)	13	11	85	-	94
Medication Scale (Q28a-Q28e) ⁴	11	11	100	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	9	100	+	88
Cultural (Q4-Q6)	9	9	100	+	92
Access(Q7-Q9)	9	9	100	+	86
Participation (Q10-Q13)	9	9	100	+	92
Global(Q14-Q17)	9	9	100	NS	94
Outcomes/Functioning (Q18-Q22)	9	8	89	+	76
Social Connectedness (Q23-Q27)	9	9	100	+	78
Medication (Y/N) (Q28)	9	9	100	NS	94
Medication Scale (Q28a-Q28e) ⁴	9	8	89	NS	94

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	18	15	83	NS	88
Cultural (Q4-Q6)	18	16	89	NS	92
Access(Q7-Q9)	18	14	78	NS	86
Participation (Q10-Q13)	18	15	83	-	92
Global(Q14-Q17)	18	17	94	NS	94
Outcomes/Functioning (Q18-Q22)	18	12	67	NS	76
Social Connectedness (Q23-Q27)	18	11	61	-	78
Medication (Y/N) (Q28)	18	18	100	NS	94
Medication Scale (Q28a-Q28e) ⁴	18	16	89	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	7	6	86	NS	88
Cultural (Q4-Q6)	7	6	86	NS	92
Access(Q7-Q9)	7	6	86	NS	86
Participation (Q10-Q13)	7	7	100	+	92
Global(Q14-Q17)	7	6	86	-	94
Outcomes/Functioning (Q18-Q22)	7	5	71	NS	76
Social Connectedness (Q23-Q27)	7	5	71	NS	78
Medication (Y/N) (Q28)	7	7	100	NS	94
Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family to Family	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	67
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	67
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor Home For Children Family Based Tx	Appropriateness (Q1-Q3)	8	7	88	NS	85
	Cultural (Q4-Q6)	8	8	100	NS	92
	Access(Q7-Q9)	8	7	88	NS	85
	Participation (Q10-Q13)	8	8	100	NS	92
	Global(Q14-Q17)	8	8	100	NS	92
	Outcomes/Functioning (Q18-Q22)	8	7	88	NS	77
	Social Connectedness (Q23-Q27)	8	7	88	NS	92
	Medication (Y/N) (Q28)	8	7	88	NS	85
	Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	100
MHA of Ulster County - The Harbour Progr	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	85
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	92
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	85

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	92
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	92
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	77
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100
St. Catherine's Family Based Treatment P	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	85
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	92
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	85
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	92
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	92
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	77
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Circle Family Based Treatment Program	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q9)	7	7	100	NS	100
	Participation (Q10-Q13)	7	7	100	NS	100
	Global(Q14-Q17)	7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	89
	Social Connectedness (Q23-Q27)	7	7	100	NS	100
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	7	6	86	NS	89
Turnabout Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	89
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	89

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bonding Links	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	83
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	89
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	78
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	83
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	67

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	61
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	89
Bonding Links - Enlazos Familiares Queen	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	83
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	89
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	78
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	83
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	94
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	67
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	61
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	89
SCO Family of Services FBT Program - Bro	Appropriateness (Q1-Q3)	8	6	75	NS	83
	Cultural (Q4-Q6)	8	6	75	NS	89
	Access(Q7-Q9)	8	6	75	NS	78
	Participation (Q10-Q13)	8	6	75	NS	83
	Global(Q14-Q17)	8	7	88	NS	94
	Outcomes/Functioning (Q18-Q22)	8	5	63	NS	67
	Social Connectedness (Q23-Q27)	8	4	50	NS	61
	Medication (Y/N) (Q28)	8	8	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	8	7	88	NS	89
SCO Family of Services FBT Program - Que	Appropriateness (Q1-Q3)	5	4	80	NS	83
	Cultural (Q4-Q6)	5	5	100	NS	89
	Access(Q7-Q9)	5	3	60	NS	78

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	5	4	80	NS	83
	Global(Q14-Q17)	5	5	100	NS	94
	Outcomes/Functioning (Q18-Q22)	5	4	80	NS	67
	Social Connectedness (Q23-Q27)	5	3	60	NS	61
	Medication (Y/N) (Q28)	5	5	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	5	5	100	NS	89

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family Services Family Based Tre	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	86
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	86
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	86
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	71
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	71
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	100	
Hillside Family Based Treatment Program	Appropriateness (Q1-Q3)	6	5	83	NS	86
	Cultural (Q4-Q6)	6	5	83	NS	86
	Access(Q7-Q9)	6	5	83	NS	86
	Participation (Q10-Q13)	6	6	100	NS	100
	Global(Q14-Q17)	6	5	83	NS	86
	Outcomes/Functioning (Q18-Q22)	6	4	67	NS	71

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	6	4	67	NS	71
	Medication (Y/N) (Q28)	6	6	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
Family Based Treatment (Total)	70	95	73.68
Family Based Treatment (Central New York)	10	13	76.92
Family Based Treatment (Hudson River)	19	19	100.00
Family Based Treatment (Long Island)	7	11	63.64
Family Based Treatment (New York City)	24	37	64.86
Family Based Treatment (Western New York)	10	15	66.67

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	70	66	94	NS	93
Cultural (Q4-Q6)	70	69	99	+	96
Access(Q7-Q10)	69	68	99	+	96
Participation (Q11-Q14)	70	65	93	+	91
Global(Q15)	70	66	94	+	90
Outcomes/Functioning (Q16-Q20a)	70	66	94	+	91
Medication (Y/N) (Q21)	70	59	84	-	88
Medication Scale (Q21a-Q21e) ⁴	58	49	84	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	10	10	100	+	94
Cultural (Q4-Q6)	10	10	100	NS	99
Access(Q7-Q10)	10	10	100	NS	99
Participation (Q11-Q14)	10	9	90	NS	93
Global(Q15)	10	9	90	NS	94
Outcomes/Functioning (Q16-Q20a)	10	10	100	+	94
Medication (Y/N) (Q21)	10	6	60	-	84
Medication Scale (Q21a-Q21e) ⁴	6	6	100	+	84

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	19	19	100	+	94
Cultural (Q4-Q6)	19	19	100	NS	99
Access(Q7-Q10)	19	19	100	NS	99
Participation (Q11-Q14)	19	19	100	+	93
Global(Q15)	19	19	100	+	94
Outcomes/Functioning (Q16-Q20a)	19	19	100	+	94
Medication (Y/N) (Q21)	19	15	79	NS	84
Medication Scale (Q21a-Q21e) ⁴	14	13	93	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	7	7	100	+	94
Cultural (Q4-Q6)	7	7	100	NS	99
Access(Q7-Q10)	7	7	100	NS	99
Participation (Q11-Q14)	7	6	86	-	93
Global(Q15)	7	7	100	+	94
Outcomes/Functioning (Q16-Q20a)	7	7	100	+	94
Medication (Y/N) (Q21)	7	6	86	NS	84
Medication Scale (Q21a-Q21e) ⁴	6	6	100	+	84

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	24	21	88	-	94
Cultural (Q4-Q6)	24	23	96	NS	99
Access(Q7-Q10)	23	22	96	-	99
Participation (Q11-Q14)	24	23	96	NS	93
Global(Q15)	24	22	92	NS	94
Outcomes/Functioning (Q16-Q20a)	24	22	92	NS	94
Medication (Y/N) (Q21)	24	23	96	+	84
Medication Scale (Q21a-Q21e) ⁴	23	19	83	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Region Compared to Statewide Family Based Treatment Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	10	9	90	NS	94
Cultural (Q4-Q6)	10	10	100	NS	99
Access(Q7-Q10)	10	10	100	NS	99
Participation (Q11-Q14)	10	8	80	-	93
Global(Q15)	10	9	90	NS	94
Outcomes/Functioning (Q16-Q20a)	10	8	80	-	94
Medication (Y/N) (Q21)	10	9	90	NS	84
Medication Scale (Q21a-Q21e) ⁴	9	5	56	-	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family to Family	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q10)	10	10	100	NS	100
	Participation (Q11-Q14)	10	9	90	NS	90
	Global(Q15)	10	9	90	NS	90
	Outcomes/Functioning (Q16-Q20a)	10	10	100	NS	100
	Medication (Y/N) (Q21)	10	6	60	NS	60
	Medication Scale (Q21a-Q21e) ⁴	6	6	100	NS	100

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor Home For Children Family Based Tx	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q10)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	100
	Global(Q15)	6	6	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	100
	Medication (Y/N) (Q21)	6	5	83	NS	79
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	93
MHA of Ulster County - The Harbour Progr	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q10)	9	9	100	NS	100
	Participation (Q11-Q14)	9	9	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Global(Q15)	9	9	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	9	9	100	NS	100
	Medication (Y/N) (Q21)	9	7	78	NS	79
	Medication Scale (Q21a-Q21e) ⁴	7	7	100	NS	93
St. Catherine's Family Based Treatment P	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	79
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	93

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Circle Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	86
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	86
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Turnabout Family Based Treatment Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	86
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	86
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	100

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bonding Links	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	88
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	96
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	96
	Global(Q15)	< 5	N/A	N/A	N/A	92
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	96
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	83
Bonding Links - Enlazos Familiares Queen	Appropriateness (Q1-Q3)	7	7	100	NS	88
	Cultural (Q4-Q6)	7	7	100	NS	96
	Access(Q7-Q10)	6	6	100	NS	96

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	7	7	100	NS	96
	Global(Q15)	7	6	86	NS	92
	Outcomes/Functioning (Q16-Q20a)	7	7	100	NS	92
	Medication (Y/N) (Q21)	7	7	100	NS	96
	Medication Scale (Q21a-Q21e) ⁴	7	5	71	NS	83
SCO Family of Services FBT Program - Bro	Appropriateness (Q1-Q3)	8	5	63	-	88
	Cultural (Q4-Q6)	8	7	88	NS	96
	Access(Q7-Q10)	8	7	88	NS	96
	Participation (Q11-Q14)	8	7	88	NS	96
	Global(Q15)	8	7	88	NS	92
	Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	92
	Medication (Y/N) (Q21)	8	7	88	NS	96
	Medication Scale (Q21a-Q21e) ⁴	7	5	71	NS	83
SCO Family of Services FBT Program - Que	Appropriateness (Q1-Q3)	5	5	100	NS	88
	Cultural (Q4-Q6)	5	5	100	NS	96
	Access(Q7-Q10)	5	5	100	NS	96
	Participation (Q11-Q14)	5	5	100	NS	96
	Global(Q15)	5	5	100	NS	92
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	92
	Medication (Y/N) (Q21)	5	5	100	NS	96
	Medication Scale (Q21a-Q21e) ⁴	5	5	100	+	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Family Based Treatment

Family Based Treatment Results by Program compared to Region Family Based Treatment Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family Services Family Based Tre	Appropriateness (Q1-Q3)	5	4	80	NS	90
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	4	80	NS	80
	Global(Q15)	5	4	80	NS	90
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	80
	Medication (Y/N) (Q21)	5	4	80	NS	90
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	56
Hillside Family Based Treatment Program	Appropriateness (Q1-Q3)	5	5	100	NS	90
	Cultural (Q4-Q6)	5	5	100	NS	100
	Access(Q7-Q10)	5	5	100	NS	100
	Participation (Q11-Q14)	5	4	80	NS	80
	Global(Q15)	5	5	100	NS	90
	Outcomes/Functioning (Q16-Q20a)	5	3	60	NS	80
	Medication (Y/N) (Q21)	5	5	100	NS	90
	Medication Scale (Q21a-Q21e) ⁴	5	2	40	NS	56

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
HCBS Waiver Individualized Care Coordination (Total)	596	1264	47.15
HCBS Waiver Individualized Care Coordination (Central New York)	98	199	49.25
HCBS Waiver Individualized Care Coordination (Hudson River)	99	184	53.80
HCBS Waiver Individualized Care Coordination (Long Island)	95	144	65.97
HCBS Waiver Individualized Care Coordination (New York City)	158	487	32.44
HCBS Waiver Individualized Care Coordination (Western New York)	146	250	58.40

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	595	582	98	+	96
Cultural (Q4-Q6)	596	594	100	NS	99
Access(Q7-Q9)	596	575	96	NS	96
Participation (Q10-Q13)	595	591	99	+	98
Global(Q14-Q17)	594	588	99	NS	98
Outcomes/Functioning (Q18-Q22)	594	482	81	-	84
Social Connectedness (Q23-Q27)	593	516	87	NS	87
Medication (Y/N) (Q28)	596	539	90	+	85
Medication Scale (Q28a-Q28e) ⁴	539	524	97	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	98	93	95	-	98
Cultural (Q4-Q6)	98	97	99	-	100
Access(Q7-Q9)	98	88	90	-	96
Participation (Q10-Q13)	97	95	98	-	99
Global(Q14-Q17)	97	95	98	-	99
Outcomes/Functioning (Q18-Q22)	98	71	72	-	81
Social Connectedness (Q23-Q27)	98	78	80	-	87
Medication (Y/N) (Q28)	98	92	94	+	90
Medication Scale (Q28a-Q28e) ⁴	92	89	97	NS	97

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	99	99	100	+	98
Cultural (Q4-Q6)	99	99	100	NS	100
Access(Q7-Q9)	99	96	97	NS	96
Participation (Q10-Q13)	99	98	99	NS	99
Global(Q14-Q17)	99	99	100	+	99
Outcomes/Functioning (Q18-Q22)	99	78	79	NS	81
Social Connectedness (Q23-Q27)	99	87	88	NS	87
Medication (Y/N) (Q28)	99	94	95	+	90
Medication Scale (Q28a-Q28e) ⁴	94	93	99	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	95	93	98	NS	98
Cultural (Q4-Q6)	95	95	100	NS	100
Access(Q7-Q9)	95	93	98	NS	96
Participation (Q10-Q13)	95	95	100	+	99
Global(Q14-Q17)	95	95	100	+	99
Outcomes/Functioning (Q18-Q22)	94	82	87	+	81
Social Connectedness (Q23-Q27)	95	86	91	+	87
Medication (Y/N) (Q28)	95	88	93	NS	90
Medication Scale (Q28a-Q28e) ⁴	88	86	98	NS	97

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	157	155	99	NS	98
Cultural (Q4-Q6)	158	158	100	NS	100
Access(Q7-Q9)	158	156	99	+	96
Participation (Q10-Q13)	158	157	99	NS	99
Global(Q14-Q17)	157	154	98	-	99
Outcomes/Functioning (Q18-Q22)	157	128	82	NS	81
Social Connectedness (Q23-Q27)	156	138	88	NS	87
Medication (Y/N) (Q28)	158	137	87	-	90
Medication Scale (Q28a-Q28e) ⁴	137	133	97	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	146	142	97	NS	98
Cultural (Q4-Q6)	146	145	99	NS	100
Access(Q7-Q9)	146	142	97	NS	96
Participation (Q10-Q13)	146	146	100	+	99
Global(Q14-Q17)	146	145	99	NS	99
Outcomes/Functioning (Q18-Q22)	146	123	84	NS	81
Social Connectedness (Q23-Q27)	145	127	88	NS	87
Medication (Y/N) (Q28)	146	128	88	-	90
Medication Scale (Q28a-Q28e) ⁴	128	123	96	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Behav Health HCBS - ICC	Appropriateness (Q1-Q3)	11	9	82	-	95
	Cultural (Q4-Q6)	11	11	100	NS	99
	Access(Q7-Q9)	11	8	73	-	90
	Participation (Q10-Q13)	10	10	100	NS	98
	Global(Q14-Q17)	10	9	90	-	98
	Outcomes/Functioning (Q18-Q22)	11	7	64	NS	72
	Social Connectedness (Q23-Q27)	11	7	64	-	80
	Medication (Y/N) (Q28)	11	11	100	+	94
	Medication Scale (Q28a-Q28e) ⁴	11	10	91	-	97
C.C. Broome HCBS - ICC	Appropriateness (Q1-Q3)	9	9	100	+	95
	Cultural (Q4-Q6)	9	9	100	NS	99
	Access(Q7-Q9)	9	9	100	+	90
	Participation (Q10-Q13)	9	9	100	NS	98
	Global(Q14-Q17)	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	72
	Social Connectedness (Q23-Q27)	9	8	89	+	80
	Medication (Y/N) (Q28)	9	8	89	-	94
	Medication Scale (Q28a-Q28e) ⁴	8	8	100	NS	97
Children's HCBS Waiver Program	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	95
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	90
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	98
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	98
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	72
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	97
Citizens Advocate HCBS - ICC	Appropriateness (Q1-Q3)	9	9	100	+	95
	Cultural (Q4-Q6)	9	9	100	NS	99
	Access(Q7-Q9)	9	9	100	+	90
	Participation (Q10-Q13)	9	9	100	NS	98
	Global(Q14-Q17)	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	72
	Social Connectedness (Q23-Q27)	9	9	100	+	80
	Medication (Y/N) (Q28)	9	7	78	-	94
	Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	97
Families First HCBS - ICC	Appropriateness (Q1-Q3)	11	11	100	+	95
	Cultural (Q4-Q6)	11	11	100	NS	99
	Access(Q7-Q9)	11	11	100	+	90
	Participation (Q10-Q13)	11	11	100	NS	98
	Global(Q14-Q17)	11	11	100	NS	98
	Outcomes/Functioning (Q18-Q22)	11	9	82	+	72
	Social Connectedness (Q23-Q27)	11	10	91	+	80
	Medication (Y/N) (Q28)	11	10	91	NS	94
	Medication Scale (Q28a-Q28e) ⁴	10	10	100	NS	97
Hillside HCBS - ICC -CENTRAL	Appropriateness (Q1-Q3)	18	17	94	NS	95
	Cultural (Q4-Q6)	18	18	100	NS	99
	Access(Q7-Q9)	18	17	94	NS	90
	Participation (Q10-Q13)	18	18	100	NS	98
	Global(Q14-Q17)	18	18	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	18	11	61	-	72
	Social Connectedness (Q23-Q27)	18	12	67	-	80
	Medication (Y/N) (Q28)	18	18	100	+	94
	Medication Scale (Q28a-Q28e) ⁴	18	17	94	NS	97
MHA Ulster HCBS - ICC	Appropriateness (Q1-Q3)	16	16	100	+	95
	Cultural (Q4-Q6)	16	16	100	NS	99
	Access(Q7-Q9)	16	16	100	+	90
	Participation (Q10-Q13)	16	16	100	NS	98
	Global(Q14-Q17)	16	16	100	NS	98
	Outcomes/Functioning (Q18-Q22)	16	14	88	+	72
	Social Connectedness (Q23-Q27)	16	15	94	+	80
	Medication (Y/N) (Q28)	16	15	94	NS	94
	Medication Scale (Q28a-Q28e) ⁴	15	15	100	NS	97
North Country TLS HCBS - ICC	Appropriateness (Q1-Q3)	15	15	100	+	95
	Cultural (Q4-Q6)	15	15	100	NS	99
	Access(Q7-Q9)	15	12	80	-	90
	Participation (Q10-Q13)	15	14	93	-	98
	Global(Q14-Q17)	15	14	93	-	98
	Outcomes/Functioning (Q18-Q22)	15	7	47	-	72
	Social Connectedness (Q23-Q27)	15	10	67	-	80
	Medication (Y/N) (Q28)	15	14	93	NS	94
	Medication Scale (Q28a-Q28e) ⁴	14	14	100	NS	97
Parson's HCBS - ICC	Appropriateness (Q1-Q3)	7	5	71	-	95
	Cultural (Q4-Q6)	7	6	86	-	99
	Access(Q7-Q9)	7	5	71	-	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	7	6	86	-	98
	Global(Q14-Q17)	7	7	100	NS	98
	Outcomes/Functioning (Q18-Q22)	7	3	43	-	72
	Social Connectedness (Q23-Q27)	7	5	71	-	80
	Medication (Y/N) (Q28)	7	7	100	+	94
	Medication Scale (Q28a-Q28e) ⁴	7	7	100	NS	97

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	79
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	95
	Medication Scale (Q28a-Q28e) ⁴	< 5	N/A	N/A	N/A	99
Green Chimneys HCBS Waiver Individualize	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q9)	9	9	100	NS	97
	Participation (Q10-Q13)	9	9	100	NS	99
	Global(Q14-Q17)	9	9	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	9	8	89	+	79
	Social Connectedness (Q23-Q27)	9	9	100	+	88
	Medication (Y/N) (Q28)	9	9	100	+	95
	Medication Scale (Q28a-Q28e) ⁴	9	9	100	NS	99
MHA Ulster HCBS - ICC	Appropriateness (Q1-Q3)	11	11	100	NS	100
	Cultural (Q4-Q6)	11	11	100	NS	100
	Access(Q7-Q9)	11	11	100	NS	97
	Participation (Q10-Q13)	11	11	100	NS	99
	Global(Q14-Q17)	11	11	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	7	64	-	79
	Social Connectedness (Q23-Q27)	11	8	73	-	88
	Medication (Y/N) (Q28)	11	10	91	NS	95
	Medication Scale (Q28a-Q28e) ⁴	10	10	100	NS	99
MHA Westchester HCBS - ICC	Appropriateness (Q1-Q3)	20	20	100	NS	100
	Cultural (Q4-Q6)	20	20	100	NS	100
	Access(Q7-Q9)	20	20	100	NS	97
	Participation (Q10-Q13)	20	20	100	NS	99
	Global(Q14-Q17)	20	20	100	NS	100
	Outcomes/Functioning (Q18-Q22)	20	19	95	+	79
	Social Connectedness (Q23-Q27)	20	18	90	NS	88
	Medication (Y/N) (Q28)	20	18	90	-	95
	Medication Scale (Q28a-Q28e) ⁴	18	18	100	NS	99
Occupations, Inc. HCBS - ICC	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Access(Q7-Q9)	9	7	78	-	97
	Participation (Q10-Q13)	9	8	89	-	99
	Global(Q14-Q17)	9	9	100	NS	100
	Outcomes/Functioning (Q18-Q22)	9	5	56	-	79
	Social Connectedness (Q23-Q27)	9	5	56	-	88
	Medication (Y/N) (Q28)	9	9	100	+	95
	Medication Scale (Q28a-Q28e) ⁴	9	8	89	-	99
Parson's HCBS - ICC	Appropriateness (Q1-Q3)	37	37	100	NS	100
	Cultural (Q4-Q6)	37	37	100	NS	100
	Access(Q7-Q9)	37	36	97	NS	97
	Participation (Q10-Q13)	37	37	100	NS	99
	Global(Q14-Q17)	37	37	100	NS	100
	Outcomes/Functioning (Q18-Q22)	37	30	81	NS	79
	Social Connectedness (Q23-Q27)	37	34	92	NS	88
	Medication (Y/N) (Q28)	37	36	97	NS	95
	Medication Scale (Q28a-Q28e) ⁴	36	36	100	NS	99
WJCS HCBS - ICC	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q9)	9	9	100	NS	97
	Participation (Q10-Q13)	9	9	100	NS	99
	Global(Q14-Q17)	9	9	100	NS	100
	Outcomes/Functioning (Q18-Q22)	9	6	67	-	79
	Social Connectedness (Q23-Q27)	9	9	100	+	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	9	8	89	-	95
	Medication Scale (Q28a-Q28e) ⁴	8	8	100	NS	99

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family & Children HCBS - ICC	Appropriateness (Q1-Q3)	18	17	94	-	98
	Cultural (Q4-Q6)	18	18	100	NS	100
	Access(Q7-Q9)	18	18	100	NS	98
	Participation (Q10-Q13)	18	18	100	NS	100
	Global(Q14-Q17)	18	18	100	NS	100
	Outcomes/Functioning (Q18-Q22)	18	17	94	+	87
	Social Connectedness (Q23-Q27)	18	17	94	NS	91
	Medication (Y/N) (Q28)	18	15	83	-	93
	Medication Scale (Q28a-Q28e) ⁴	15	15	100	NS	98
Pederson-Krag HCBS - ICC	Appropriateness (Q1-Q3)	77	76	99	NS	98
	Cultural (Q4-Q6)	77	77	100	NS	100
	Access(Q7-Q9)	77	75	97	NS	98
	Participation (Q10-Q13)	77	77	100	NS	100
	Global(Q14-Q17)	77	77	100	NS	100
	Outcomes/Functioning (Q18-Q22)	76	65	86	NS	87
	Social Connectedness (Q23-Q27)	77	69	90	NS	91
	Medication (Y/N) (Q28)	77	73	95	NS	93
	Medication Scale (Q28a-Q28e) ⁴	73	71	97	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
HCBS Waiver Individualized Care Coordination	Appropriateness (Q1-Q3)	18	18	100	NS	99
	Cultural (Q4-Q6)	19	19	100	NS	100
	Access(Q7-Q9)	19	19	100	NS	99
	Participation (Q10-Q13)	19	19	100	NS	99
	Global(Q14-Q17)	18	18	100	NS	98
	Outcomes/Functioning (Q18-Q22)	18	16	89	+	82
	Social Connectedness (Q23-Q27)	18	16	89	NS	88
	Medication (Y/N) (Q28)	19	17	89	NS	87
	Medication Scale (Q28a-Q28e) ⁴	17	17	100	+	97
JBFCs-Home & Community-Based Services Waiver	Appropriateness (Q1-Q3)	22	21	95	-	99
	Cultural (Q4-Q6)	22	22	100	NS	100
	Access(Q7-Q9)	22	21	95	-	99
	Participation (Q10-Q13)	22	22	100	NS	99
	Global(Q14-Q17)	22	21	95	-	98
	Outcomes/Functioning (Q18-Q22)	22	19	86	NS	82
	Social Connectedness (Q23-Q27)	22	19	86	NS	88
	Medication (Y/N) (Q28)	22	16	73	-	87
	Medication Scale (Q28a-Q28e) ⁴	16	16	100	+	97
Jewish Child Care Assoc HCBS - ICC	Appropriateness (Q1-Q3)	17	17	100	NS	99
	Cultural (Q4-Q6)	17	17	100	NS	100
	Access(Q7-Q9)	17	17	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	17	17	100	NS	99
	Global(Q14-Q17)	17	17	100	NS	98
	Outcomes/Functioning (Q18-Q22)	17	13	76	NS	82
	Social Connectedness (Q23-Q27)	17	15	88	NS	88
	Medication (Y/N) (Q28)	17	15	88	NS	87
	Medication Scale (Q28a-Q28e) ⁴	15	15	100	+	97
SCO- HCBS-ICC	Appropriateness (Q1-Q3)	31	30	97	-	99
	Cultural (Q4-Q6)	31	31	100	NS	100
	Access(Q7-Q9)	31	30	97	-	99
	Participation (Q10-Q13)	31	30	97	-	99
	Global(Q14-Q17)	31	30	97	NS	98
	Outcomes/Functioning (Q18-Q22)	31	23	74	-	82
	Social Connectedness (Q23-Q27)	31	27	87	NS	88
	Medication (Y/N) (Q28)	31	28	90	NS	87
	Medication Scale (Q28a-Q28e) ⁴	28	26	93	-	97
St. Lukes-Roosevelt HCBS - ICC	Appropriateness (Q1-Q3)	18	18	100	NS	99
	Cultural (Q4-Q6)	18	18	100	NS	100
	Access(Q7-Q9)	18	18	100	NS	99
	Participation (Q10-Q13)	18	18	100	NS	99
	Global(Q14-Q17)	18	18	100	NS	98
	Outcomes/Functioning (Q18-Q22)	18	16	89	+	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	18	17	94	+	88
	Medication (Y/N) (Q28)	18	15	83	NS	87
	Medication Scale (Q28a-Q28e) ⁴	15	14	93	-	97
Steinway HCBS - ICC	Appropriateness (Q1-Q3)	51	51	100	NS	99
	Cultural (Q4-Q6)	51	51	100	NS	100
	Access(Q7-Q9)	51	51	100	NS	99
	Participation (Q10-Q13)	51	51	100	NS	99
	Global(Q14-Q17)	51	50	98	NS	98
	Outcomes/Functioning (Q18-Q22)	51	41	80	NS	82
	Social Connectedness (Q23-Q27)	50	44	88	NS	88
	Medication (Y/N) (Q28)	51	46	90	NS	87
	Medication Scale (Q28a-Q28e) ⁴	46	45	98	NS	97

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family HCBS - ICC	Appropriateness (Q1-Q3)	34	32	94	-	97
	Cultural (Q4-Q6)	34	34	100	NS	99
	Access(Q7-Q9)	34	34	100	+	97
	Participation (Q10-Q13)	34	34	100	NS	100
	Global(Q14-Q17)	34	34	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	34	29	85	NS	84
	Social Connectedness (Q23-Q27)	34	30	88	NS	88
	Medication (Y/N) (Q28)	34	28	82	NS	88
	Medication Scale (Q28a-Q28e) ⁴	28	27	96	NS	96
HCBS Waiver Individualized Care Coordina	Appropriateness (Q1-Q3)	5	4	80	-	97
	Cultural (Q4-Q6)	5	5	100	NS	99
	Access(Q7-Q9)	5	3	60	-	97
	Participation (Q10-Q13)	5	5	100	NS	100
	Global(Q14-Q17)	5	4	80	-	99
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	84
	Social Connectedness (Q23-Q27)	5	3	60	-	88
	Medication (Y/N) (Q28)	5	5	100	+	88
	Medication Scale (Q28a-Q28e) ⁴	5	4	80	-	96
Hillside-Monroe HCBS - ICC	Appropriateness (Q1-Q3)	28	27	96	NS	97
	Cultural (Q4-Q6)	28	28	100	NS	99
	Access(Q7-Q9)	28	28	100	+	97
	Participation (Q10-Q13)	28	28	100	NS	100
	Global(Q14-Q17)	28	28	100	NS	99
	Outcomes/Functioning (Q18-Q22)	28	20	71	-	84
	Social Connectedness (Q23-Q27)	28	22	79	-	88
	Medication (Y/N) (Q28)	28	25	89	NS	88
	Medication Scale (Q28a-Q28e) ⁴	25	25	100	+	96
Hillside-NIGLO HCBS - ICC	Appropriateness (Q1-Q3)	22	22	100	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	22	22	100	NS	99
	Access(Q7-Q9)	22	22	100	+	97
	Participation (Q10-Q13)	22	22	100	NS	100
	Global(Q14-Q17)	22	22	100	NS	99
	Outcomes/Functioning (Q18-Q22)	22	19	86	NS	84
	Social Connectedness (Q23-Q27)	22	20	91	NS	88
	Medication (Y/N) (Q28)	22	21	95	+	88
	Medication Scale (Q28a-Q28e) ⁴	21	21	100	+	96
Mid-Erie Counseling HCBS - ICC	Appropriateness (Q1-Q3)	11	11	100	+	97
	Cultural (Q4-Q6)	11	11	100	NS	99
	Access(Q7-Q9)	11	11	100	+	97
	Participation (Q10-Q13)	11	11	100	NS	100
	Global(Q14-Q17)	11	11	100	NS	99
	Outcomes/Functioning (Q18-Q22)	11	11	100	+	84
	Social Connectedness (Q23-Q27)	11	11	100	+	88
	Medication (Y/N) (Q28)	11	8	73	-	88
	Medication Scale (Q28a-Q28e) ⁴	8	8	100	+	96
Pathways, Inc. HCBS - ICC	Appropriateness (Q1-Q3)	32	32	100	+	97
	Cultural (Q4-Q6)	32	31	97	-	99
	Access(Q7-Q9)	32	31	97	NS	97
	Participation (Q10-Q13)	32	32	100	NS	100
	Global(Q14-Q17)	32	32	100	NS	99
	Outcomes/Functioning (Q18-Q22)	32	27	84	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	31	28	90	NS	88
	Medication (Y/N) (Q28)	32	28	88	NS	88
	Medication Scale (Q28a-Q28e) ⁴	28	25	89	-	96
Rehab Ctr HCBS - ICC	Appropriateness (Q1-Q3)	14	14	100	+	97
	Cultural (Q4-Q6)	14	14	100	NS	99
	Access(Q7-Q9)	14	13	93	-	97
	Participation (Q10-Q13)	14	14	100	NS	100
	Global(Q14-Q17)	14	14	100	NS	99
	Outcomes/Functioning (Q18-Q22)	14	14	100	+	84
	Social Connectedness (Q23-Q27)	14	13	93	NS	88
	Medication (Y/N) (Q28)	14	13	93	NS	88
	Medication Scale (Q28a-Q28e) ⁴	13	13	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
HCBS Waiver Individualized Care Coordination (Total)	199	288	69.10
HCBS Waiver Individualized Care Coordination (Central New York)	27	51	52.94
HCBS Waiver Individualized Care Coordination (Hudson River)	20	38	52.63
HCBS Waiver Individualized Care Coordination (Long Island)	68	88	77.27
HCBS Waiver Individualized Care Coordination (New York City)	50	61	81.97
HCBS Waiver Individualized Care Coordination (Western New York)	34	50	68.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	198	189	95	+	93
Cultural (Q4-Q6)	199	196	98	+	96
Access(Q7-Q10)	198	196	99	+	96
Participation (Q11-Q14)	199	189	95	+	91
Global(Q15)	195	189	97	+	90
Outcomes/Functioning (Q16-Q20a)	198	181	91	NS	91
Medication (Y/N) (Q21)	199	170	85	-	88
Medication Scale (Q21a-Q21e) ⁴	170	142	84	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	26	25	96	NS	95
Cultural (Q4-Q6)	27	27	100	NS	98
Access(Q7-Q10)	27	27	100	NS	99
Participation (Q11-Q14)	27	26	96	NS	95
Global(Q15)	26	26	100	+	97
Outcomes/Functioning (Q16-Q20a)	27	25	93	NS	91
Medication (Y/N) (Q21)	27	23	85	NS	85
Medication Scale (Q21a-Q21e) ⁴	23	19	83	NS	84

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	20	19	95	NS	95
Cultural (Q4-Q6)	20	19	95	-	98
Access(Q7-Q10)	20	19	95	-	99
Participation (Q11-Q14)	20	18	90	-	95
Global(Q15)	20	19	95	NS	97
Outcomes/Functioning (Q16-Q20a)	20	17	85	-	91
Medication (Y/N) (Q21)	20	19	95	+	85
Medication Scale (Q21a-Q21e) ⁴	19	15	79	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	68	66	97	NS	95
Cultural (Q4-Q6)	68	68	100	NS	98
Access(Q7-Q10)	68	68	100	NS	99
Participation (Q11-Q14)	68	65	96	NS	95
Global(Q15)	66	64	97	NS	97
Outcomes/Functioning (Q16-Q20a)	67	61	91	NS	91
Medication (Y/N) (Q21)	68	62	91	+	85
Medication Scale (Q21a-Q21e) ⁴	62	54	87	NS	84

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	50	47	94	NS	95
Cultural (Q4-Q6)	50	48	96	-	98
Access(Q7-Q10)	50	49	98	NS	99
Participation (Q11-Q14)	50	46	92	NS	95
Global(Q15)	49	47	96	NS	97
Outcomes/Functioning (Q16-Q20a)	50	47	94	NS	91
Medication (Y/N) (Q21)	50	42	84	NS	85
Medication Scale (Q21a-Q21e) ⁴	42	31	74	-	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	34	32	94	NS	95
Cultural (Q4-Q6)	34	34	100	NS	98
Access(Q7-Q10)	33	33	100	NS	99
Participation (Q11-Q14)	34	34	100	+	95
Global(Q15)	34	33	97	NS	97
Outcomes/Functioning (Q16-Q20a)	34	31	91	NS	91
Medication (Y/N) (Q21)	34	24	71	-	85
Medication Scale (Q21a-Q21e) ⁴	24	23	96	+	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
C.C. Broome HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	96
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	96
	Global(Q15)	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	93
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	83
Hillside HCBS - ICC -CENTRAL	Appropriateness (Q1-Q3)	6	6	100	NS	96
	Cultural (Q4-Q6)	7	7	100	NS	100
	Access(Q7-Q10)	7	7	100	NS	100
	Participation (Q11-Q14)	7	7	100	NS	96
	Global(Q15)	6	6	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	7	6	86	NS	93
	Medication (Y/N) (Q21)	7	7	100	+	85
	Medication Scale (Q21a-Q21e) ⁴	7	5	71	NS	83
North Country TLS HCBS - ICC	Appropriateness (Q1-Q3)	16	15	94	NS	96
	Cultural (Q4-Q6)	16	16	100	NS	100
	Access(Q7-Q10)	16	16	100	NS	100
	Participation (Q11-Q14)	16	15	94	NS	96
	Global(Q15)	16	16	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	16	15	94	NS	93
	Medication (Y/N) (Q21)	16	13	81	NS	85
	Medication Scale (Q21a-Q21e) ⁴	13	12	92	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor HCBS - ICC	Appropriateness (Q1-Q3)	5	5	100	NS	95
	Cultural (Q4-Q6)	5	5	100	NS	95
	Access(Q7-Q10)	5	5	100	NS	95
	Participation (Q11-Q14)	5	5	100	NS	90
	Global(Q15)	5	5	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	85
	Medication (Y/N) (Q21)	5	5	100	NS	95
	Medication Scale (Q21a-Q21e) ⁴	5	5	100	+	79
Green Chimneys HCBS Waiver Individualize	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	95
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	95
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	95
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	90
	Global(Q15)	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	85
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	95
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	79
MHA Ulster HCBS - ICC	Appropriateness (Q1-Q3)	5	5	100	NS	95
	Cultural (Q4-Q6)	5	5	100	NS	95
	Access(Q7-Q10)	5	5	100	NS	95
	Participation (Q11-Q14)	5	4	80	NS	90
	Global(Q15)	5	5	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	85
	Medication (Y/N) (Q21)	5	4	80	-	95

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	79
Parson's HCBS - ICC	Appropriateness (Q1-Q3)	6	6	100	NS	95
	Cultural (Q4-Q6)	6	6	100	NS	95
	Access(Q7-Q10)	6	6	100	NS	95
	Participation (Q11-Q14)	6	6	100	NS	90
	Global(Q15)	6	6	100	NS	95
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	85
	Medication (Y/N) (Q21)	6	6	100	NS	95
	Medication Scale (Q21a-Q21e) ⁴	6	3	50	-	79

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family & Children HCBS - ICC	Appropriateness (Q1-Q3)	19	19	100	NS	97
	Cultural (Q4-Q6)	19	19	100	NS	100
	Access(Q7-Q10)	19	19	100	NS	100
	Participation (Q11-Q14)	19	19	100	NS	96
	Global(Q15)	18	18	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	19	17	89	NS	91
	Medication (Y/N) (Q21)	19	15	79	-	91
	Medication Scale (Q21a-Q21e) ⁴	15	13	87	NS	87
Pederson-Krag HCBS - ICC	Appropriateness (Q1-Q3)	49	47	96	NS	97
	Cultural (Q4-Q6)	49	49	100	NS	100
	Access(Q7-Q10)	49	49	100	NS	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	49	46	94	NS	96
	Global(Q15)	48	46	96	NS	97
	Outcomes/Functioning (Q16-Q20a)	48	44	92	NS	91
	Medication (Y/N) (Q21)	49	47	96	NS	91
	Medication Scale (Q21a-Q21e) ⁴	47	41	87	NS	87

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
JBFCs-Home & Community-Based Services Wa	Appropriateness (Q1-Q3)	21	20	95	NS	94
	Cultural (Q4-Q6)	21	21	100	NS	96
	Access(Q7-Q10)	21	20	95	NS	98
	Participation (Q11-Q14)	21	20	95	NS	92
	Global(Q15)	21	19	90	NS	96
	Outcomes/Functioning (Q16-Q20a)	21	20	95	NS	94
	Medication (Y/N) (Q21)	21	14	67	-	84
	Medication Scale (Q21a-Q21e) ⁴	14	12	86	NS	74
SCO- HCBS-ICC	Appropriateness (Q1-Q3)	29	27	93	NS	94
	Cultural (Q4-Q6)	29	27	93	NS	96
	Access(Q7-Q10)	29	29	100	NS	98
	Participation (Q11-Q14)	29	26	90	NS	92
	Global(Q15)	28	28	100	NS	96
	Outcomes/Functioning (Q16-Q20a)	29	27	93	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	29	28	97	+	84
	Medication Scale (Q21a-Q21e) ⁴	28	19	68	NS	74

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family HCBS - ICC	Appropriateness (Q1-Q3)	26	25	96	NS	94
	Cultural (Q4-Q6)	26	26	100	NS	100
	Access(Q7-Q10)	25	25	100	NS	100
	Participation (Q11-Q14)	26	26	100	NS	100
	Global(Q15)	26	26	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	26	24	92	NS	91
	Medication (Y/N) (Q21)	26	19	73	NS	71
	Medication Scale (Q21a-Q21e) ⁴	19	18	95	NS	96
	Hillside-NIGLO HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A
Cultural (Q4-Q6)		< 5	N/A	N/A	N/A	100
Access(Q7-Q10)		< 5	N/A	N/A	N/A	100
Participation (Q11-Q14)		< 5	N/A	N/A	N/A	100
Global(Q15)		< 5	N/A	N/A	N/A	97
Outcomes/Functioning (Q16-Q20a)		< 5	N/A	N/A	N/A	91
Medication (Y/N) (Q21)		< 5	N/A	N/A	N/A	71
Medication Scale (Q21a-Q21e) ⁴		< 5	N/A	N/A	N/A	96
Pathways, Inc. HCBS - ICC		Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	71
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	96
Rehab Ctr HCBS - ICC	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	71
	Medication Scale (Q21a-Q21e) ⁴	< 5	N/A	N/A	N/A	96

1 Program N = Number of response; N varies because of missing data; N < 5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

Residential Treatment Facility - Children & Youth

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
Residential Treatment Facility - Children & Youth (Total)	91	268	33.96
Residential Treatment Facility - Children & Youth (Central New York)	13	51	25.49
Residential Treatment Facility - Children & Youth (Hudson River)	25	61	40.98
Residential Treatment Facility - Children & Youth (Long Island)	2	13	15.38
Residential Treatment Facility - Children & Youth (New York City)	14	52	26.92
Residential Treatment Facility - Children & Youth (Western New York)	37	91	40.66

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

Residential Treatment Facility - Children & Youth

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
Residential Treatment Facility - Children & Youth (Total)	93	115	80.87
Residential Treatment Facility - Children & Youth (Central New York)	36	42	85.71
Residential Treatment Facility - Children & Youth (Long Island)	12	13	92.31
Residential Treatment Facility - Children & Youth (New York City)	32	46	69.57
Residential Treatment Facility - Children & Youth (Western New York)	13	14	92.86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1315	2978	44.16
State Psychiatric Center Inpatient (Total)	118	187	63.10
State Psychiatric Center Inpatient (Central New York)	6	7	85.71
State Psychiatric Center Inpatient (Hudson River)	14	32	43.75
State Psychiatric Center Inpatient (Long Island)	34	42	80.95
State Psychiatric Center Inpatient (New York City)	51	70	72.86
State Psychiatric Center Inpatient (Western New York)	13	36	36.11

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	118	115	97	NS	96
Cultural (Q4-Q6)	118	117	99	NS	99
Access(Q7-Q9)	118	113	96	NS	96
Participation (Q10-Q13)	118	117	99	+	98
Global(Q14-Q17)	118	117	99	+	98
Outcomes/Functioning (Q18-Q22)	116	113	97	+	84
Social Connectedness (Q23-Q27)	116	105	91	+	87
Medication (Y/N) (Q28)	118	118	100	+	85
Medication Scale (Q28a-Q28e) ⁴	118	116	98	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	6	6	100	NS	97
Cultural (Q4-Q6)	6	6	100	NS	99
Access(Q7-Q9)	6	5	83	-	96
Participation (Q10-Q13)	6	6	100	NS	99
Global(Q14-Q17)	6	6	100	NS	99
Outcomes/Functioning (Q18-Q22)	6	6	100	NS	97
Social Connectedness (Q23-Q27)	6	4	67	-	91
Medication (Y/N) (Q28)	6	6	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	6	6	100	NS	98

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	14	14	100	NS	97
Cultural (Q4-Q6)	14	14	100	NS	99
Access(Q7-Q9)	14	14	100	+	96
Participation (Q10-Q13)	14	14	100	NS	99
Global(Q14-Q17)	14	14	100	NS	99
Outcomes/Functioning (Q18-Q22)	14	14	100	NS	97
Social Connectedness (Q23-Q27)	14	13	93	NS	91
Medication (Y/N) (Q28)	14	14	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	14	14	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	34	31	91	-	97
Cultural (Q4-Q6)	34	33	97	-	99
Access(Q7-Q9)	34	31	91	-	96
Participation (Q10-Q13)	34	34	100	NS	99
Global(Q14-Q17)	34	33	97	-	99
Outcomes/Functioning (Q18-Q22)	34	32	94	-	97
Social Connectedness (Q23-Q27)	34	29	85	NS	91
Medication (Y/N) (Q28)	34	34	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	34	33	97	NS	98

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	51	51	100	NS	97
Cultural (Q4-Q6)	51	51	100	NS	99
Access(Q7-Q9)	51	51	100	+	96
Participation (Q10-Q13)	51	50	98	NS	99
Global(Q14-Q17)	51	51	100	NS	99
Outcomes/Functioning (Q18-Q22)	50	49	98	NS	97
Social Connectedness (Q23-Q27)	50	48	96	+	91
Medication (Y/N) (Q28)	51	51	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	51	50	98	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	13	13	100	NS	97
Cultural (Q4-Q6)	13	13	100	NS	99
Access(Q7-Q9)	13	12	92	NS	96
Participation (Q10-Q13)	13	13	100	NS	99
Global(Q14-Q17)	13	13	100	NS	99
Outcomes/Functioning (Q18-Q22)	12	12	100	NS	97
Social Connectedness (Q23-Q27)	12	11	92	NS	91
Medication (Y/N) (Q28)	13	13	100	NS	100
Medication Scale (Q28a-Q28e) ⁴	13	13	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Mohawk Valley Psychiatric Center	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	100
	Access(Q7-Q9)	6	5	83	NS	83
	Participation (Q10-Q13)	6	6	100	NS	100
	Global(Q14-Q17)	6	6	100	NS	100
	Outcomes/Functioning (Q18-Q22)	6	6	100	NS	100
	Social Connectedness (Q23-Q27)	6	4	67	NS	67
	Medication (Y/N) (Q28)	6	6	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	6	6	100	NS	100

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Rockland Children's Psychiatric Center	Appropriateness (Q1-Q3)	14	14	100	NS	100
	Cultural (Q4-Q6)	14	14	100	NS	100
	Access(Q7-Q9)	14	14	100	NS	100
	Participation (Q10-Q13)	14	14	100	NS	100
	Global(Q14-Q17)	14	14	100	NS	100
	Outcomes/Functioning (Q18-Q22)	14	14	100	NS	100
	Social Connectedness (Q23-Q27)	14	13	93	NS	93
	Medication (Y/N) (Q28)	14	14	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	14	14	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Sagamore Children's Psychiatric Center	Appropriateness (Q1-Q3)	34	31	91	NS	91
	Cultural (Q4-Q6)	34	33	97	NS	97
	Access(Q7-Q9)	34	31	91	NS	91
	Participation (Q10-Q13)	34	34	100	NS	100
	Global(Q14-Q17)	34	33	97	NS	97
	Outcomes/Functioning (Q18-Q22)	34	32	94	NS	94
	Social Connectedness (Q23-Q27)	34	29	85	NS	85
	Medication (Y/N) (Q28)	34	34	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	34	33	97	NS	97

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bronx Children's Psychiatric Center	Appropriateness (Q1-Q3)	41	41	100	NS	100
	Cultural (Q4-Q6)	41	41	100	NS	100
	Access(Q7-Q9)	41	41	100	NS	100
	Participation (Q10-Q13)	41	40	98	NS	98
	Global(Q14-Q17)	41	41	100	NS	100
	Outcomes/Functioning (Q18-Q22)	41	41	100	NS	98
	Social Connectedness (Q23-Q27)	40	39	98	NS	96
	Medication (Y/N) (Q28)	41	41	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	41	40	98	NS	98
Brooklyn Children's Psychiatric Center	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	Access(Q7-Q9)	10	10	100	NS	100
	Participation (Q10-Q13)	10	10	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Family Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Global(Q14-Q17)	10	10	100	NS	100
	Outcomes/Functioning (Q18-Q22)	9	8	89	-	98
	Social Connectedness (Q23-Q27)	10	9	90	-	96
	Medication (Y/N) (Q28)	10	10	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	10	10	100	NS	98

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Western New York Children's Psychiatric	Appropriateness (Q1-Q3)	13	13	100	NS	100
	Cultural (Q4-Q6)	13	13	100	NS	100
	Access(Q7-Q9)	13	12	92	NS	92
	Participation (Q10-Q13)	13	13	100	NS	100
	Global(Q14-Q17)	13	13	100	NS	100
	Outcomes/Functioning (Q18-Q22)	12	12	100	NS	100
	Social Connectedness (Q23-Q27)	12	11	92	NS	92
	Medication (Y/N) (Q28)	13	13	100	NS	100
	Medication Scale (Q28a-Q28e) ⁴	13	13	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	864	1295	66.72
State Psychiatric Center Inpatient (Total)	143	155	92.26
State Psychiatric Center Inpatient (Central New York)	9	9	100.00
State Psychiatric Center Inpatient (Hudson River)	27	28	96.43
State Psychiatric Center Inpatient (Long Island)	30	30	100.00
State Psychiatric Center Inpatient (New York City)	57	68	83.82
State Psychiatric Center Inpatient (Western New York)	20	20	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Appropriateness (Q1-Q3)	143	125	87	-	93
Cultural (Q4-Q6)	143	126	88	-	96
Access(Q7-Q10)	143	126	88	-	96
Participation (Q11-Q14)	143	123	86	-	91
Global(Q15)	142	111	78	-	90
Outcomes/Functioning (Q16-Q20a)	142	127	89	NS	91
Medication (Y/N) (Q21)	143	139	97	+	88
Medication Scale (Q21a-Q21e) ⁴	139	115	83	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	9	9	100	+	87
Cultural (Q4-Q6)	9	9	100	+	88
Access(Q7-Q10)	9	9	100	+	88
Participation (Q11-Q14)	9	8	89	NS	86
Global(Q15)	9	9	100	+	78
Outcomes/Functioning (Q16-Q20a)	9	9	100	+	89
Medication (Y/N) (Q21)	9	9	100	+	97
Medication Scale (Q21a-Q21e) ⁴	9	9	100	+	83

REGION_DESC=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	27	25	93	NS	87
Cultural (Q4-Q6)	27	23	85	NS	88
Access(Q7-Q10)	27	22	81	-	88
Participation (Q11-Q14)	27	23	85	NS	86
Global(Q15)	27	20	74	NS	78
Outcomes/Functioning (Q16-Q20a)	27	26	96	+	89
Medication (Y/N) (Q21)	27	27	100	+	97
Medication Scale (Q21a-Q21e) ⁴	27	19	70	-	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	30	27	90	NS	87
Cultural (Q4-Q6)	30	26	87	NS	88
Access(Q7-Q10)	30	28	93	NS	88
Participation (Q11-Q14)	30	26	87	NS	86
Global(Q15)	29	23	79	NS	78
Outcomes/Functioning (Q16-Q20a)	30	29	97	+	89
Medication (Y/N) (Q21)	30	29	97	NS	97
Medication Scale (Q21a-Q21e) ⁴	29	27	93	+	83

REGION_DESC=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	57	50	88	NS	87
Cultural (Q4-Q6)	57	51	89	NS	88
Access(Q7-Q10)	57	52	91	NS	88
Participation (Q11-Q14)	57	51	89	NS	86
Global(Q15)	57	45	79	NS	78
Outcomes/Functioning (Q16-Q20a)	57	49	86	NS	89
Medication (Y/N) (Q21)	57	56	98	NS	97
Medication Scale (Q21a-Q21e) ⁴	56	46	82	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

REGION_DESC=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Appropriateness (Q1-Q3)	20	14	70	-	87
Cultural (Q4-Q6)	20	17	85	NS	88
Access(Q7-Q10)	20	15	75	-	88
Participation (Q11-Q14)	20	15	75	-	86
Global(Q15)	20	14	70	-	78
Outcomes/Functioning (Q16-Q20a)	19	14	74	-	89
Medication (Y/N) (Q21)	20	18	90	-	97
Medication Scale (Q21a-Q21e) ⁴	18	14	78	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Mohawk Valley Psychiatric Center	Appropriateness (Q1-Q3)	9	9	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	Access(Q7-Q10)	9	9	100	NS	100
	Participation (Q11-Q14)	9	8	89	NS	89
	Global(Q15)	9	9	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	9	9	100	NS	100
	Medication (Y/N) (Q21)	9	9	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	9	9	100	NS	100

REGION_DESC=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Rockland Children's Psychiatric Center	Appropriateness (Q1-Q3)	27	25	93	NS	93
	Cultural (Q4-Q6)	27	23	85	NS	85
	Access(Q7-Q10)	27	22	81	NS	81
	Participation (Q11-Q14)	27	23	85	NS	85
	Global(Q15)	27	20	74	NS	74
	Outcomes/Functioning (Q16-Q20a)	27	26	96	NS	96
	Medication (Y/N) (Q21)	27	27	100	NS	100
	Medication Scale (Q21a-Q21e) ⁴	27	19	70	NS	70

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Sagamore Children's Psychiatric Center	Appropriateness (Q1-Q3)	30	27	90	NS	90
	Cultural (Q4-Q6)	30	26	87	NS	87
	Access(Q7-Q10)	30	28	93	NS	93
	Participation (Q11-Q14)	30	26	87	NS	87
	Global(Q15)	29	23	79	NS	79
	Outcomes/Functioning (Q16-Q20a)	30	29	97	NS	97
	Medication (Y/N) (Q21)	30	29	97	NS	97
	Medication Scale (Q21a-Q21e) ⁴	29	27	93	NS	93

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bronx Children's Psychiatric Center	Appropriateness (Q1-Q3)	39	33	85	NS	88
	Cultural (Q4-Q6)	39	35	90	NS	89
	Access(Q7-Q10)	39	35	90	NS	91
	Participation (Q11-Q14)	39	34	87	NS	89
	Global(Q15)	39	30	77	NS	79
	Outcomes/Functioning (Q16-Q20a)	39	32	82	NS	86
	Medication (Y/N) (Q21)	39	38	97	NS	98
	Medication Scale (Q21a-Q21e) ⁴	38	31	82	NS	82
Brooklyn Children's Psychiatric Center	Appropriateness (Q1-Q3)	18	17	94	NS	88
	Cultural (Q4-Q6)	18	16	89	NS	89
	Access(Q7-Q10)	18	17	94	NS	91
	Participation (Q11-Q14)	18	17	94	NS	89
	Global(Q15)	18	15	83	NS	79
	Outcomes/Functioning (Q16-Q20a)	18	17	94	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

NYSOMH Youth Assessment of Care Survey Results 2010

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

REGION_DESC=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	18	18	100	NS	98
	Medication Scale (Q21a-Q21e) ⁴	18	15	83	NS	82

REGION_DESC=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Western New York Children's Psychiatric	Appropriateness (Q1-Q3)	20	14	70	NS	70
	Cultural (Q4-Q6)	20	17	85	NS	85
	Access(Q7-Q10)	20	15	75	NS	75
	Participation (Q11-Q14)	20	15	75	NS	75
	Global(Q15)	20	14	70	NS	70
	Outcomes/Functioning (Q16-Q20a)	19	14	74	NS	74
	Medication (Y/N) (Q21)	20	18	90	NS	90
	Medication Scale (Q21a-Q21e) ⁴	18	14	78	NS	78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive;

+ = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant compared to state

4 95% Confidence interval compares region % Positive to statewide region % Positive;

+ = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive;

+ = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region

6 Medication Scale calculated for individuals who responded "Y" to Medication Question