

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Children & Youth Community Residence (Total)	30	76	39.47
Children & Youth Community Residence (Central New York)	10	19	52.63
Children & Youth Community Residence (Hudson River)	7	11	63.64
Children & Youth Community Residence (Long Island)	4	13	30.77
Children & Youth Community Residence (New York City)	4	14	28.57
Children & Youth Community Residence (Western New York)	5	19	26.32

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	30	27	90	-	97
Appropriateness (Q1-Q3)	30	28	93	-	97
Cultural (Q4-Q6)	30	30	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	15	13	87	-	95
Family Support Service (Y/N)(Q32)	30	15	50	-	58
Global(Q14-Q17)	30	27	90	-	97
Medication (Y/N) (Q28)	30	29	97	+	80
Medication Scale (Q28a-Q28e) ⁶	28	25	89	-	97
Outcomes/Functioning (Q18-Q22)	30	21	70	-	86
Participation (Q10-Q13)	30	28	93	-	98
Social Connectedness (Q23-Q27)	30	26	87	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	10	8	80	NS	90
Appropriateness (Q1-Q3)	10	9	90	NS	93
Cultural (Q4-Q6)	10	10	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	5	4	80	NS	87
Family Support Service (Y/N)(Q32)	10	5	50	NS	50
Global(Q14-Q17)	10	8	80	NS	90
Medication (Y/N) (Q28)	10	10	100	NS	97
Medication Scale (Q28a-Q28e) ⁶	9	8	89	NS	89
Outcomes/Functioning (Q18-Q22)	10	7	70	NS	70
Participation (Q10-Q13)	10	9	90	NS	93
Social Connectedness (Q23-Q27)	10	8	80	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	7	7	100	NS	90
Appropriateness (Q1-Q3)	7	7	100	NS	93
Cultural (Q4-Q6)	7	7	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	87
Family Support Service (Y/N)(Q32)	7	3	43	NS	50
Global(Q14-Q17)	7	7	100	NS	90
Medication (Y/N) (Q28)	7	7	100	NS	97
Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	89
Outcomes/Functioning (Q18-Q22)	7	7	100	+	70
Participation (Q10-Q13)	7	7	100	NS	93
Social Connectedness (Q23-Q27)	7	7	100	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	< 5	N/A	N/A	N/A	90
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	93
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	87
Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	50
Global(Q14-Q17)	< 5	N/A	N/A	N/A	90
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	97
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	89
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	70
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	93
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	< 5	N/A	N/A	N/A	90
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	93
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	87
Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	50
Global(Q14-Q17)	< 5	N/A	N/A	N/A	90
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	97
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	89
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	70
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	93
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	5	4	80	NS	90
Appropriateness (Q1-Q3)	5	4	80	-	93
Cultural (Q4-Q6)	5	5	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	87
Family Support Service (Y/N)(Q32)	5	1	20	-	50
Global(Q14-Q17)	5	5	100	NS	90
Medication (Y/N) (Q28)	5	4	80	-	97
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	89
Outcomes/Functioning (Q18-Q22)	5	2	40	-	70
Participation (Q10-Q13)	5	4	80	-	93
Social Connectedness (Q23-Q27)	5	4	80	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Catholic Charities - Boys of Courage	Access(Q7-Q9)	< 5	N/A	N/A	N/A	80
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	90
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	80
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	50
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	89
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	70
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	90
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80
	Citizen Advocates Adirondack Youth Lo	Access(Q7-Q9)	7	6	86	NS
Appropriateness (Q1-Q3)		7	6	86	NS	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	7	7	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	80
	Family Support Service (Y/N)(Q32)	7	3	43	NS	50
	Global(Q14-Q17)	7	6	86	NS	80
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	7	6	86	NS	89
	Outcomes/Functioning (Q18-Q22)	7	5	71	NS	70
	Participation (Q10-Q13)	7	6	86	NS	90
	Social Connectedness (Q23-Q27)	7	6	86	NS	80
Washington Street Community Residence	Access(Q7-Q9)	< 5	N/A	N/A	N/A	80
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	90
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	80
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	50
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	80
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	89
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	70
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	90
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Miriam House	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	43
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100
Summit Avenue Community Residence	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	43
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Pederson-Krag House	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	75
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	75
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	75
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Our Place	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	50
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	50
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	50
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Conable House Community Residence Pro	Access(Q7-Q9)	< 5	N/A	N/A	N/A	80
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	80
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	20
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	80
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	40
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80
Lake Breeze Community Residence Progr	Access(Q7-Q9)	< 5	N/A	N/A	N/A	80
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	20
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	80
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	40
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
Children & Youth Community Residence (Total)	70	79	88.61
Children & Youth Community Residence (Central New York)	16	19	84.21
Children & Youth Community Residence (Hudson River)	11	13	84.62
Children & Youth Community Residence (Long Island)	13	13	100.00
Children & Youth Community Residence (New York City)	11	15	73.33
Children & Youth Community Residence (Western New York)	19	19	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	70	66	94	-	95
Appropriateness (Q1-Q3)	70	62	89	-	92
Cultural (Q4-Q6)	70	64	91	-	95
Global(Q15)	70	61	87	-	89
Medication (Y/N) (Q21)	69	67	97	+	84
Medication Scale (Q21a-Q21e) ⁶	67	54	81	-	83
Outcomes/Functioning (Q16-Q20a)	70	63	90	NS	90
Participation (Q11-Q14)	70	65	93	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	16	13	81	-	94
Appropriateness (Q1-Q3)	16	13	81	NS	89
Cultural (Q4-Q6)	16	12	75	-	91
Global(Q15)	16	13	81	NS	87
Medication (Y/N) (Q21)	16	16	100	NS	97
Medication Scale (Q21a-Q21e) ⁶	16	12	75	NS	81
Outcomes/Functioning (Q16-Q20a)	16	12	75	-	90
Participation (Q11-Q14)	16	12	75	-	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	11	11	100	+	94
Appropriateness (Q1-Q3)	11	11	100	+	89
Cultural (Q4-Q6)	11	10	91	NS	91
Global(Q15)	11	11	100	+	87
Medication (Y/N) (Q21)	11	11	100	NS	97
Medication Scale (Q21a-Q21e) ⁶	11	9	82	NS	81
Outcomes/Functioning (Q16-Q20a)	11	11	100	+	90
Participation (Q11-Q14)	11	11	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	13	13	100	+	94
Appropriateness (Q1-Q3)	13	13	100	+	89
Cultural (Q4-Q6)	13	13	100	+	91
Global(Q15)	13	12	92	NS	87
Medication (Y/N) (Q21)	13	12	92	-	97
Medication Scale (Q21a-Q21e) ⁶	12	11	92	+	81
Outcomes/Functioning (Q16-Q20a)	13	12	92	NS	90
Participation (Q11-Q14)	13	13	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	11	11	100	+	94
Appropriateness (Q1-Q3)	11	9	82	NS	89
Cultural (Q4-Q6)	11	11	100	+	91
Global(Q15)	11	10	91	NS	87
Medication (Y/N) (Q21)	11	10	91	-	97
Medication Scale (Q21a-Q21e) ⁶	10	7	70	-	81
Outcomes/Functioning (Q16-Q20a)	11	9	82	-	90
Participation (Q11-Q14)	11	11	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Region Compared to Statewide Children & Youth Community Residence Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	19	18	95	NS	94
Appropriateness (Q1-Q3)	19	16	84	NS	89
Cultural (Q4-Q6)	19	18	95	NS	91
Global(Q15)	19	15	79	-	87
Medication (Y/N) (Q21)	18	18	100	NS	97
Medication Scale (Q21a-Q21e) ⁶	18	15	83	NS	81
Outcomes/Functioning (Q16-Q20a)	19	19	100	+	90
Participation (Q11-Q14)	19	18	95	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Catholic Charities - Boys of Courage	Access(Q7-Q10)	< 5	N/A	N/A	N/A	81
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	81
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	75
	Global(Q15)	< 5	N/A	N/A	N/A	81
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	75
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	75
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	75
	Citizen Advocates Adirondack Youth L	Access(Q7-Q10)	7	5	71	NS
Appropriateness (Q1-Q3)		7	5	71	NS	81
Cultural (Q4-Q6)		7	4	57	NS	75
Global(Q15)		7	5	71	NS	81
Medication (Y/N) (Q21)		7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	7	4	57	NS	75
	Outcomes/Functioning (Q16-Q20a)	7	5	71	NS	75
	Participation (Q11-Q14)	7	4	57	NS	75
Washington Street Community Residenc	Access(Q7-Q10)	6	5	83	NS	81
	Appropriateness (Q1-Q3)	6	5	83	NS	81
	Cultural (Q4-Q6)	6	5	83	NS	75
	Global(Q15)	6	5	83	NS	81
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	6	5	83	NS	75
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	75
	Participation (Q11-Q14)	6	5	83	NS	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Miriam House	Access(Q7-Q10)	5	5	100	NS	100
	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	4	80	NS	91
	Global(Q15)	5	5	100	NS	100
	Medication (Y/N) (Q21)	5	5	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	5	4	80	NS	82
	Outcomes/Functioning (Q16-Q20a)	5	5	100	NS	100
	Participation (Q11-Q14)	5	5	100	NS	100
Summit Avenue Community Residence	Access(Q7-Q10)	6	6	100	NS	100
	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	91
	Global(Q15)	6	6	100	NS	100
	Medication (Y/N) (Q21)	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	6	5	83	NS	82
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	100

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Merrick House	Access(Q7-Q10)	7	7	100	NS	100
	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	Global(Q15)	7	6	86	NS	92
	Medication (Y/N) (Q21)	7	7	100	NS	92
	Medication Scale (Q21a-Q21e) ⁶	7	6	86	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	7	6	86	NS	92
	Participation (Q11-Q14)	7	7	100	NS	100
Pederson-Krag House	Access(Q7-Q10)	6	6	100	NS	100
	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	100
	Global(Q15)	6	6	100	NS	92
	Medication (Y/N) (Q21)	6	5	83	NS	92
	Medication Scale (Q21a-Q21e) ⁶	5	5	100	NS	92
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	92
	Participation (Q11-Q14)	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Our Place	Access(Q7-Q10)	6	6	100	NS	100
	Appropriateness (Q1-Q3)	6	4	67	NS	82
	Cultural (Q4-Q6)	6	6	100	NS	100
	Global(Q15)	6	5	83	NS	91
	Medication (Y/N) (Q21)	6	6	100	NS	91
	Medication Scale (Q21a-Q21e) ⁶	6	4	67	NS	70
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	82
	Participation (Q11-Q14)	6	6	100	NS	100
	Springfield Gardens Community Reside	Access(Q7-Q10)	5	5	100	NS
Appropriateness (Q1-Q3)		5	5	100	NS	82
Cultural (Q4-Q6)		5	5	100	NS	100
Global(Q15)		5	5	100	NS	91
Medication (Y/N) (Q21)		5	4	80	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	70
	Outcomes/Functioning (Q16-Q20a)	5	4	80	NS	82
	Participation (Q11-Q14)	5	5	100	NS	100

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Conable House Community Residence Pr	Access(Q7-Q10)	6	6	100	NS	95
	Appropriateness (Q1-Q3)	6	6	100	NS	84
	Cultural (Q4-Q6)	6	6	100	NS	95
	Global(Q15)	6	5	83	NS	79
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	6	4	67	NS	83

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	95
Lake Breeze Community Residence Prog	Access(Q7-Q10)	6	6	100	NS	95
	Appropriateness (Q1-Q3)	6	6	100	NS	84
	Cultural (Q4-Q6)	6	6	100	NS	95
	Global(Q15)	6	6	100	+	79
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	6	6	100	NS	83
	Outcomes/Functioning (Q16-Q20a)	6	6	100	NS	100
	Participation (Q11-Q14)	6	6	100	NS	95
Tuckahoe Road Children's Community R	Access(Q7-Q10)	7	6	86	NS	95
	Appropriateness (Q1-Q3)	7	4	57	-	84
	Cultural (Q4-Q6)	7	6	86	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Children & Youth Community Residence

Children & Youth Community Residence Results by Program compared to Region Children & Youth Community Residence Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Global(Q15)	7	4	57	-	79
	Medication (Y/N) (Q21)	6	6	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	6	5	83	NS	83
	Outcomes/Functioning (Q16-Q20a)	7	7	100	NS	100
	Participation (Q11-Q14)	7	6	86	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Clinic Treatment (Total)	604	1624	37.19
Clinic Treatment (Central New York)	120	220	54.55
Clinic Treatment (Hudson River)	126	220	57.27
Clinic Treatment (Long Island)	171	516	33.14
Clinic Treatment (New York City)	154	549	28.05
Clinic Treatment (Western New York)	33	119	27.73

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	602	580	96	NS	97
Appropriateness (Q1-Q3)	600	581	97	NS	97
Cultural (Q4-Q6)	603	599	99	NS	99
FSS Scale (Q33,Q33a-Q33h) ⁷	192	177	92	-	95
Family Support Service (Y/N)(Q32)	561	198	35	-	58
Global(Q14-Q17)	597	584	98	NS	97
Medication (Y/N) (Q28)	594	431	73	-	80
Medication Scale (Q28a-Q28e) ⁶	427	414	97	NS	97
Outcomes/Functioning (Q18-Q22)	593	514	87	NS	86
Participation (Q10-Q13)	596	584	98	NS	98
Social Connectedness (Q23-Q27)	588	495	84	-	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	119	113	95	NS	96
Appropriateness (Q1-Q3)	119	113	95	-	97
Cultural (Q4-Q6)	119	117	98	-	99
FSS Scale (Q33,Q33a-Q33h) ⁷	41	38	93	NS	92
Family Support Service (Y/N)(Q32)	115	42	37	NS	35
Global(Q14-Q17)	119	114	96	-	98
Medication (Y/N) (Q28)	117	104	89	+	73
Medication Scale (Q28a-Q28e) ⁶	103	103	100	+	97
Outcomes/Functioning (Q18-Q22)	118	101	86	NS	87
Participation (Q10-Q13)	119	117	98	NS	98
Social Connectedness (Q23-Q27)	118	96	81	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	126	123	98	NS	96
Appropriateness (Q1-Q3)	126	123	98	NS	97
Cultural (Q4-Q6)	126	126	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	41	38	93	NS	92
Family Support Service (Y/N)(Q32)	115	41	36	NS	35
Global(Q14-Q17)	124	123	99	+	98
Medication (Y/N) (Q28)	123	92	75	NS	73
Medication Scale (Q28a-Q28e) ⁶	91	88	97	NS	97
Outcomes/Functioning (Q18-Q22)	123	102	83	-	87
Participation (Q10-Q13)	125	123	98	NS	98
Social Connectedness (Q23-Q27)	122	99	81	-	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	171	162	95	-	96
Appropriateness (Q1-Q3)	170	168	99	+	97
Cultural (Q4-Q6)	171	171	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	49	44	90	NS	92
Family Support Service (Y/N)(Q32)	160	52	33	NS	35
Global(Q14-Q17)	168	164	98	NS	98
Medication (Y/N) (Q28)	168	117	70	NS	73
Medication Scale (Q28a-Q28e) ⁶	116	110	95	-	97
Outcomes/Functioning (Q18-Q22)	168	145	86	NS	87
Participation (Q10-Q13)	167	162	97	NS	98
Social Connectedness (Q23-Q27)	166	138	83	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	153	150	98	+	96
Appropriateness (Q1-Q3)	154	146	95	-	97
Cultural (Q4-Q6)	154	152	99	NS	99
FSS Scale (Q33,Q33a-Q33h) ⁷	58	55	95	NS	92
Family Support Service (Y/N)(Q32)	138	58	42	+	35
Global(Q14-Q17)	153	150	98	NS	98
Medication (Y/N) (Q28)	153	91	59	-	73
Medication Scale (Q28a-Q28e) ⁶	91	88	97	NS	97
Outcomes/Functioning (Q18-Q22)	152	139	91	+	87
Participation (Q10-Q13)	153	150	98	NS	98
Social Connectedness (Q23-Q27)	150	134	89	+	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	33	32	97	NS	96
Appropriateness (Q1-Q3)	31	31	100	+	97
Cultural (Q4-Q6)	33	33	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	92
Family Support Service (Y/N)(Q32)	33	5	15	-	35
Global(Q14-Q17)	33	33	100	+	98
Medication (Y/N) (Q28)	33	27	82	+	73
Medication Scale (Q28a-Q28e) ⁶	26	25	96	NS	97
Outcomes/Functioning (Q18-Q22)	32	27	84	NS	87
Participation (Q10-Q13)	32	32	100	+	98
Social Connectedness (Q23-Q27)	32	28	88	+	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
CYS Outpatient Clinic	Access(Q7-Q9)	33	32	97	NS	95
	Appropriateness (Q1-Q3)	33	30	91	-	95
	Cultural (Q4-Q6)	33	32	97	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	11	10	91	NS	93
	Family Support Service (Y/N)(Q32)	33	11	33	NS	37
	Global(Q14-Q17)	33	30	91	-	96
	Medication (Y/N) (Q28)	33	30	91	NS	89
	Medication Scale (Q28a-Q28e) ⁶	30	30	100	NS	100
	Outcomes/Functioning (Q18-Q22)	33	24	73	-	86
	Participation (Q10-Q13)	33	32	97	NS	98
	Social Connectedness (Q23-Q27)	33	26	79	NS	81
Child and Adolescent Behavioral Health	Access(Q7-Q9)	25	24	96	NS	95
	Appropriateness (Q1-Q3)	25	24	96	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	25	24	96	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	12	10	83	-	93
	Family Support Service (Y/N)(Q32)	24	12	50	+	37
	Global(Q14-Q17)	25	24	96	NS	96
	Medication (Y/N) (Q28)	24	23	96	+	89
	Medication Scale (Q28a-Q28e) ⁶	23	23	100	NS	100
	Outcomes/Functioning (Q18-Q22)	24	22	92	NS	86
	Participation (Q10-Q13)	25	24	96	NS	98
	Social Connectedness (Q23-Q27)	24	20	83	NS	81
Massena Wellness Center	Access(Q7-Q9)	56	53	95	NS	95
	Appropriateness (Q1-Q3)	56	54	96	NS	95
	Cultural (Q4-Q6)	56	56	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	16	16	100	NS	93
	Family Support Service (Y/N)(Q32)	53	17	32	NS	37
	Global(Q14-Q17)	56	55	98	NS	96
	Medication (Y/N) (Q28)	55	47	85	NS	89
	Medication Scale (Q28a-Q28e) ⁶	47	47	100	NS	100
	Outcomes/Functioning (Q18-Q22)	56	50	89	NS	86
	Participation (Q10-Q13)	56	56	100	NS	98
	Social Connectedness (Q23-Q27)	56	46	82	NS	81
The Brownell Center for Behavioral He	Access(Q7-Q9)	5	4	80	-	95
	Appropriateness (Q1-Q3)	5	5	100	+	95
	Cultural (Q4-Q6)	5	5	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	5	2	40	NS	37
	Global(Q14-Q17)	5	5	100	+	96
	Medication (Y/N) (Q28)	5	4	80	-	89
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	5	5	100	+	86
	Participation (Q10-Q13)	5	5	100	NS	98
	Social Connectedness (Q23-Q27)	5	4	80	NS	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
CDPC-Children & Adolescent Services C	Access(Q7-Q9)	43	42	98	NS	98
	Appropriateness (Q1-Q3)	43	42	98	NS	98
	Cultural (Q4-Q6)	43	43	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	18	18	100	NS	93
	Family Support Service (Y/N)(Q32)	41	18	44	NS	36
	Global(Q14-Q17)	43	43	100	NS	99
	Medication (Y/N) (Q28)	43	36	84	+	75
	Medication Scale (Q28a-Q28e) ⁶	36	35	97	NS	97
	Outcomes/Functioning (Q18-Q22)	43	33	77	NS	83
	Participation (Q10-Q13)	43	43	100	NS	98
Child and Family Guidance Clinic	Social Connectedness (Q23-Q27)	43	32	74	NS	81
	Access(Q7-Q9)	40	38	95	NS	98
	Appropriateness (Q1-Q3)	40	39	98	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	40	40	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	9	90	NS	93
	Family Support Service (Y/N)(Q32)	38	10	26	-	36
	Global(Q14-Q17)	40	39	98	-	99
	Medication (Y/N) (Q28)	39	26	67	-	75
	Medication Scale (Q28a-Q28e) ⁶	25	25	100	NS	97
	Outcomes/Functioning (Q18-Q22)	40	36	90	+	83
	Participation (Q10-Q13)	40	39	98	NS	98
	Social Connectedness (Q23-Q27)	39	31	79	NS	81
Community Counseling at Union Center	Access(Q7-Q9)	8	8	100	NS	98
	Appropriateness (Q1-Q3)	8	8	100	NS	98
	Cultural (Q4-Q6)	8	8	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	7	4	57	+	36
	Global(Q14-Q17)	7	7	100	NS	99
	Medication (Y/N) (Q28)	7	4	57	-	75
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	83
	Participation (Q10-Q13)	8	8	100	NS	98
	Social Connectedness (Q23-Q27)	7	5	71	-	81
Newburgh Family Counseling Service	Access(Q7-Q9)	26	26	100	NS	98
	Appropriateness (Q1-Q3)	26	25	96	NS	98
	Cultural (Q4-Q6)	26	26	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	9	8	89	NS	93

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	24	9	38	NS	36
	Global(Q14-Q17)	25	25	100	NS	99
	Medication (Y/N) (Q28)	26	21	81	NS	75
	Medication Scale (Q28a-Q28e) ⁶	21	19	90	-	97
	Outcomes/Functioning (Q18-Q22)	25	19	76	-	83
	Participation (Q10-Q13)	25	24	96	-	98
	Social Connectedness (Q23-Q27)	25	23	92	+	81
Orange Community Services	Access(Q7-Q9)	5	5	100	NS	98
	Appropriateness (Q1-Q3)	5	5	100	NS	98
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	36
	Global(Q14-Q17)	5	5	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	75
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	83
	Participation (Q10-Q13)	5	5	100	NS	98
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	81
RCPC Ulster Clinic	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	98
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	36
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	99
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	83
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	98
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	81

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
East Hampton Clinic	Access(Q7-Q9)	20	18	90	-	95
	Appropriateness (Q1-Q3)	20	20	100	NS	99
	Cultural (Q4-Q6)	20	20	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	+	90
	Family Support Service (Y/N)(Q32)	19	10	53	+	33
	Global(Q14-Q17)	20	19	95	-	98
	Medication (Y/N) (Q28)	20	17	85	+	70
	Medication Scale (Q28a-Q28e) ⁶	17	16	94	NS	95
	Outcomes/Functioning (Q18-Q22)	20	19	95	+	86
	Participation (Q10-Q13)	20	20	100	+	97
	Social Connectedness (Q23-Q27)	20	17	85	NS	83
Moriches Clinic	Access(Q7-Q9)	9	9	100	+	95
	Appropriateness (Q1-Q3)	8	8	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	9	9	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	90
	Family Support Service (Y/N)(Q32)	8	2	25	-	33
	Global(Q14-Q17)	7	7	100	+	98
	Medication (Y/N) (Q28)	9	7	78	+	70
	Medication Scale (Q28a-Q28e) ⁶	6	5	83	-	95
	Outcomes/Functioning (Q18-Q22)	8	7	88	NS	86
	Participation (Q10-Q13)	7	7	100	+	97
	Social Connectedness (Q23-Q27)	8	8	100	+	83
North Shore Child & Family Guidance C	Access(Q7-Q9)	81	75	93	NS	95
	Appropriateness (Q1-Q3)	81	79	98	NS	99
	Cultural (Q4-Q6)	81	81	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	23	19	83	NS	90
	Family Support Service (Y/N)(Q32)	74	24	32	NS	33
	Global(Q14-Q17)	80	78	98	NS	98
	Medication (Y/N) (Q28)	78	49	63	NS	70
	Medication Scale (Q28a-Q28e) ⁶	49	45	92	NS	95
	Outcomes/Functioning (Q18-Q22)	79	66	84	NS	86
	Participation (Q10-Q13)	80	78	98	NS	97
	Social Connectedness (Q23-Q27)	78	62	79	NS	83
Northfork Counseling Program	Access(Q7-Q9)	38	37	97	NS	95
	Appropriateness (Q1-Q3)	38	38	100	NS	99
	Cultural (Q4-Q6)	38	38	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	+	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	36	8	22	-	33
	Global(Q14-Q17)	38	37	97	NS	98
	Medication (Y/N) (Q28)	38	27	71	NS	70
	Medication Scale (Q28a-Q28e) ⁶	27	27	100	+	95
	Outcomes/Functioning (Q18-Q22)	38	33	87	NS	86
	Participation (Q10-Q13)	37	35	95	NS	97
	Social Connectedness (Q23-Q27)	38	33	87	NS	83
South Shore Family Center Clinic	Access(Q7-Q9)	< 5	N/A	N/A	N/A	95
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	90
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	33
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	98

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	70
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	97
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
Southampton Clinic	Access(Q7-Q9)	< 5	N/A	N/A	N/A	95
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	90
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	33
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	98
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	70

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	86
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	97
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
The Kanas Center	Access(Q7-Q9)	5	5	100	+	95
	Appropriateness (Q1-Q3)	5	5	100	NS	99
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	90
	Family Support Service (Y/N)(Q32)	5	4	80	+	33
	Global(Q14-Q17)	5	5	100	+	98
	Medication (Y/N) (Q28)	5	3	60	-	70
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	86
	Participation (Q10-Q13)	5	4	80	-	97
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	83
Waverly Ave Clinic	Access(Q7-Q9)	14	14	100	+	95
	Appropriateness (Q1-Q3)	14	14	100	NS	99
	Cultural (Q4-Q6)	14	14	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	90
	Family Support Service (Y/N)(Q32)	14	3	21	-	33
	Global(Q14-Q17)	14	14	100	+	98
	Medication (Y/N) (Q28)	14	12	86	+	70
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	+	95
	Outcomes/Functioning (Q18-Q22)	14	14	100	+	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	14	14	100	+	97
	Social Connectedness (Q23-Q27)	14	13	93	+	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Brooklyn Children's Behavioral Health	Access(Q7-Q9)	15	15	100	NS	98
	Appropriateness (Q1-Q3)	16	15	94	NS	95
	Cultural (Q4-Q6)	16	15	94	-	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	9	90	NS	95
	Family Support Service (Y/N)(Q32)	15	10	67	+	42
	Global(Q14-Q17)	15	15	100	NS	98
	Medication (Y/N) (Q28)	16	10	63	NS	59
	Medication Scale (Q28a-Q28e) ⁶	10	10	100	NS	97
	Outcomes/Functioning (Q18-Q22)	16	16	100	+	91
	Participation (Q10-Q13)	15	15	100	NS	98
	Social Connectedness (Q23-Q27)	16	15	94	NS	89
Child and Family Outpatient Clinic	Access(Q7-Q9)	16	16	100	NS	98
	Appropriateness (Q1-Q3)	16	14	88	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	16	16	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	9	9	100	NS	95
	Family Support Service (Y/N)(Q32)	15	9	60	+	42
	Global(Q14-Q17)	16	16	100	NS	98
	Medication (Y/N) (Q28)	16	12	75	+	59
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	NS	97
	Outcomes/Functioning (Q18-Q22)	16	15	94	NS	91
	Participation (Q10-Q13)	16	16	100	NS	98
	Social Connectedness (Q23-Q27)	16	15	94	NS	89
Courtlandt Avenue Clinic	Access(Q7-Q9)	25	24	96	NS	98
	Appropriateness (Q1-Q3)	25	24	96	NS	95
	Cultural (Q4-Q6)	25	25	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	22	4	18	-	42
	Global(Q14-Q17)	25	25	100	NS	98
	Medication (Y/N) (Q28)	25	13	52	NS	59
	Medication Scale (Q28a-Q28e) ⁶	13	13	100	NS	97
	Outcomes/Functioning (Q18-Q22)	24	22	92	NS	91
	Participation (Q10-Q13)	25	25	100	NS	98
	Social Connectedness (Q23-Q27)	23	21	91	NS	89
Howard Beach Clinic	Access(Q7-Q9)	14	13	93	-	98
	Appropriateness (Q1-Q3)	14	12	86	-	95
	Cultural (Q4-Q6)	14	14	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	12	3	25	-	42
	Global(Q14-Q17)	14	13	93	-	98
	Medication (Y/N) (Q28)	14	8	57	NS	59
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	97
	Outcomes/Functioning (Q18-Q22)	14	12	86	-	91
	Participation (Q10-Q13)	14	13	93	-	98
	Social Connectedness (Q23-Q27)	14	12	86	NS	89
New Horizon Counseling - Far Rockaway Cl	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	95
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	42
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	59
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	91
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	98
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89
New Horizon Counseling Center Clinic	Access(Q7-Q9)	5	5	100	NS	98
	Appropriateness (Q1-Q3)	5	5	100	+	95
	Cultural (Q4-Q6)	5	5	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	5	3	60	+	42
	Global(Q14-Q17)	5	5	100	NS	98
	Medication (Y/N) (Q28)	5	4	80	+	59

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	5	5	100	+	91
	Participation (Q10-Q13)	5	5	100	NS	98
	Social Connectedness (Q23-Q27)	5	4	80	-	89
New Horizon Counseling Center West Ro	Access(Q7-Q9)	16	16	100	NS	98
	Appropriateness (Q1-Q3)	16	16	100	+	95
	Cultural (Q4-Q6)	16	16	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	95
	Family Support Service (Y/N)(Q32)	15	5	33	-	42
	Global(Q14-Q17)	16	16	100	NS	98
	Medication (Y/N) (Q28)	16	12	75	+	59
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	16	13	81	-	91
	Participation (Q10-Q13)	16	16	100	NS	98
	Social Connectedness (Q23-Q27)	15	11	73	-	89
Ohel - Tikvah Clinic	Access(Q7-Q9)	33	33	100	NS	98
	Appropriateness (Q1-Q3)	33	31	94	NS	95
	Cultural (Q4-Q6)	33	32	97	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	12	12	100	NS	95
	Family Support Service (Y/N)(Q32)	28	12	43	NS	42
	Global(Q14-Q17)	33	32	97	NS	98
	Medication (Y/N) (Q28)	32	9	28	-	59
	Medication Scale (Q28a-Q28e) ⁶	9	9	100	NS	97
	Outcomes/Functioning (Q18-Q22)	32	30	94	NS	91
	Participation (Q10-Q13)	33	32	97	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	32	28	88	NS	89
Queens Mid-Childhood Clinic	Access(Q7-Q9)	7	6	86	-	98
	Appropriateness (Q1-Q3)	7	7	100	+	95
	Cultural (Q4-Q6)	7	7	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	7	0	0	-	42
	Global(Q14-Q17)	7	7	100	NS	98
	Medication (Y/N) (Q28)	7	7	100	+	59
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	97
	Outcomes/Functioning (Q18-Q22)	7	7	100	+	91
	Participation (Q10-Q13)	7	6	86	-	98
	Social Connectedness (Q23-Q27)	7	6	86	NS	89
Steinway Child and Family Services Ma	Access(Q7-Q9)	6	6	100	NS	98

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	6	6	100	+	95
	Cultural (Q4-Q6)	6	6	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	5	4	80	+	42
	Global(Q14-Q17)	6	6	100	NS	98
	Medication (Y/N) (Q28)	6	6	100	+	59
	Medication Scale (Q28a-Q28e) ⁶	6	4	67	-	97
	Outcomes/Functioning (Q18-Q22)	6	4	67	-	91
	Participation (Q10-Q13)	6	6	100	NS	98
	Social Connectedness (Q23-Q27)	6	6	100	+	89
Steinway Child and Family Services Me	Access(Q7-Q9)	15	15	100	NS	98
	Appropriateness (Q1-Q3)	15	15	100	+	95
	Cultural (Q4-Q6)	15	15	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	NS	95
	Family Support Service (Y/N)(Q32)	14	8	57	+	42
	Global(Q14-Q17)	15	14	93	-	98
	Medication (Y/N) (Q28)	15	10	67	NS	59
	Medication Scale (Q28a-Q28e) ⁶	10	9	90	-	97
	Outcomes/Functioning (Q18-Q22)	15	14	93	NS	91
	Participation (Q10-Q13)	15	15	100	NS	98
	Social Connectedness (Q23-Q27)	15	15	100	+	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Elmira Psychiatric Center Child and Y	Access(Q7-Q9)	9	9	100	NS	97
	Appropriateness (Q1-Q3)	8	8	100	NS	100
	Cultural (Q4-Q6)	9	9	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	67
	Family Support Service (Y/N)(Q32)	9	1	11	NS	15
	Global(Q14-Q17)	9	9	100	NS	100
	Medication (Y/N) (Q28)	9	9	100	+	82
	Medication Scale (Q28a-Q28e) ⁶	9	9	100	NS	96
	Outcomes/Functioning (Q18-Q22)	9	5	56	-	84
	Participation (Q10-Q13)	9	9	100	NS	100
	Social Connectedness (Q23-Q27)	9	6	67	-	88
Outpatient Clinic	Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	67
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	15
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	82
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	96
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	84
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
South Buffalo Counseling Center	Access(Q7-Q9)	20	19	95	NS	97
	Appropriateness (Q1-Q3)	19	19	100	NS	100
	Cultural (Q4-Q6)	20	20	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	67
	Family Support Service (Y/N)(Q32)	20	3	15	NS	15
	Global(Q14-Q17)	20	20	100	NS	100
	Medication (Y/N) (Q28)	20	15	75	NS	82
	Medication Scale (Q28a-Q28e) ⁶	15	14	93	NS	96
	Outcomes/Functioning (Q18-Q22)	19	18	95	NS	84
	Participation (Q10-Q13)	19	19	100	NS	100
	Social Connectedness (Q23-Q27)	19	18	95	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
Clinic Treatment (Total)	562	1462	38.44
Clinic Treatment (Central New York)	99	203	48.77
Clinic Treatment (Hudson River)	117	194	60.31
Clinic Treatment (Long Island)	141	498	28.31
Clinic Treatment (New York City)	189	474	39.87
Clinic Treatment (Western New York)	16	93	17.20

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	558	539	97	+	95
Appropriateness (Q1-Q3)	559	524	94	+	92
Cultural (Q4-Q6)	559	549	98	+	95
Global(Q15)	549	510	93	+	89
Medication (Y/N) (Q21)	551	380	69	-	84
Medication Scale (Q21a-Q21e) ⁶	378	335	89	+	83
Outcomes/Functioning (Q16-Q20a)	555	497	90	NS	90
Participation (Q11-Q14)	555	513	92	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	98	94	96	NS	97
Appropriateness (Q1-Q3)	99	89	90	-	94
Cultural (Q4-Q6)	99	97	98	NS	98
Global(Q15)	98	90	92	NS	93
Medication (Y/N) (Q21)	96	80	83	+	69
Medication Scale (Q21a-Q21e) ⁶	79	72	91	NS	89
Outcomes/Functioning (Q16-Q20a)	99	91	92	NS	90
Participation (Q11-Q14)	98	90	92	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	117	114	97	NS	97
Appropriateness (Q1-Q3)	117	112	96	NS	94
Cultural (Q4-Q6)	117	115	98	NS	98
Global(Q15)	112	107	96	+	93
Medication (Y/N) (Q21)	117	88	75	+	69
Medication Scale (Q21a-Q21e) ⁶	87	74	85	-	89
Outcomes/Functioning (Q16-Q20a)	116	104	90	NS	90
Participation (Q11-Q14)	116	112	97	+	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	139	133	96	NS	97
Appropriateness (Q1-Q3)	139	128	92	NS	94
Cultural (Q4-Q6)	139	137	99	NS	98
Global(Q15)	136	122	90	-	93
Medication (Y/N) (Q21)	139	94	68	NS	69
Medication Scale (Q21a-Q21e) ⁶	94	82	87	NS	89
Outcomes/Functioning (Q16-Q20a)	137	124	91	NS	90
Participation (Q11-Q14)	139	124	89	-	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	188	183	97	NS	97
Appropriateness (Q1-Q3)	188	180	96	NS	94
Cultural (Q4-Q6)	188	184	98	NS	98
Global(Q15)	187	176	94	NS	93
Medication (Y/N) (Q21)	184	105	57	-	69
Medication Scale (Q21a-Q21e) ⁶	105	96	91	NS	89
Outcomes/Functioning (Q16-Q20a)	188	165	88	NS	90
Participation (Q11-Q14)	186	172	92	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Region Compared to Statewide Clinic Treatment Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	16	15	94	-	97
Appropriateness (Q1-Q3)	16	15	94	NS	94
Cultural (Q4-Q6)	16	16	100	+	98
Global(Q15)	16	15	94	NS	93
Medication (Y/N) (Q21)	15	13	87	+	69
Medication Scale (Q21a-Q21e) ⁶	13	11	85	-	89
Outcomes/Functioning (Q16-Q20a)	15	13	87	-	90
Participation (Q11-Q14)	16	15	94	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
CYS Outpatient Clinic	Access(Q7-Q10)	27	26	96	NS	96
	Appropriateness (Q1-Q3)	27	23	85	NS	90
	Cultural (Q4-Q6)	27	27	100	NS	98
	Global(Q15)	27	25	93	NS	92
	Medication (Y/N) (Q21)	25	19	76	NS	83
	Medication Scale (Q21a-Q21e) ⁶	19	17	89	NS	91
	Outcomes/Functioning (Q16-Q20a)	27	24	89	NS	92
	Participation (Q11-Q14)	27	24	89	NS	92
	Child and Adolescent Behavioral Heal	Access(Q7-Q10)	25	24	96	NS
Appropriateness (Q1-Q3)		25	21	84	NS	90
Cultural (Q4-Q6)		25	24	96	NS	98
Global(Q15)		25	24	96	NS	92
Medication (Y/N) (Q21)		24	22	92	+	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	21	19	90	NS	91
	Outcomes/Functioning (Q16-Q20a)	25	23	92	NS	92
	Participation (Q11-Q14)	25	22	88	NS	92
Massena Wellness Center	Access(Q7-Q10)	44	42	95	NS	96
	Appropriateness (Q1-Q3)	45	43	96	NS	90
	Cultural (Q4-Q6)	45	44	98	NS	98
	Global(Q15)	44	39	89	NS	92
	Medication (Y/N) (Q21)	45	38	84	NS	83
	Medication Scale (Q21a-Q21e) ⁶	38	35	92	NS	91
	Outcomes/Functioning (Q16-Q20a)	45	42	93	NS	92
	Participation (Q11-Q14)	44	42	95	NS	92
The Brownell Center for Behavioral H	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	98
	Global(Q15)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	83
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	91
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	92
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
CDPC-Children & Adolescent Services	Access(Q7-Q10)	31	29	94	-	97
	Appropriateness (Q1-Q3)	31	28	90	-	96
	Cultural (Q4-Q6)	31	29	94	-	98
	Global(Q15)	30	29	97	NS	96
	Medication (Y/N) (Q21)	31	25	81	NS	75
	Medication Scale (Q21a-Q21e) ⁶	25	22	88	NS	85
	Outcomes/Functioning (Q16-Q20a)	31	24	77	-	90
	Participation (Q11-Q14)	31	28	90	-	97
	Child and Family Guidance Clinic	Access(Q7-Q10)	21	21	100	NS
Appropriateness (Q1-Q3)		21	21	100	+	96
Cultural (Q4-Q6)		21	21	100	NS	98
Global(Q15)		21	20	95	NS	96
Medication (Y/N) (Q21)		21	19	90	+	75

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	19	14	74	-	85
	Outcomes/Functioning (Q16-Q20a)	21	19	90	NS	90
	Participation (Q11-Q14)	21	21	100	+	97
Community Counseling at Union Center	Access(Q7-Q10)	13	13	100	NS	97
	Appropriateness (Q1-Q3)	13	12	92	NS	96
	Cultural (Q4-Q6)	13	13	100	NS	98
	Global(Q15)	12	11	92	NS	96
	Medication (Y/N) (Q21)	13	10	77	NS	75
	Medication Scale (Q21a-Q21e) ⁶	10	9	90	NS	85
	Outcomes/Functioning (Q16-Q20a)	13	12	92	NS	90
	Participation (Q11-Q14)	12	12	100	+	97
Mt. Vernon Community Services	Access(Q7-Q10)	6	6	100	NS	97
	Appropriateness (Q1-Q3)	6	6	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	6	6	100	NS	98
	Global(Q15)	5	5	100	+	96
	Medication (Y/N) (Q21)	6	1	17	-	75
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	85
	Outcomes/Functioning (Q16-Q20a)	6	6	100	+	90
	Participation (Q11-Q14)	6	6	100	+	97
Newburgh Family Counseling Service	Access(Q7-Q10)	30	30	100	NS	97
	Appropriateness (Q1-Q3)	30	30	100	+	96
	Cultural (Q4-Q6)	30	30	100	NS	98
	Global(Q15)	28	27	96	NS	96
	Medication (Y/N) (Q21)	30	22	73	NS	75
	Medication Scale (Q21a-Q21e) ⁶	21	20	95	+	85
	Outcomes/Functioning (Q16-Q20a)	29	29	100	+	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	30	30	100	+	97
Orange Community Services	Access(Q7-Q10)	14	14	100	NS	97
	Appropriateness (Q1-Q3)	14	14	100	+	96
	Cultural (Q4-Q6)	14	14	100	NS	98
	Global(Q15)	14	14	100	+	96
	Medication (Y/N) (Q21)	14	9	64	-	75
	Medication Scale (Q21a-Q21e) ⁶	9	6	67	-	85
	Outcomes/Functioning (Q16-Q20a)	14	13	93	NS	90
	Participation (Q11-Q14)	14	14	100	+	97
Sullivan Community Services	Access(Q7-Q10)	< 5	N/A	N/A	N/A	97
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	96
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	98
	Global(Q15)	< 5	N/A	N/A	N/A	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	75
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	85
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	90
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	97

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
East Hampton Clinic	Access(Q7-Q10)	28	27	96	NS	96
	Appropriateness (Q1-Q3)	28	24	86	-	92
	Cultural (Q4-Q6)	28	27	96	-	99
	Global(Q15)	28	23	82	-	90
	Medication (Y/N) (Q21)	28	17	61	NS	68

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	17	14	82	NS	87
	Outcomes/Functioning (Q16-Q20a)	28	24	86	NS	91
	Participation (Q11-Q14)	28	22	79	-	89
Moriches Clinic	Access(Q7-Q10)	12	11	92	-	96
	Appropriateness (Q1-Q3)	12	11	92	NS	92
	Cultural (Q4-Q6)	12	11	92	-	99
	Global(Q15)	12	10	83	-	90
	Medication (Y/N) (Q21)	13	10	77	+	68
	Medication Scale (Q21a-Q21e) ⁶	10	10	100	+	87
	Outcomes/Functioning (Q16-Q20a)	12	11	92	NS	91
	Participation (Q11-Q14)	12	10	83	-	89
North Shore Child & Family Guidance	Access(Q7-Q10)	37	34	92	-	96
	Appropriateness (Q1-Q3)	37	33	89	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	37	37	100	NS	99
	Global(Q15)	36	31	86	NS	90
	Medication (Y/N) (Q21)	36	22	61	NS	68
	Medication Scale (Q21a-Q21e) ⁶	22	18	82	NS	87
	Outcomes/Functioning (Q16-Q20a)	37	30	81	-	91
	Participation (Q11-Q14)	37	32	86	NS	89
Northfork Counseling Program	Access(Q7-Q10)	36	35	97	NS	96
	Appropriateness (Q1-Q3)	36	36	100	+	92
	Cultural (Q4-Q6)	36	36	100	NS	99
	Global(Q15)	35	34	97	+	90
	Medication (Y/N) (Q21)	36	28	78	+	68
	Medication Scale (Q21a-Q21e) ⁶	28	27	96	+	87
	Outcomes/Functioning (Q16-Q20a)	35	35	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	36	36	100	+	89
South Shore Family Center Clinic	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Global(Q15)	< 5	N/A	N/A	N/A	90
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	68
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	87
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	89
Southampton Clinic	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Global(Q15)	< 5	N/A	N/A	N/A	90

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	68
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	87
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	89
The Kanas Center	Access(Q7-Q10)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Global(Q15)	< 5	N/A	N/A	N/A	90
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	68
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	87
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	91
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	89
Waverly Ave Clinic	Access(Q7-Q10)	18	18	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	18	17	94	NS	92
	Cultural (Q4-Q6)	18	18	100	NS	99
	Global(Q15)	18	18	100	+	90
	Medication (Y/N) (Q21)	18	12	67	NS	68
	Medication Scale (Q21a-Q21e) ⁶	12	10	83	NS	87
	Outcomes/Functioning (Q16-Q20a)	18	18	100	+	91
	Participation (Q11-Q14)	18	16	89	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Brooklyn Children's Behavioral Health	Access(Q7-Q10)	22	22	100	+	97
	Appropriateness (Q1-Q3)	22	21	95	NS	96
	Cultural (Q4-Q6)	22	21	95	-	98
	Global(Q15)	22	22	100	+	94
	Medication (Y/N) (Q21)	22	15	68	+	57
	Medication Scale (Q21a-Q21e) ⁶	15	13	87	NS	91
	Outcomes/Functioning (Q16-Q20a)	22	20	91	NS	88
	Participation (Q11-Q14)	21	21	100	+	92
	Child and Family Outpatient Clinic	Access(Q7-Q10)	8	8	100	+
Appropriateness (Q1-Q3)		8	8	100	+	96
Cultural (Q4-Q6)		8	8	100	+	98
Global(Q15)		8	8	100	+	94
Medication (Y/N) (Q21)		8	6	75	+	57

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	6	6	100	+	91
	Outcomes/Functioning (Q16-Q20a)	8	8	100	+	88
	Participation (Q11-Q14)	8	8	100	+	92
Courtlandt Avenue Clinic	Access(Q7-Q10)	16	16	100	+	97
	Appropriateness (Q1-Q3)	16	15	94	NS	96
	Cultural (Q4-Q6)	16	16	100	+	98
	Global(Q15)	16	15	94	NS	94
	Medication (Y/N) (Q21)	15	8	53	NS	57
	Medication Scale (Q21a-Q21e) ⁶	8	8	100	+	91
	Outcomes/Functioning (Q16-Q20a)	16	14	88	NS	88
	Participation (Q11-Q14)	16	16	100	+	92
Howard Beach Clinic	Access(Q7-Q10)	19	19	100	+	97
	Appropriateness (Q1-Q3)	19	19	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	19	19	100	+	98
	Global(Q15)	19	18	95	NS	94
	Medication (Y/N) (Q21)	19	12	63	NS	57
	Medication Scale (Q21a-Q21e) ⁶	12	12	100	+	91
	Outcomes/Functioning (Q16-Q20a)	19	16	84	NS	88
	Participation (Q11-Q14)	19	17	89	NS	92
New Horizon Counseling - Far Rockawa	Access(Q7-Q10)	8	8	100	+	97
	Appropriateness (Q1-Q3)	8	7	88	-	96
	Cultural (Q4-Q6)	8	8	100	+	98
	Global(Q15)	8	8	100	+	94
	Medication (Y/N) (Q21)	8	2	25	-	57
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	91
	Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	8	8	100	+	92
New Horizon Counseling Center Clinic	Access(Q7-Q10)	16	16	100	+	97
	Appropriateness (Q1-Q3)	16	16	100	+	96
	Cultural (Q4-Q6)	16	16	100	+	98
	Global(Q15)	16	15	94	NS	94
	Medication (Y/N) (Q21)	16	9	56	NS	57
	Medication Scale (Q21a-Q21e) ⁶	9	7	78	-	91
	Outcomes/Functioning (Q16-Q20a)	16	12	75	-	88
	Participation (Q11-Q14)	16	14	88	-	92
New Horizon Counseling Center West R	Access(Q7-Q10)	17	17	100	+	97
	Appropriateness (Q1-Q3)	17	17	100	+	96
	Cultural (Q4-Q6)	17	17	100	+	98
	Global(Q15)	17	16	94	NS	94

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	16	11	69	+	57
	Medication Scale (Q21a-Q21e) ⁶	11	11	100	+	91
	Outcomes/Functioning (Q16-Q20a)	17	16	94	+	88
	Participation (Q11-Q14)	17	16	94	NS	92
Ohel - Tikvah Clinic	Access(Q7-Q10)	59	54	92	-	97
	Appropriateness (Q1-Q3)	59	54	92	-	96
	Cultural (Q4-Q6)	59	56	95	-	98
	Global(Q15)	58	51	88	-	94
	Medication (Y/N) (Q21)	57	24	42	-	57
	Medication Scale (Q21a-Q21e) ⁶	24	19	79	-	91
	Outcomes/Functioning (Q16-Q20a)	59	51	86	NS	88
	Participation (Q11-Q14)	58	49	84	-	92
Queens Mid-Childhood Clinic	Access(Q7-Q10)	12	12	100	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	12	12	100	+	96
	Cultural (Q4-Q6)	12	12	100	+	98
	Global(Q15)	12	12	100	+	94
	Medication (Y/N) (Q21)	12	12	100	+	57
	Medication Scale (Q21a-Q21e) ⁶	12	12	100	+	91
	Outcomes/Functioning (Q16-Q20a)	12	12	100	+	88
	Participation (Q11-Q14)	12	12	100	+	92
Steinway Child and Family Services M	Access(Q7-Q10)	11	11	100	+	97
	Appropriateness (Q1-Q3)	11	11	100	+	96
	Cultural (Q4-Q6)	11	11	100	+	98
	Global(Q15)	11	11	100	+	94
	Medication (Y/N) (Q21)	11	6	55	NS	57
	Medication Scale (Q21a-Q21e) ⁶	6	6	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q16-Q20a)	11	9	82	-	88
	Participation (Q11-Q14)	11	11	100	+	92

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Elmira Psychiatric Center Child and	Access(Q7-Q10)	< 5	N/A	N/A	N/A	94
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	87
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	85
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	87

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	94
Outpatient Clinic	Access(Q7-Q10)	< 5	N/A	N/A	N/A	94
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	87
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	85
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	87
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	94
South Buffalo Counseling Center	Access(Q7-Q10)	8	7	88	NS	94
	Appropriateness (Q1-Q3)	8	7	88	NS	94
	Cultural (Q4-Q6)	8	8	100	NS	100
	Global(Q15)	8	7	88	NS	94

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Clinic Treatment

Clinic Treatment Results by Program compared to Region Clinic Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	7	6	86	NS	87
	Medication Scale (Q21a-Q21e) ⁶	6	5	83	NS	85
	Outcomes/Functioning (Q16-Q20a)	7	6	86	NS	87
	Participation (Q11-Q14)	8	7	88	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Day Treatment (Total)	328	1606	20.42
Day Treatment (Central New York)	33	75	44.00
Day Treatment (Hudson River)	39	305	12.79
Day Treatment (Long Island)	54	134	40.30
Day Treatment (New York City)	164	827	19.83
Day Treatment (Western New York)	38	265	14.34

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	325	315	97	NS	97
Appropriateness (Q1-Q3)	325	316	97	NS	97
Cultural (Q4-Q6)	325	320	98	-	99
FSS Scale (Q33,Q33a-Q33h) ⁷	121	113	93	-	95
Family Support Service (Y/N)(Q32)	306	123	40	-	58
Global(Q14-Q17)	325	313	96	-	97
Medication (Y/N) (Q28)	326	236	72	-	80
Medication Scale (Q28a-Q28e) ⁶	236	227	96	NS	97
Outcomes/Functioning (Q18-Q22)	325	300	92	+	86
Participation (Q10-Q13)	325	313	96	-	98
Social Connectedness (Q23-Q27)	325	289	89	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	33	33	100	+	97
Appropriateness (Q1-Q3)	33	33	100	+	97
Cultural (Q4-Q6)	33	33	100	+	98
FSS Scale (Q33,Q33a-Q33h) ⁷	15	15	100	+	93
Family Support Service (Y/N)(Q32)	31	15	48	+	40
Global(Q14-Q17)	33	33	100	+	96
Medication (Y/N) (Q28)	33	28	85	+	72
Medication Scale (Q28a-Q28e) ⁶	28	28	100	+	96
Outcomes/Functioning (Q18-Q22)	33	31	94	NS	92
Participation (Q10-Q13)	33	33	100	+	96
Social Connectedness (Q23-Q27)	33	29	88	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	39	38	97	NS	97
Appropriateness (Q1-Q3)	39	38	97	NS	97
Cultural (Q4-Q6)	39	38	97	NS	98
FSS Scale (Q33,Q33a-Q33h) ⁷	8	7	88	-	93
Family Support Service (Y/N)(Q32)	34	8	24	-	40
Global(Q14-Q17)	39	36	92	-	96
Medication (Y/N) (Q28)	39	27	69	NS	72
Medication Scale (Q28a-Q28e) ⁶	27	27	100	+	96
Outcomes/Functioning (Q18-Q22)	39	33	85	-	92
Participation (Q10-Q13)	39	36	92	-	96
Social Connectedness (Q23-Q27)	39	31	79	-	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	53	50	94	-	97
Appropriateness (Q1-Q3)	53	52	98	NS	97
Cultural (Q4-Q6)	53	52	98	NS	98
FSS Scale (Q33,Q33a-Q33h) ⁷	30	28	93	NS	93
Family Support Service (Y/N)(Q32)	52	30	58	+	40
Global(Q14-Q17)	53	52	98	NS	96
Medication (Y/N) (Q28)	54	53	98	+	72
Medication Scale (Q28a-Q28e) ⁶	53	49	92	-	96
Outcomes/Functioning (Q18-Q22)	53	47	89	-	92
Participation (Q10-Q13)	53	50	94	NS	96
Social Connectedness (Q23-Q27)	53	45	85	-	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	162	156	96	NS	97
Appropriateness (Q1-Q3)	162	155	96	NS	97
Cultural (Q4-Q6)	162	159	98	NS	98
FSS Scale (Q33,Q33a-Q33h) ⁷	55	52	95	NS	93
Family Support Service (Y/N)(Q32)	154	56	36	NS	40
Global(Q14-Q17)	162	154	95	NS	96
Medication (Y/N) (Q28)	162	94	58	-	72
Medication Scale (Q28a-Q28e) ⁶	94	89	95	NS	96
Outcomes/Functioning (Q18-Q22)	162	152	94	NS	92
Participation (Q10-Q13)	162	156	96	NS	96
Social Connectedness (Q23-Q27)	162	150	93	+	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	38	38	100	+	97
Appropriateness (Q1-Q3)	38	38	100	+	97
Cultural (Q4-Q6)	38	38	100	+	98
FSS Scale (Q33,Q33a-Q33h) ⁷	13	11	85	-	93
Family Support Service (Y/N)(Q32)	35	14	40	NS	40
Global(Q14-Q17)	38	38	100	+	96
Medication (Y/N) (Q28)	38	34	89	+	72
Medication Scale (Q28a-Q28e) ⁶	34	34	100	+	96
Outcomes/Functioning (Q18-Q22)	38	37	97	+	92
Participation (Q10-Q13)	38	38	100	+	96
Social Connectedness (Q23-Q27)	38	34	89	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Adolescent Day Treatment Program	Access(Q7-Q9)	5	5	100	NS	100
	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	48
	Global(Q14-Q17)	5	5	100	NS	100
	Medication (Y/N) (Q28)	5	5	100	+	85
	Medication Scale (Q28a-Q28e) ⁶	5	5	100	NS	100
	Outcomes/Functioning (Q18-Q22)	5	5	100	NS	94
	Participation (Q10-Q13)	5	5	100	NS	100
Cortland Day Treatment Program	Social Connectedness (Q23-Q27)	5	4	80	NS	88
	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	48
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
Ogdensburg Collaborative Day Treatment	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	48
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	85
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
Stepping Stones Day Treatment	Access(Q7-Q9)	23	23	100	NS	100
	Appropriateness (Q1-Q3)	23	23	100	NS	100
	Cultural (Q4-Q6)	23	23	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	12	12	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	22	12	55	NS	48
	Global(Q14-Q17)	23	23	100	NS	100
	Medication (Y/N) (Q28)	23	18	78	NS	85
	Medication Scale (Q28a-Q28e) ⁶	18	18	100	NS	100
	Outcomes/Functioning (Q18-Q22)	23	22	96	NS	94
	Participation (Q10-Q13)	23	23	100	NS	100
	Social Connectedness (Q23-Q27)	23	21	91	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Alternative Education/Adolescent Day	Access(Q7-Q9)	16	15	94	NS	97
	Appropriateness (Q1-Q3)	16	15	94	NS	97
	Cultural (Q4-Q6)	16	16	100	NS	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	88
	Family Support Service (Y/N)(Q32)	13	2	15	NS	24
	Global(Q14-Q17)	16	15	94	NS	92
	Medication (Y/N) (Q28)	16	14	88	+	69
	Medication Scale (Q28a-Q28e) ⁶	14	14	100	NS	100
	Outcomes/Functioning (Q18-Q22)	16	14	88	NS	85
	Participation (Q10-Q13)	16	14	88	NS	92
Intensive Day Treatment	Social Connectedness (Q23-Q27)	16	13	81	NS	79
	Access(Q7-Q9)	11	11	100	NS	97
	Appropriateness (Q1-Q3)	11	11	100	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	11	11	100	NS	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	88
	Family Support Service (Y/N)(Q32)	11	5	45	+	24
	Global(Q14-Q17)	11	10	91	NS	92
	Medication (Y/N) (Q28)	11	8	73	NS	69
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	85
	Participation (Q10-Q13)	11	10	91	NS	92
	Social Connectedness (Q23-Q27)	11	10	91	NS	79
Orange Day Treatment	Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	97
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	88
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	24
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	69
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	85
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	92
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	79
Saugerties Day Treatment	Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	97
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	24
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	92
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	69
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	85
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	92
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	79
The Astor Day Treatment Program - SAD	Access(Q7-Q9)	9	9	100	NS	97
	Appropriateness (Q1-Q3)	9	9	100	NS	97
	Cultural (Q4-Q6)	9	8	89	-	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	88
	Family Support Service (Y/N)(Q32)	7	1	14	NS	24
	Global(Q14-Q17)	9	8	89	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	9	4	44	-	69
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	9	7	78	NS	85
	Participation (Q10-Q13)	9	9	100	NS	92
	Social Connectedness (Q23-Q27)	9	7	78	NS	79

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bellport Day Treatment Program	Access(Q7-Q9)	7	7	100	NS	94
	Appropriateness (Q1-Q3)	7	7	100	NS	98
	Cultural (Q4-Q6)	7	7	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	8	6	75	+	58
	Global(Q14-Q17)	7	7	100	NS	98
	Medication (Y/N) (Q28)	8	8	100	NS	98
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	+	92
	Outcomes/Functioning (Q18-Q22)	7	7	100	+	89
	Participation (Q10-Q13)	7	7	100	NS	94
	Social Connectedness (Q23-Q27)	7	6	86	NS	85
Intensive Day Treatment Program	Access(Q7-Q9)	5	5	100	NS	94
	Appropriateness (Q1-Q3)	5	5	100	NS	98
	Cultural (Q4-Q6)	5	5	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	58
	Global(Q14-Q17)	5	5	100	NS	98

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	5	5	100	NS	98
	Medication Scale (Q28a-Q28e) ⁶	5	4	80	-	92
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	89
	Participation (Q10-Q13)	5	4	80	-	94
	Social Connectedness (Q23-Q27)	5	3	60	-	85
North Babylon Day Treatment Program	Access(Q7-Q9)	8	8	100	NS	94
	Appropriateness (Q1-Q3)	8	8	100	NS	98
	Cultural (Q4-Q6)	8	7	88	-	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	8	3	38	-	58
	Global(Q14-Q17)	8	8	100	NS	98
	Medication (Y/N) (Q28)	8	8	100	NS	98

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	8	7	88	NS	92
	Outcomes/Functioning (Q18-Q22)	8	6	75	-	89
	Participation (Q10-Q13)	8	7	88	-	94
	Social Connectedness (Q23-Q27)	8	5	63	-	85
Sayville Day Treatment Program	Access(Q7-Q9)	9	9	100	NS	94
	Appropriateness (Q1-Q3)	9	9	100	NS	98
	Cultural (Q4-Q6)	9	9	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	93
	Family Support Service (Y/N)(Q32)	9	6	67	NS	58
	Global(Q14-Q17)	9	9	100	NS	98
	Medication (Y/N) (Q28)	9	9	100	NS	98
	Medication Scale (Q28a-Q28e) ⁶	9	8	89	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	9	9	100	+	89
	Participation (Q10-Q13)	9	9	100	NS	94
	Social Connectedness (Q23-Q27)	9	8	89	NS	85
Wantagh Day Treatment Program	Access(Q7-Q9)	24	21	88	-	94
	Appropriateness (Q1-Q3)	24	23	96	NS	98
	Cultural (Q4-Q6)	24	24	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	14	12	86	NS	93
	Family Support Service (Y/N)(Q32)	23	14	61	NS	58
	Global(Q14-Q17)	24	23	96	NS	98
	Medication (Y/N) (Q28)	24	23	96	NS	98
	Medication Scale (Q28a-Q28e) ⁶	23	22	96	NS	92
	Outcomes/Functioning (Q18-Q22)	24	22	92	NS	89

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q10-Q13)	24	23	96	NS	94
	Social Connectedness (Q23-Q27)	24	23	96	+	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor Day Treatment Program - Byron/P	Access(Q7-Q9)	19	19	100	+	96
	Appropriateness (Q1-Q3)	19	19	100	+	96
	Cultural (Q4-Q6)	19	19	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	NS	95
	Family Support Service (Y/N)(Q32)	19	9	47	+	36
	Global(Q14-Q17)	19	19	100	+	95
	Medication (Y/N) (Q28)	18	16	89	+	58
	Medication Scale (Q28a-Q28e) ⁶	16	16	100	+	95
	Outcomes/Functioning (Q18-Q22)	19	17	89	-	94
	Participation (Q10-Q13)	19	19	100	+	96
	Social Connectedness (Q23-Q27)	19	18	95	NS	93
Astor Day Treatment Program - Tilden	Access(Q7-Q9)	5	5	100	+	96
	Appropriateness (Q1-Q3)	5	4	80	-	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	5	5	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	5	1	20	-	36
	Global(Q14-Q17)	5	5	100	+	95
	Medication (Y/N) (Q28)	5	5	100	+	58
	Medication Scale (Q28a-Q28e) ⁶	5	5	100	+	95
	Outcomes/Functioning (Q18-Q22)	5	5	100	+	94
	Participation (Q10-Q13)	5	5	100	+	96
	Social Connectedness (Q23-Q27)	5	3	60	-	93
Bronx Lebanon Adolescent Day Treatment	Access(Q7-Q9)	8	8	100	+	96
	Appropriateness (Q1-Q3)	8	8	100	+	96
	Cultural (Q4-Q6)	8	8	100	NS	98

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	6	1	17	-	36
	Global(Q14-Q17)	8	8	100	+	95
	Medication (Y/N) (Q28)	8	8	100	+	58
	Medication Scale (Q28a-Q28e) ⁶	8	7	88	-	95
	Outcomes/Functioning (Q18-Q22)	8	8	100	+	94
	Participation (Q10-Q13)	8	8	100	+	96
	Social Connectedness (Q23-Q27)	8	7	88	-	93
Children's Therapeutic Pre-school	Access(Q7-Q9)	13	13	100	+	96
	Appropriateness (Q1-Q3)	13	13	100	+	96
	Cultural (Q4-Q6)	13	13	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	12	4	33	NS	36
	Global(Q14-Q17)	13	13	100	+	95
	Medication (Y/N) (Q28)	13	3	23	-	58
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	13	13	100	+	94
	Participation (Q10-Q13)	13	13	100	+	96
	Social Connectedness (Q23-Q27)	13	13	100	+	93
Joan Fenichel Therapeutic Nursery	Access(Q7-Q9)	28	28	100	+	96
	Appropriateness (Q1-Q3)	28	28	100	+	96
	Cultural (Q4-Q6)	28	28	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	NS	95
	Family Support Service (Y/N)(Q32)	26	8	31	NS	36
	Global(Q14-Q17)	28	28	100	+	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	28	5	18	-	58
	Medication Scale (Q28a-Q28e) ⁶	5	4	80	-	95
	Outcomes/Functioning (Q18-Q22)	28	27	96	NS	94
	Participation (Q10-Q13)	28	28	100	+	96
	Social Connectedness (Q23-Q27)	28	28	100	+	93
Lawrence F. Hickey Center	Access(Q7-Q9)	12	12	100	+	96
	Appropriateness (Q1-Q3)	12	12	100	+	96
	Cultural (Q4-Q6)	12	12	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	95
	Family Support Service (Y/N)(Q32)	12	5	42	NS	36
	Global(Q14-Q17)	12	12	100	+	95
	Medication (Y/N) (Q28)	12	3	25	-	58

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	12	11	92	NS	94
	Participation (Q10-Q13)	12	11	92	-	96
	Social Connectedness (Q23-Q27)	12	12	100	+	93
Lifeline Center for Child Development	Access(Q7-Q9)	35	30	86	-	96
	Appropriateness (Q1-Q3)	35	30	86	-	96
	Cultural (Q4-Q6)	35	33	94	-	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	9	90	NS	95
	Family Support Service (Y/N)(Q32)	33	10	30	NS	36
	Global(Q14-Q17)	35	28	80	-	95
	Medication (Y/N) (Q28)	35	17	49	-	58
	Medication Scale (Q28a-Q28e) ⁶	17	16	94	NS	95

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	35	30	86	-	94
	Participation (Q10-Q13)	35	31	89	-	96
	Social Connectedness (Q23-Q27)	35	29	83	-	93
Queens Upper School Day Treatment	Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	96
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	95
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	36
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	95
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	58
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	96

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	93
South Beach Seaview Academy	Access(Q7-Q9)	20	19	95	NS	96
	Appropriateness (Q1-Q3)	20	19	95	NS	96
	Cultural (Q4-Q6)	20	19	95	-	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	9	8	89	NS	95
	Family Support Service (Y/N)(Q32)	19	9	47	+	36
	Global(Q14-Q17)	20	19	95	NS	95
	Medication (Y/N) (Q28)	20	18	90	+	58
	Medication Scale (Q28a-Q28e) ⁶	18	18	100	+	95
	Outcomes/Functioning (Q18-Q22)	20	19	95	NS	94
	Participation (Q10-Q13)	20	19	95	NS	96
	Social Connectedness (Q23-Q27)	20	18	90	NS	93
The League School	Access(Q7-Q9)	18	18	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	18	18	100	+	96
	Cultural (Q4-Q6)	18	18	100	NS	98
	FSS Scale (Q33,Q33a-Q33h) ⁷	7	7	100	NS	95
	Family Support Service (Y/N)(Q32)	18	7	39	NS	36
	Global(Q14-Q17)	18	18	100	+	95
	Medication (Y/N) (Q28)	19	15	79	+	58
	Medication Scale (Q28a-Q28e) ⁶	15	15	100	+	95
	Outcomes/Functioning (Q18-Q22)	18	18	100	+	94
	Participation (Q10-Q13)	18	18	100	+	96
	Social Connectedness (Q23-Q27)	18	18	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Crestwood Campus Day Treatment	Access(Q7-Q9)	11	11	100	NS	100
	Appropriateness (Q1-Q3)	11	11	100	NS	100
	Cultural (Q4-Q6)	11	11	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85
	Family Support Service (Y/N)(Q32)	10	3	30	NS	40
	Global(Q14-Q17)	11	11	100	NS	100
	Medication (Y/N) (Q28)	11	10	91	NS	89
	Medication Scale (Q28a-Q28e) ⁶	10	10	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	10	91	-	97
	Participation (Q10-Q13)	11	11	100	NS	100
	Social Connectedness (Q23-Q27)	11	9	82	NS	89
Halpern Education Center Day Treatment	Access(Q7-Q9)	11	11	100	NS	100
	Appropriateness (Q1-Q3)	11	11	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	11	11	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	4	80	NS	85
	Family Support Service (Y/N)(Q32)	10	5	50	NS	40
	Global(Q14-Q17)	11	11	100	NS	100
	Medication (Y/N) (Q28)	11	10	91	NS	89
	Medication Scale (Q28a-Q28e) ⁶	10	10	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	11	100	NS	97
	Participation (Q10-Q13)	11	11	100	NS	100
	Social Connectedness (Q23-Q27)	11	10	91	NS	89
Hillside Day Treatment at Clara Barton S	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	40
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	89
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	97
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89
Southern Tier Day Treatment Program	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	40
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	89
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	97
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89
Turning Point Program	Access(Q7-Q9)	5	5	100	NS	100
	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85
	Family Support Service (Y/N)(Q32)	5	1	20	-	40
	Global(Q14-Q17)	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q28)	5	5	100	+	89
	Medication Scale (Q28a-Q28e) ⁶	5	5	100	NS	100
	Outcomes/Functioning (Q18-Q22)	5	5	100	NS	97
	Participation (Q10-Q13)	5	5	100	NS	100
	Social Connectedness (Q23-Q27)	5	5	100	+	89
WNYCPC Day Treatment Center	Access(Q7-Q9)	5	5	100	NS	100
	Appropriateness (Q1-Q3)	5	5	100	NS	100
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85
	Family Support Service (Y/N)(Q32)	5	3	60	+	40
	Global(Q14-Q17)	5	5	100	NS	100
	Medication (Y/N) (Q28)	5	4	80	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	5	5	100	NS	97
	Participation (Q10-Q13)	5	5	100	NS	100
	Social Connectedness (Q23-Q27)	5	4	80	NS	89
Wayne Finger Lakes Day Treatment Prog	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	85
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	40
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	89
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	97
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
Day Treatment (Total)	565	1017	55.56
Day Treatment (Central New York)	49	54	90.74
Day Treatment (Hudson River)	66	192	34.38
Day Treatment (Long Island)	92	140	65.71
Day Treatment (New York City)	190	404	47.03
Day Treatment (Western New York)	168	227	74.01

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	565	534	95	NS	95
Appropriateness (Q1-Q3)	565	523	93	NS	92
Cultural (Q4-Q6)	565	525	93	-	95
Global(Q15)	558	488	87	NS	89
Medication (Y/N) (Q21)	550	474	86	+	84
Medication Scale (Q21a-Q21e) ⁶	467	366	78	-	83
Outcomes/Functioning (Q16-Q20a)	563	512	91	NS	90
Participation (Q11-Q14)	564	501	89	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	49	45	92	-	95
Appropriateness (Q1-Q3)	49	43	88	-	93
Cultural (Q4-Q6)	49	43	88	-	93
Global(Q15)	49	43	88	NS	87
Medication (Y/N) (Q21)	47	44	94	+	86
Medication Scale (Q21a-Q21e) ⁶	44	35	80	NS	78
Outcomes/Functioning (Q16-Q20a)	49	43	88	-	91
Participation (Q11-Q14)	49	43	88	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	66	63	95	NS	95
Appropriateness (Q1-Q3)	66	62	94	NS	93
Cultural (Q4-Q6)	66	62	94	NS	93
Global(Q15)	65	61	94	+	87
Medication (Y/N) (Q21)	64	49	77	-	86
Medication Scale (Q21a-Q21e) ⁶	47	42	89	+	78
Outcomes/Functioning (Q16-Q20a)	65	58	89	NS	91
Participation (Q11-Q14)	65	62	95	+	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	92	89	97	+	95
Appropriateness (Q1-Q3)	92	85	92	NS	93
Cultural (Q4-Q6)	92	88	96	+	93
Global(Q15)	91	82	90	NS	87
Medication (Y/N) (Q21)	90	85	94	+	86
Medication Scale (Q21a-Q21e) ⁶	85	70	82	+	78
Outcomes/Functioning (Q16-Q20a)	92	84	91	NS	91
Participation (Q11-Q14)	92	83	90	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	190	178	94	NS	95
Appropriateness (Q1-Q3)	190	179	94	NS	93
Cultural (Q4-Q6)	190	175	92	NS	93
Global(Q15)	187	159	85	NS	87
Medication (Y/N) (Q21)	184	148	80	-	86
Medication Scale (Q21a-Q21e) ⁶	144	111	77	NS	78
Outcomes/Functioning (Q16-Q20a)	190	178	94	+	91
Participation (Q11-Q14)	190	163	86	-	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Region Compared to Statewide Day Treatment Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	168	159	95	NS	95
Appropriateness (Q1-Q3)	168	154	92	NS	93
Cultural (Q4-Q6)	168	157	93	NS	93
Global(Q15)	166	143	86	NS	87
Medication (Y/N) (Q21)	165	148	90	+	86
Medication Scale (Q21a-Q21e) ⁶	147	108	73	-	78
Outcomes/Functioning (Q16-Q20a)	167	149	89	NS	91
Participation (Q11-Q14)	168	150	89	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Adolescent Day Treatment Program	Access(Q7-Q10)	13	12	92	NS	92
	Appropriateness (Q1-Q3)	13	11	85	NS	88
	Cultural (Q4-Q6)	13	12	92	NS	88
	Global(Q15)	13	11	85	NS	88
	Medication (Y/N) (Q21)	12	12	100	NS	94
	Medication Scale (Q21a-Q21e) ⁶	12	10	83	NS	80
	Outcomes/Functioning (Q16-Q20a)	13	12	92	NS	88
	Participation (Q11-Q14)	13	12	92	NS	88
Cortland Day Treatment Program	Access(Q7-Q10)	17	15	88	NS	92
	Appropriateness (Q1-Q3)	17	15	88	NS	88
	Cultural (Q4-Q6)	17	13	76	-	88
	Global(Q15)	17	15	88	NS	88
	Medication (Y/N) (Q21)	17	16	94	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	16	10	63	-	80
	Outcomes/Functioning (Q16-Q20a)	17	14	82	NS	88
	Participation (Q11-Q14)	17	14	82	NS	88
Ogdensburg Collaborative Day Treatment P	Access(Q7-Q10)	< 5	N/A	N/A	N/A	92
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	88
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	88
	Global(Q15)	< 5	N/A	N/A	N/A	88
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	80
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	88
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	88
Stepping Stones Day Treatment	Access(Q7-Q10)	18	17	94	NS	92
	Appropriateness (Q1-Q3)	18	16	89	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	18	17	94	NS	88
	Global(Q15)	18	16	89	NS	88
	Medication (Y/N) (Q21)	17	15	88	NS	94
	Medication Scale (Q21a-Q21e) ⁶	15	14	93	+	80
	Outcomes/Functioning (Q16-Q20a)	18	16	89	NS	88
	Participation (Q11-Q14)	18	16	89	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Alternative Education/Adolescent Day	Access(Q7-Q10)	36	35	97	NS	95
	Appropriateness (Q1-Q3)	36	35	97	NS	94
	Cultural (Q4-Q6)	36	35	97	NS	94
	Global(Q15)	35	32	91	NS	94
	Medication (Y/N) (Q21)	34	24	71	NS	77
	Medication Scale (Q21a-Q21e) ⁶	22	19	86	NS	89
	Outcomes/Functioning (Q16-Q20a)	35	32	91	NS	89
Intensive Day Treatment	Participation (Q11-Q14)	35	34	97	NS	95
	Access(Q7-Q10)	8	8	100	NS	95
	Appropriateness (Q1-Q3)	8	7	88	-	94
	Cultural (Q4-Q6)	8	8	100	+	94
	Global(Q15)	8	8	100	+	94
	Medication (Y/N) (Q21)	8	5	63	-	77

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	5	5	100	+	89
	Outcomes/Functioning (Q16-Q20a)	8	7	88	NS	89
	Participation (Q11-Q14)	8	8	100	NS	95
Orange Day Treatment	Access(Q7-Q10)	5	5	100	NS	95
	Appropriateness (Q1-Q3)	5	5	100	+	94
	Cultural (Q4-Q6)	5	5	100	+	94
	Global(Q15)	5	5	100	+	94
	Medication (Y/N) (Q21)	5	5	100	+	77
	Medication Scale (Q21a-Q21e) ⁶	5	5	100	+	89
	Outcomes/Functioning (Q16-Q20a)	5	5	100	+	89
	Participation (Q11-Q14)	5	5	100	NS	95
Southern Westchester Intensive Day T	Access(Q7-Q10)	10	10	100	NS	95
	Appropriateness (Q1-Q3)	10	10	100	+	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	10	9	90	NS	94
	Global(Q15)	10	10	100	+	94
	Medication (Y/N) (Q21)	10	10	100	+	77
	Medication Scale (Q21a-Q21e) ⁶	10	10	100	+	89
	Outcomes/Functioning (Q16-Q20a)	10	9	90	NS	89
	Participation (Q11-Q14)	10	10	100	NS	95
Sullivan Intensive Day Treatment	Access(Q7-Q10)	< 5	N/A	N/A	N/A	95
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	94
	Global(Q15)	< 5	N/A	N/A	N/A	94
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	77
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	89
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	95
The Astor Day Treatment Program - SA	Access(Q7-Q10)	5	3	60	-	95
	Appropriateness (Q1-Q3)	5	3	60	-	94
	Cultural (Q4-Q6)	5	3	60	-	94
	Global(Q15)	5	4	80	-	94
	Medication (Y/N) (Q21)	5	4	80	NS	77
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	89
	Outcomes/Functioning (Q16-Q20a)	5	3	60	-	89
	Participation (Q11-Q14)	5	3	60	-	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bellport Day Treatment Program	Access(Q7-Q10)	35	34	97	NS	97
	Appropriateness (Q1-Q3)	35	33	94	NS	92
	Cultural (Q4-Q6)	35	33	94	NS	96
	Global(Q15)	34	31	91	NS	90
	Medication (Y/N) (Q21)	35	32	91	NS	94
	Medication Scale (Q21a-Q21e) ⁶	32	25	78	NS	82
	Outcomes/Functioning (Q16-Q20a)	35	33	94	NS	91
	Participation (Q11-Q14)	35	34	97	+	90
	Intensive Day Treatment Program	Access(Q7-Q10)	5	5	100	NS
Appropriateness (Q1-Q3)		5	5	100	+	92
Cultural (Q4-Q6)		5	5	100	+	96
Global(Q15)		5	5	100	+	90
Medication (Y/N) (Q21)		5	5	100	+	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	5	4	80	NS	82
	Outcomes/Functioning (Q16-Q20a)	5	5	100	+	91
	Participation (Q11-Q14)	5	5	100	+	90
North Babylon Day Treatment Program	Access(Q7-Q10)	23	22	96	NS	97
	Appropriateness (Q1-Q3)	23	21	91	NS	92
	Cultural (Q4-Q6)	23	22	96	NS	96
	Global(Q15)	23	19	83	-	90
	Medication (Y/N) (Q21)	22	21	95	NS	94
	Medication Scale (Q21a-Q21e) ⁶	21	20	95	+	82
	Outcomes/Functioning (Q16-Q20a)	23	20	87	NS	91
	Participation (Q11-Q14)	23	19	83	-	90
Wantagh Day Treatment Program	Access(Q7-Q10)	29	28	97	NS	97
	Appropriateness (Q1-Q3)	29	26	90	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	29	28	97	NS	96
	Global(Q15)	29	27	93	NS	90
	Medication (Y/N) (Q21)	28	27	96	NS	94
	Medication Scale (Q21a-Q21e) ⁶	27	21	78	NS	82
	Outcomes/Functioning (Q16-Q20a)	29	26	90	NS	91
	Participation (Q11-Q14)	29	25	86	NS	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor Day Treatment Program - Byron/	Access(Q7-Q10)	32	30	94	NS	94
	Appropriateness (Q1-Q3)	32	27	84	-	94
	Cultural (Q4-Q6)	32	28	88	-	92
	Global(Q15)	30	23	77	-	85
	Medication (Y/N) (Q21)	31	24	77	NS	80
	Medication Scale (Q21a-Q21e) ⁶	22	15	68	-	77
	Outcomes/Functioning (Q16-Q20a)	32	29	91	NS	94
	Participation (Q11-Q14)	32	25	78	-	86
Bronx Lebanon Adolescent Day Treatme	Access(Q7-Q10)	13	13	100	+	94
	Appropriateness (Q1-Q3)	13	13	100	+	94
	Cultural (Q4-Q6)	13	12	92	NS	92
	Global(Q15)	13	11	85	NS	85
	Medication (Y/N) (Q21)	13	12	92	+	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	12	9	75	NS	77
	Outcomes/Functioning (Q16-Q20a)	13	11	85	-	94
	Participation (Q11-Q14)	13	12	92	+	86
Brooklyn Day Treatment Program	Access(Q7-Q10)	22	18	82	-	94
	Appropriateness (Q1-Q3)	22	21	95	NS	94
	Cultural (Q4-Q6)	22	19	86	-	92
	Global(Q15)	22	17	77	-	85
	Medication (Y/N) (Q21)	19	18	95	+	80
	Medication Scale (Q21a-Q21e) ⁶	18	13	72	NS	77
	Outcomes/Functioning (Q16-Q20a)	22	22	100	+	94
	Participation (Q11-Q14)	22	19	86	NS	86
Lifeline Center for Child Development	Access(Q7-Q10)	38	37	97	+	94
	Appropriateness (Q1-Q3)	38	36	95	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	38	34	89	NS	92
	Global(Q15)	37	30	81	NS	85
	Medication (Y/N) (Q21)	38	29	76	NS	80
	Medication Scale (Q21a-Q21e) ⁶	29	24	83	NS	77
	Outcomes/Functioning (Q16-Q20a)	38	37	97	+	94
	Participation (Q11-Q14)	38	36	95	+	86
Queens Upper School Day Treatment	Access(Q7-Q10)	6	5	83	-	94
	Appropriateness (Q1-Q3)	6	5	83	-	94
	Cultural (Q4-Q6)	6	4	67	-	92
	Global(Q15)	6	4	67	-	85
	Medication (Y/N) (Q21)	6	6	100	+	80
	Medication Scale (Q21a-Q21e) ⁶	5	2	40	-	77
	Outcomes/Functioning (Q16-Q20a)	6	3	50	-	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	6	4	67	-	86
South Beach Seaview Academy	Access(Q7-Q10)	23	22	96	NS	94
	Appropriateness (Q1-Q3)	23	23	100	+	94
	Cultural (Q4-Q6)	23	23	100	+	92
	Global(Q15)	23	22	96	+	85
	Medication (Y/N) (Q21)	23	19	83	NS	80
	Medication Scale (Q21a-Q21e) ⁶	19	18	95	+	77
	Outcomes/Functioning (Q16-Q20a)	23	22	96	NS	94
	Participation (Q11-Q14)	23	22	96	+	86
The League School	Access(Q7-Q10)	56	53	95	NS	94
	Appropriateness (Q1-Q3)	56	54	96	NS	94
	Cultural (Q4-Q6)	56	55	98	+	92
	Global(Q15)	56	52	93	+	85

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	54	40	74	-	80
	Medication Scale (Q21a-Q21e) ⁶	39	30	77	NS	77
	Outcomes/Functioning (Q16-Q20a)	56	54	96	NS	94
	Participation (Q11-Q14)	56	45	80	-	86

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Crestwood Campus Day Treatment	Access(Q7-Q10)	21	19	90	-	95
	Appropriateness (Q1-Q3)	21	18	86	-	92
	Cultural (Q4-Q6)	21	18	86	-	93
	Global(Q15)	21	17	81	NS	86
	Medication (Y/N) (Q21)	20	18	90	NS	90

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	18	10	56	-	73
	Outcomes/Functioning (Q16-Q20a)	21	17	81	-	89
	Participation (Q11-Q14)	21	19	90	NS	89
Halpern Education Center Day Treatme	Access(Q7-Q10)	59	55	93	NS	95
	Appropriateness (Q1-Q3)	59	53	90	NS	92
	Cultural (Q4-Q6)	59	54	92	NS	93
	Global(Q15)	58	51	88	NS	86
	Medication (Y/N) (Q21)	58	49	84	-	90
	Medication Scale (Q21a-Q21e) ⁶	48	39	81	+	73
	Outcomes/Functioning (Q16-Q20a)	59	53	90	NS	89
	Participation (Q11-Q14)	59	51	86	NS	89
Southern Tier Day Treatment Program	Access(Q7-Q10)	13	13	100	+	95
	Appropriateness (Q1-Q3)	13	13	100	+	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	13	13	100	+	93
	Global(Q15)	13	13	100	+	86
	Medication (Y/N) (Q21)	13	11	85	-	90
	Medication Scale (Q21a-Q21e) ⁶	11	11	100	+	73
	Outcomes/Functioning (Q16-Q20a)	13	13	100	+	89
	Participation (Q11-Q14)	13	12	92	NS	89
Turning Point Program	Access(Q7-Q10)	25	25	100	+	95
	Appropriateness (Q1-Q3)	25	24	96	+	92
	Cultural (Q4-Q6)	25	25	100	+	93
	Global(Q15)	25	21	84	NS	86
	Medication (Y/N) (Q21)	24	22	92	NS	90
	Medication Scale (Q21a-Q21e) ⁶	22	16	73	NS	73
	Outcomes/Functioning (Q16-Q20a)	25	22	88	NS	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Participation (Q11-Q14)	25	22	88	NS	89
WNYCPC Day Treatment Center	Access(Q7-Q10)	32	29	91	-	95
	Appropriateness (Q1-Q3)	32	28	88	NS	92
	Cultural (Q4-Q6)	32	30	94	NS	93
	Global(Q15)	31	25	81	-	86
	Medication (Y/N) (Q21)	32	30	94	NS	90
	Medication Scale (Q21a-Q21e) ⁶	30	19	63	-	73
	Outcomes/Functioning (Q16-Q20a)	31	26	84	-	89
	Participation (Q11-Q14)	32	28	88	NS	89
Wayne Finger Lakes Day Treatment Pro	Access(Q7-Q10)	18	18	100	+	95
	Appropriateness (Q1-Q3)	18	18	100	+	92
	Cultural (Q4-Q6)	18	17	94	NS	93
	Global(Q15)	18	16	89	NS	86

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Day Treatment

Day Treatment Results by Program compared to Region Day Treatment Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication (Y/N) (Q21)	18	18	100	+	90
	Medication Scale (Q21a-Q21e) ⁶	18	13	72	NS	73
	Outcomes/Functioning (Q16-Q20a)	18	18	100	+	89
	Participation (Q11-Q14)	18	18	100	+	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Family Support Services - Children & Family (Total)	425	618	68.77
Family Support Services - Children & Family (Central New York)	62	73	84.93
Family Support Services - Children & Family (Hudson River)	102	183	55.74
Family Support Services - Children & Family (Long Island)	90	133	67.67
Family Support Services - Children & Family (New York City)	125	159	78.62
Family Support Services - Children & Family (Western New York)	46	70	65.71

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	411	397	97	NS	97
Appropriateness (Q1-Q3)	415	408	98	+	97
Cultural (Q4-Q6)	414	410	99	NS	99
FSS Scale (Q33,Q33a-Q33h) ⁷	319	312	98	+	95
Family Support Service (Y/N)(Q32)	411	321	78	+	58
Global(Q14-Q17)	405	393	97	NS	97
Medication (Y/N) (Q28)	416	281	68	-	80
Medication Scale (Q28a-Q28e) ⁶	281	273	97	NS	97
Outcomes/Functioning (Q18-Q22)	408	369	90	+	86
Participation (Q10-Q13)	407	400	98	NS	98
Social Connectedness (Q23-Q27)	411	383	93	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Region Compared to Statewide Family Support Services - Children & Family Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	60	59	98	NS	97
Appropriateness (Q1-Q3)	60	60	100	+	98
Cultural (Q4-Q6)	60	60	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	49	49	100	+	98
Family Support Service (Y/N)(Q32)	62	51	82	+	78
Global(Q14-Q17)	60	60	100	+	97
Medication (Y/N) (Q28)	62	46	74	+	68
Medication Scale (Q28a-Q28e) ⁶	46	46	100	+	97
Outcomes/Functioning (Q18-Q22)	59	51	86	-	90
Participation (Q10-Q13)	60	60	100	+	98
Social Connectedness (Q23-Q27)	60	55	92	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Region Compared to Statewide Family Support Services - Children & Family Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	102	100	98	NS	97
Appropriateness (Q1-Q3)	102	101	99	NS	98
Cultural (Q4-Q6)	102	102	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	53	51	96	NS	98
Family Support Service (Y/N)(Q32)	94	53	56	-	78
Global(Q14-Q17)	102	102	100	+	97
Medication (Y/N) (Q28)	102	79	77	+	68
Medication Scale (Q28a-Q28e) ⁶	79	79	100	+	97
Outcomes/Functioning (Q18-Q22)	102	90	88	NS	90
Participation (Q10-Q13)	102	101	99	NS	98
Social Connectedness (Q23-Q27)	100	93	93	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Region Compared to Statewide Family Support Services - Children & Family Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	85	83	98	NS	97
Appropriateness (Q1-Q3)	86	85	99	NS	98
Cultural (Q4-Q6)	86	86	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	74	73	99	NS	98
Family Support Service (Y/N)(Q32)	87	74	85	+	78
Global(Q14-Q17)	83	82	99	+	97
Medication (Y/N) (Q28)	86	49	57	-	68
Medication Scale (Q28a-Q28e) ⁶	49	48	98	NS	97
Outcomes/Functioning (Q18-Q22)	84	79	94	+	90
Participation (Q10-Q13)	84	83	99	NS	98
Social Connectedness (Q23-Q27)	86	85	99	+	93

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Region Compared to Statewide Family Support Services - Children & Family Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	118	111	94	-	97
Appropriateness (Q1-Q3)	121	116	96	-	98
Cultural (Q4-Q6)	120	116	97	-	99
FSS Scale (Q33,Q33a-Q33h) ⁷	105	102	97	NS	98
Family Support Service (Y/N)(Q32)	123	105	85	+	78
Global(Q14-Q17)	114	105	92	-	97
Medication (Y/N) (Q28)	120	67	56	-	68
Medication Scale (Q28a-Q28e) ⁶	67	60	90	-	97
Outcomes/Functioning (Q18-Q22)	117	106	91	NS	90
Participation (Q10-Q13)	115	110	96	-	98
Social Connectedness (Q23-Q27)	119	109	92	NS	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Region Compared to Statewide Family Support Services - Children & Family Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	46	44	96	NS	97
Appropriateness (Q1-Q3)	46	46	100	+	98
Cultural (Q4-Q6)	46	46	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	38	37	97	NS	98
Family Support Service (Y/N)(Q32)	45	38	84	+	78
Global(Q14-Q17)	46	44	96	NS	97
Medication (Y/N) (Q28)	46	40	87	+	68
Medication Scale (Q28a-Q28e) ⁶	40	40	100	+	97
Outcomes/Functioning (Q18-Q22)	46	43	93	+	90
Participation (Q10-Q13)	46	46	100	+	98
Social Connectedness (Q23-Q27)	46	41	89	-	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Consumer Services of Madison County	Access(Q7-Q9)	12	12	100	NS	98
	Appropriateness (Q1-Q3)	12	12	100	NS	100
	Cultural (Q4-Q6)	12	12	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	12	4	33	-	82
	Global(Q14-Q17)	12	12	100	NS	100
	Medication (Y/N) (Q28)	12	11	92	+	74
	Medication Scale (Q28a-Q28e) ⁶	11	11	100	NS	100
	Outcomes/Functioning (Q18-Q22)	12	10	83	NS	86
	Participation (Q10-Q13)	12	12	100	NS	100
	Social Connectedness (Q23-Q27)	12	11	92	NS	92
Coordinated Childrens Service Initiat	Access(Q7-Q9)	10	10	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	10	10	100	NS	100
	Cultural (Q4-Q6)	10	10	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	10	100	NS	100
	Family Support Service (Y/N)(Q32)	10	10	100	+	82
	Global(Q14-Q17)	10	10	100	NS	100
	Medication (Y/N) (Q28)	10	7	70	NS	74
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	100
	Outcomes/Functioning (Q18-Q22)	10	8	80	NS	86
	Participation (Q10-Q13)	10	10	100	NS	100
	Social Connectedness (Q23-Q27)	10	10	100	+	92
Family Support - Fulton County	Access(Q7-Q9)	5	5	100	NS	98
	Appropriateness (Q1-Q3)	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	100
	Family Support Service (Y/N)(Q32)	7	7	100	+	82
	Global(Q14-Q17)	5	5	100	NS	100
	Medication (Y/N) (Q28)	7	6	86	+	74
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	100
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	86
	Participation (Q10-Q13)	5	5	100	NS	100
	Social Connectedness (Q23-Q27)	5	4	80	-	92
Family Support Children & Youth	Access(Q7-Q9)	7	7	100	NS	98
	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	100
	Family Support Service (Y/N)(Q32)	7	6	86	NS	82
	Global(Q14-Q17)	7	7	100	NS	100
	Medication (Y/N) (Q28)	7	6	86	+	74
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	100
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	86
	Participation (Q10-Q13)	7	7	100	NS	100
	Social Connectedness (Q23-Q27)	7	6	86	NS	92
Family Support Services	Access(Q7-Q9)	15	14	93	-	98
	Appropriateness (Q1-Q3)	15	15	100	NS	100
	Cultural (Q4-Q6)	15	15	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	15	15	100	NS	100
	Family Support Service (Y/N)(Q32)	15	15	100	+	82
	Global(Q14-Q17)	15	15	100	NS	100
	Medication (Y/N) (Q28)	15	9	60	-	74
	Medication Scale (Q28a-Q28e) ⁶	9	9	100	NS	100
	Outcomes/Functioning (Q18-Q22)	14	14	100	+	86
	Participation (Q10-Q13)	15	15	100	NS	100
	Social Connectedness (Q23-Q27)	15	15	100	+	92
Jefferson County Family Support Servi	Access(Q7-Q9)	11	11	100	NS	98
	Appropriateness (Q1-Q3)	11	11	100	NS	100
	Cultural (Q4-Q6)	11	11	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	NS	100
	Family Support Service (Y/N)(Q32)	11	9	82	NS	82
	Global(Q14-Q17)	11	11	100	NS	100
	Medication (Y/N) (Q28)	11	7	64	NS	74
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	86
	Participation (Q10-Q13)	11	11	100	NS	100
	Social Connectedness (Q23-Q27)	11	9	82	-	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
CYFSS	Access(Q7-Q9)	27	27	100	NS	98
	Appropriateness (Q1-Q3)	27	27	100	NS	99
	Cultural (Q4-Q6)	27	27	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	16	15	94	NS	96
	Family Support Service (Y/N)(Q32)	25	16	64	NS	56
	Global(Q14-Q17)	27	27	100	NS	100
	Medication (Y/N) (Q28)	27	17	63	-	77
	Medication Scale (Q28a-Q28e) ⁶	17	17	100	NS	100
	Outcomes/Functioning (Q18-Q22)	27	23	85	NS	88
	Participation (Q10-Q13)	27	27	100	NS	99
	Social Connectedness (Q23-Q27)	27	24	89	NS	93
Family Support & Respite Program	Access(Q7-Q9)	37	37	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	37	37	100	NS	99
	Cultural (Q4-Q6)	37	37	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	19	19	100	NS	96
	Family Support Service (Y/N)(Q32)	33	19	58	NS	56
	Global(Q14-Q17)	37	37	100	NS	100
	Medication (Y/N) (Q28)	37	34	92	+	77
	Medication Scale (Q28a-Q28e) ⁶	34	34	100	NS	100
	Outcomes/Functioning (Q18-Q22)	37	34	92	NS	88
	Participation (Q10-Q13)	37	37	100	NS	99
	Social Connectedness (Q23-Q27)	35	32	91	NS	93
Family Support Services	Access(Q7-Q9)	11	11	100	NS	98
	Appropriateness (Q1-Q3)	11	11	100	NS	99

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	11	11	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	11	11	100	NS	96
	Family Support Service (Y/N)(Q32)	11	11	100	+	56
	Global(Q14-Q17)	11	11	100	NS	100
	Medication (Y/N) (Q28)	11	8	73	NS	77
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	88
	Participation (Q10-Q13)	11	11	100	NS	99
	Social Connectedness (Q23-Q27)	11	11	100	+	93
OMH - Family Support	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	56
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	77
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	88
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	93
Respite	Access(Q7-Q9)	11	10	91	-	98
	Appropriateness (Q1-Q3)	11	10	91	-	99
	Cultural (Q4-Q6)	11	11	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	11	4	36	-	56
	Global(Q14-Q17)	11	11	100	NS	100
	Medication (Y/N) (Q28)	11	6	55	-	77
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	100
	Outcomes/Functioning (Q18-Q22)	11	10	91	NS	88
	Participation (Q10-Q13)	11	10	91	-	99
	Social Connectedness (Q23-Q27)	11	10	91	NS	93
St. Catherine's Center, FSS-Children	Access(Q7-Q9)	15	14	93	-	98
	Appropriateness (Q1-Q3)	15	15	100	NS	99
	Cultural (Q4-Q6)	15	15	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	13	2	15	-	56
	Global(Q14-Q17)	15	15	100	NS	100
	Medication (Y/N) (Q28)	15	13	87	+	77
	Medication Scale (Q28a-Q28e) ⁶	13	13	100	NS	100
	Outcomes/Functioning (Q18-Q22)	15	12	80	-	88
	Participation (Q10-Q13)	15	15	100	NS	99
	Social Connectedness (Q23-Q27)	15	15	100	+	93

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Community Support Prgms-C&F	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	99
	Family Support Service (Y/N)(Q32)	5	3	60	-	85
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	99
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	57
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	98
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	99
FEGS Family Support Services	Access(Q7-Q9)	19	19	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	19	19	100	NS	99
	Cultural (Q4-Q6)	19	19	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	14	14	100	NS	99
	Family Support Service (Y/N)(Q32)	19	14	74	-	85
	Global(Q14-Q17)	19	19	100	NS	99
	Medication (Y/N) (Q28)	19	17	89	+	57
	Medication Scale (Q28a-Q28e) ⁶	17	16	94	NS	98
	Outcomes/Functioning (Q18-Q22)	19	18	95	NS	94
	Participation (Q10-Q13)	19	19	100	NS	99
	Social Connectedness (Q23-Q27)	19	19	100	NS	99
Family Advocate Program	Access(Q7-Q9)	< 5	N/A	N/A	N/A	98
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	99
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	85
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	99
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	57
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	98
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	94
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	99
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	99
Family Support C&Y	Access(Q7-Q9)	13	12	92	-	98
	Appropriateness (Q1-Q3)	13	12	92	-	99
	Cultural (Q4-Q6)	13	13	100	NS	100

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	9	9	100	NS	99
	Family Support Service (Y/N)(Q32)	11	9	82	NS	85
	Global(Q14-Q17)	12	12	100	NS	99
	Medication (Y/N) (Q28)	13	12	92	+	57
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	NS	98
	Outcomes/Functioning (Q18-Q22)	13	11	85	-	94
	Participation (Q10-Q13)	13	13	100	NS	99
	Social Connectedness (Q23-Q27)	13	13	100	NS	99
Hispanic Counseling Center, Inc.	Access(Q7-Q9)	39	39	100	NS	98
	Appropriateness (Q1-Q3)	39	39	100	NS	99
	Cultural (Q4-Q6)	39	39	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	38	38	100	NS	99
	Family Support Service (Y/N)(Q32)	39	38	97	+	85
	Global(Q14-Q17)	39	39	100	NS	99
	Medication (Y/N) (Q28)	39	9	23	-	57
	Medication Scale (Q28a-Q28e) ⁶	9	9	100	NS	98
	Outcomes/Functioning (Q18-Q22)	39	39	100	+	94
	Participation (Q10-Q13)	39	39	100	NS	99
	Social Connectedness (Q23-Q27)	39	39	100	NS	99
Parent to Parent	Access(Q7-Q9)	9	8	89	-	98
	Appropriateness (Q1-Q3)	9	9	100	NS	99
	Cultural (Q4-Q6)	9	9	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	8	100	NS	99
	Family Support Service (Y/N)(Q32)	10	8	80	NS	85
	Global(Q14-Q17)	8	7	88	-	99
	Medication (Y/N) (Q28)	10	8	80	+	57
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	98
	Outcomes/Functioning (Q18-Q22)	8	7	88	-	94
	Participation (Q10-Q13)	8	7	88	-	99
	Social Connectedness (Q23-Q27)	10	10	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family Resource Center	Access(Q7-Q9)	34	34	100	+	94
	Appropriateness (Q1-Q3)	35	35	100	+	96
	Cultural (Q4-Q6)	35	35	100	+	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	33	33	100	NS	97
	Family Support Service (Y/N)(Q32)	36	33	92	NS	85
	Global(Q14-Q17)	32	32	100	+	92
	Medication (Y/N) (Q28)	36	24	67	+	56
	Medication Scale (Q28a-Q28e) ⁶	24	22	92	NS	90
	Outcomes/Functioning (Q18-Q22)	34	32	94	NS	91
	Participation (Q10-Q13)	34	34	100	+	96
	Social Connectedness (Q23-Q27)	35	33	94	NS	92
Family Resource Center - Manhattan Zo	Access(Q7-Q9)	26	23	88	-	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	26	24	92	NS	96
	Cultural (Q4-Q6)	26	23	88	-	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	22	21	95	NS	97
	Family Support Service (Y/N)(Q32)	26	22	85	NS	85
	Global(Q14-Q17)	25	22	88	NS	92
	Medication (Y/N) (Q28)	25	17	68	+	56
	Medication Scale (Q28a-Q28e) ⁶	17	15	88	NS	90
	Outcomes/Functioning (Q18-Q22)	26	23	88	NS	91
	Participation (Q10-Q13)	26	23	88	-	96
	Social Connectedness (Q23-Q27)	26	23	88	NS	92
Family Resource Center - Queens Zone	Access(Q7-Q9)	43	40	93	NS	94
	Appropriateness (Q1-Q3)	45	42	93	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	44	43	98	NS	97
	FSS Scale (Q33,Q33a-Q33h) ⁷	35	33	94	NS	97
	Family Support Service (Y/N)(Q32)	44	35	80	NS	85
	Global(Q14-Q17)	42	36	86	-	92
	Medication (Y/N) (Q28)	43	19	44	-	56
	Medication Scale (Q28a-Q28e) ⁶	19	16	84	NS	90
	Outcomes/Functioning (Q18-Q22)	42	37	88	NS	91
	Participation (Q10-Q13)	41	39	95	NS	96
	Social Connectedness (Q23-Q27)	42	37	88	NS	92
Parent Resource Center	Access(Q7-Q9)	15	14	93	NS	94
	Appropriateness (Q1-Q3)	15	15	100	+	96
	Cultural (Q4-Q6)	15	15	100	+	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	15	15	100	NS	97
	Family Support Service (Y/N)(Q32)	17	15	88	NS	85
	Global(Q14-Q17)	15	15	100	+	92
	Medication (Y/N) (Q28)	16	7	44	-	56
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	+	90
	Outcomes/Functioning (Q18-Q22)	15	14	93	NS	91
	Participation (Q10-Q13)	14	14	100	+	96
	Social Connectedness (Q23-Q27)	16	16	100	+	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Children & Families	Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	97
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	84
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	96
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	87
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	93
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	89
Family Support Services	Access(Q7-Q9)	15	14	93	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	15	15	100	NS	100
	Cultural (Q4-Q6)	15	15	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	14	14	100	NS	97
	Family Support Service (Y/N)(Q32)	15	14	93	NS	84
	Global(Q14-Q17)	15	14	93	NS	96
	Medication (Y/N) (Q28)	15	13	87	NS	87
	Medication Scale (Q28a-Q28e) ⁶	13	13	100	NS	100
	Outcomes/Functioning (Q18-Q22)	15	15	100	NS	93
	Participation (Q10-Q13)	15	15	100	NS	100
	Social Connectedness (Q23-Q27)	15	14	93	NS	89
Finger Lakes Parent Network - Chemung	Access(Q7-Q9)	14	14	100	NS	96
	Appropriateness (Q1-Q3)	14	14	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	14	14	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	14	14	100	NS	97
	Family Support Service (Y/N)(Q32)	14	14	100	+	84
	Global(Q14-Q17)	14	14	100	NS	96
	Medication (Y/N) (Q28)	14	12	86	NS	87
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	NS	100
	Outcomes/Functioning (Q18-Q22)	14	14	100	NS	93
	Participation (Q10-Q13)	14	14	100	NS	100
	Social Connectedness (Q23-Q27)	14	14	100	+	89
Finger Lakes Parent Network - Steuben	Access(Q7-Q9)	6	6	100	NS	96
	Appropriateness (Q1-Q3)	6	6	100	NS	100
	Cultural (Q4-Q6)	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	97
	Family Support Service (Y/N)(Q32)	5	2	40	-	84
	Global(Q14-Q17)	6	6	100	NS	96
	Medication (Y/N) (Q28)	6	6	100	+	87
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	100
	Outcomes/Functioning (Q18-Q22)	6	6	100	NS	93
	Participation (Q10-Q13)	6	6	100	NS	100
	Social Connectedness (Q23-Q27)	6	6	100	+	89
GLOW Family Support - Orleans County	Access(Q7-Q9)	7	6	86	-	96
	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Family Support Services - Children & Family Results by Program compared to Region Family Support Services - Children & Family Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	5	83	-	97
	Family Support Service (Y/N)(Q32)	7	6	86	NS	84
	Global(Q14-Q17)	7	7	100	NS	96
	Medication (Y/N) (Q28)	7	5	71	-	87
	Medication Scale (Q28a-Q28e) ⁶	5	5	100	NS	100
	Outcomes/Functioning (Q18-Q22)	7	6	86	-	93
	Participation (Q10-Q13)	7	7	100	NS	100
	Social Connectedness (Q23-Q27)	7	5	71	-	89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Family Support Services - Children & Family

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
HCBS Waiver Individualized Care Coordination (Total)	783	1223	64.02
HCBS Waiver Individualized Care Coordination (Central New York)	142	215	66.05
HCBS Waiver Individualized Care Coordination (Hudson River)	138	235	58.72
HCBS Waiver Individualized Care Coordination (Long Island)	160	170	94.12
HCBS Waiver Individualized Care Coordination (New York City)	177	344	51.45
HCBS Waiver Individualized Care Coordination (Western New York)	166	259	64.09

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	783	765	98	+	97
Appropriateness (Q1-Q3)	783	768	98	+	97
Cultural (Q4-Q6)	783	781	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	523	497	95	NS	95
Family Support Service (Y/N)(Q32)	751	524	70	+	58
Global(Q14-Q17)	780	760	97	NS	97
Medication (Y/N) (Q28)	776	700	90	+	80
Medication Scale (Q28a-Q28e) ⁶	700	677	97	NS	97
Outcomes/Functioning (Q18-Q22)	779	636	82	-	86
Participation (Q10-Q13)	782	775	99	+	98
Social Connectedness (Q23-Q27)	779	674	87	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	142	139	98	NS	98
Appropriateness (Q1-Q3)	142	136	96	-	98
Cultural (Q4-Q6)	142	141	99	-	100
FSS Scale (Q33,Q33a-Q33h) ⁷	91	84	92	-	95
Family Support Service (Y/N)(Q32)	140	91	65	-	70
Global(Q14-Q17)	141	137	97	NS	97
Medication (Y/N) (Q28)	139	129	93	+	90
Medication Scale (Q28a-Q28e) ⁶	129	127	98	+	97
Outcomes/Functioning (Q18-Q22)	141	110	78	-	82
Participation (Q10-Q13)	141	140	99	NS	99
Social Connectedness (Q23-Q27)	140	115	82	-	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	138	133	96	-	98
Appropriateness (Q1-Q3)	138	136	99	NS	98
Cultural (Q4-Q6)	138	138	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	75	72	96	NS	95
Family Support Service (Y/N)(Q32)	130	75	58	-	70
Global(Q14-Q17)	137	131	96	-	97
Medication (Y/N) (Q28)	136	128	94	+	90
Medication Scale (Q28a-Q28e) ⁶	128	124	97	NS	97
Outcomes/Functioning (Q18-Q22)	137	111	81	NS	82
Participation (Q10-Q13)	138	138	100	+	99
Social Connectedness (Q23-Q27)	137	121	88	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	160	157	98	NS	98
Appropriateness (Q1-Q3)	160	159	99	+	98
Cultural (Q4-Q6)	160	160	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	122	117	96	NS	95
Family Support Service (Y/N)(Q32)	153	122	80	+	70
Global(Q14-Q17)	159	158	99	+	97
Medication (Y/N) (Q28)	160	150	94	+	90
Medication Scale (Q28a-Q28e) ⁶	150	148	99	+	97
Outcomes/Functioning (Q18-Q22)	160	135	84	+	82
Participation (Q10-Q13)	160	160	100	+	99
Social Connectedness (Q23-Q27)	160	145	91	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	177	173	98	NS	98
Appropriateness (Q1-Q3)	177	174	98	NS	98
Cultural (Q4-Q6)	177	176	99	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	102	96	94	NS	95
Family Support Service (Y/N)(Q32)	168	102	61	-	70
Global(Q14-Q17)	177	171	97	NS	97
Medication (Y/N) (Q28)	176	148	84	-	90
Medication Scale (Q28a-Q28e) ⁶	148	136	92	-	97
Outcomes/Functioning (Q18-Q22)	177	145	82	NS	82
Participation (Q10-Q13)	177	171	97	-	99
Social Connectedness (Q23-Q27)	177	153	86	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	166	163	98	NS	98
Appropriateness (Q1-Q3)	166	163	98	NS	98
Cultural (Q4-Q6)	166	166	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	133	128	96	NS	95
Family Support Service (Y/N)(Q32)	160	134	84	+	70
Global(Q14-Q17)	166	163	98	NS	97
Medication (Y/N) (Q28)	165	145	88	-	90
Medication Scale (Q28a-Q28e) ⁶	145	142	98	NS	97
Outcomes/Functioning (Q18-Q22)	164	135	82	NS	82
Participation (Q10-Q13)	166	166	100	+	99
Social Connectedness (Q23-Q27)	165	140	85	NS	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
BHSN - HCBW Services	Access(Q7-Q9)	12	12	100	NS	98
	Appropriateness (Q1-Q3)	12	12	100	+	96
	Cultural (Q4-Q6)	12	12	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	9	9	100	+	92
	Family Support Service (Y/N)(Q32)	12	9	75	+	65
	Global(Q14-Q17)	12	12	100	+	97
	Medication (Y/N) (Q28)	12	12	100	+	93
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	NS	98
	Outcomes/Functioning (Q18-Q22)	12	9	75	NS	78
	Participation (Q10-Q13)	12	12	100	NS	99
C.C. Broome - HCBW Services	Social Connectedness (Q23-Q27)	12	10	83	NS	82
	Access(Q7-Q9)	24	24	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	24	23	96	NS	96
	Cultural (Q4-Q6)	24	24	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	21	20	95	NS	92
	Family Support Service (Y/N)(Q32)	24	21	88	+	65
	Global(Q14-Q17)	24	24	100	+	97
	Medication (Y/N) (Q28)	24	24	100	+	93
	Medication Scale (Q28a-Q28e) ⁶	24	23	96	-	98
	Outcomes/Functioning (Q18-Q22)	24	20	83	NS	78
	Participation (Q10-Q13)	24	24	100	NS	99
	Social Connectedness (Q23-Q27)	24	20	83	NS	82
Citizens Advocate - HCBW Services	Access(Q7-Q9)	7	7	100	NS	98
	Appropriateness (Q1-Q3)	7	7	100	+	96

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	7	7	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	92
	Family Support Service (Y/N)(Q32)	7	4	57	NS	65
	Global(Q14-Q17)	7	7	100	+	97
	Medication (Y/N) (Q28)	7	6	86	-	93
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	98
	Outcomes/Functioning (Q18-Q22)	7	6	86	+	78
	Participation (Q10-Q13)	7	7	100	NS	99
	Social Connectedness (Q23-Q27)	7	6	86	NS	82
Families First in Essex County - HCBW	Access(Q7-Q9)	18	18	100	NS	98
	Appropriateness (Q1-Q3)	18	18	100	+	96
	Cultural (Q4-Q6)	18	18	100	NS	99

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	13	12	92	NS	92
	Family Support Service (Y/N)(Q32)	18	13	72	NS	65
	Global(Q14-Q17)	18	18	100	+	97
	Medication (Y/N) (Q28)	18	16	89	NS	93
	Medication Scale (Q28a-Q28e) ⁶	16	16	100	NS	98
	Outcomes/Functioning (Q18-Q22)	18	16	89	+	78
	Participation (Q10-Q13)	18	18	100	NS	99
	Social Connectedness (Q23-Q27)	18	16	89	+	82
Hillside CENTRAL - HCBW Services	Access(Q7-Q9)	9	8	89	-	98
	Appropriateness (Q1-Q3)	9	8	89	-	96
	Cultural (Q4-Q6)	9	9	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	+	92
	Family Support Service (Y/N)(Q32)	9	5	56	-	65
	Global(Q14-Q17)	9	9	100	+	97
	Medication (Y/N) (Q28)	9	8	89	NS	93
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	7	78	NS	78
	Participation (Q10-Q13)	9	9	100	NS	99
	Social Connectedness (Q23-Q27)	9	6	67	-	82
Liberty Resources - HCBW Services	Access(Q7-Q9)	9	9	100	NS	98
	Appropriateness (Q1-Q3)	9	8	89	-	96
	Cultural (Q4-Q6)	9	9	100	NS	99

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	+	92
	Family Support Service (Y/N)(Q32)	9	5	56	-	65
	Global(Q14-Q17)	9	8	89	-	97
	Medication (Y/N) (Q28)	9	8	89	NS	93
	Medication Scale (Q28a-Q28e) ⁶	8	8	100	NS	98
	Outcomes/Functioning (Q18-Q22)	9	7	78	NS	78
	Participation (Q10-Q13)	9	9	100	NS	99
	Social Connectedness (Q23-Q27)	9	9	100	+	82
MHA Ulster - HCBW Services	Access(Q7-Q9)	20	19	95	-	98
	Appropriateness (Q1-Q3)	20	19	95	NS	96
	Cultural (Q4-Q6)	20	19	95	-	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	92
	Family Support Service (Y/N)(Q32)	20	4	20	-	65
	Global(Q14-Q17)	20	19	95	NS	97
	Medication (Y/N) (Q28)	20	18	90	NS	93
	Medication Scale (Q28a-Q28e) ⁶	18	17	94	-	98
	Outcomes/Functioning (Q18-Q22)	20	18	90	+	78
	Participation (Q10-Q13)	20	19	95	-	99
	Social Connectedness (Q23-Q27)	20	17	85	NS	82
NCTLS - HCBW Services	Access(Q7-Q9)	31	30	97	NS	98
	Appropriateness (Q1-Q3)	31	29	94	NS	96
	Cultural (Q4-Q6)	31	31	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	20	16	80	-	92
	Family Support Service (Y/N)(Q32)	29	20	69	NS	65
	Global(Q14-Q17)	30	28	93	-	97
	Medication (Y/N) (Q28)	29	26	90	NS	93
	Medication Scale (Q28a-Q28e) ⁶	26	26	100	NS	98
	Outcomes/Functioning (Q18-Q22)	30	18	60	-	78
	Participation (Q10-Q13)	30	30	100	NS	99
	Social Connectedness (Q23-Q27)	29	20	69	-	82
Parsons - HCBW Services	Access(Q7-Q9)	12	12	100	NS	98
	Appropriateness (Q1-Q3)	12	12	100	+	96
	Cultural (Q4-Q6)	12	12	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	9	90	NS	92
	Family Support Service (Y/N)(Q32)	12	10	83	+	65
	Global(Q14-Q17)	12	12	100	+	97
	Medication (Y/N) (Q28)	11	11	100	+	93
	Medication Scale (Q28a-Q28e) ⁶	11	11	100	NS	98
	Outcomes/Functioning (Q18-Q22)	12	9	75	NS	78
	Participation (Q10-Q13)	12	12	100	NS	99
	Social Connectedness (Q23-Q27)	12	11	92	+	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor - HCBW Services	Access(Q7-Q9)	5	5	100	+	96
	Appropriateness (Q1-Q3)	5	5	100	NS	99
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	5	4	80	+	58
	Global(Q14-Q17)	5	5	100	+	96
	Medication (Y/N) (Q28)	5	4	80	-	94
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	5	3	60	-	81
	Participation (Q10-Q13)	5	5	100	NS	100
	Social Connectedness (Q23-Q27)	5	4	80	-	88
Green Chimneys - HCBW Services	Access(Q7-Q9)	6	6	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	6	6	100	NS	99
	Cultural (Q4-Q6)	6	6	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	6	4	67	+	58
	Global(Q14-Q17)	6	6	100	+	96
	Medication (Y/N) (Q28)	6	4	67	-	94
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	6	6	100	+	81
	Participation (Q10-Q13)	6	6	100	NS	100
	Social Connectedness (Q23-Q27)	6	6	100	+	88
MHA Ulster - HCBW Services	Access(Q7-Q9)	12	11	92	-	96
	Appropriateness (Q1-Q3)	12	12	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	12	12	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	7	7	100	NS	96
	Family Support Service (Y/N)(Q32)	11	7	64	NS	58
	Global(Q14-Q17)	12	11	92	-	96
	Medication (Y/N) (Q28)	12	12	100	+	94
	Medication Scale (Q28a-Q28e) ⁶	12	12	100	+	97
	Outcomes/Functioning (Q18-Q22)	12	10	83	NS	81
	Participation (Q10-Q13)	12	12	100	NS	100
	Social Connectedness (Q23-Q27)	12	11	92	NS	88
MHA Westchester - HCBW Services	Access(Q7-Q9)	12	11	92	-	96
	Appropriateness (Q1-Q3)	12	12	100	NS	99
	Cultural (Q4-Q6)	12	12	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	12	4	33	-	58
	Global(Q14-Q17)	12	12	100	+	96
	Medication (Y/N) (Q28)	12	11	92	NS	94
	Medication Scale (Q28a-Q28e) ⁶	11	11	100	+	97
	Outcomes/Functioning (Q18-Q22)	12	9	75	NS	81
	Participation (Q10-Q13)	12	12	100	NS	100
	Social Connectedness (Q23-Q27)	12	10	83	NS	88
Occupations (HCBS) Waiver Services	Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	99
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	58
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	96
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	94
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	81
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	88
Parsons - HCBW Services	Access(Q7-Q9)	76	73	96	NS	96
	Appropriateness (Q1-Q3)	76	75	99	NS	99
	Cultural (Q4-Q6)	76	76	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	40	38	95	NS	96
	Family Support Service (Y/N)(Q32)	72	40	56	NS	58
	Global(Q14-Q17)	76	74	97	NS	96
	Medication (Y/N) (Q28)	75	72	96	NS	94
	Medication Scale (Q28a-Q28e) ⁶	72	70	97	NS	97
	Outcomes/Functioning (Q18-Q22)	76	63	83	NS	81
	Participation (Q10-Q13)	76	76	100	NS	100
	Social Connectedness (Q23-Q27)	76	66	87	NS	88
St. Dominic's-Rockland - HCBW Service	Access(Q7-Q9)	14	14	100	+	96
	Appropriateness (Q1-Q3)	14	14	100	NS	99
	Cultural (Q4-Q6)	14	14	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	11	11	100	NS	96
	Family Support Service (Y/N)(Q32)	13	11	85	+	58
	Global(Q14-Q17)	13	11	85	-	96
	Medication (Y/N) (Q28)	13	13	100	+	94
	Medication Scale (Q28a-Q28e) ⁶	13	12	92	-	97
	Outcomes/Functioning (Q18-Q22)	13	12	92	+	81
	Participation (Q10-Q13)	14	14	100	NS	100
	Social Connectedness (Q23-Q27)	13	13	100	+	88
WJCS - HCBW Services	Access(Q7-Q9)	11	11	100	+	96
	Appropriateness (Q1-Q3)	11	10	91	-	99
	Cultural (Q4-Q6)	11	11	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	9	3	33	-	58
	Global(Q14-Q17)	11	10	91	-	96
	Medication (Y/N) (Q28)	11	10	91	NS	94
	Medication Scale (Q28a-Q28e) ⁶	10	9	90	-	97
	Outcomes/Functioning (Q18-Q22)	11	7	64	-	81
	Participation (Q10-Q13)	11	11	100	NS	100
	Social Connectedness (Q23-Q27)	11	10	91	NS	88

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family & Children - HCBW Services	Access(Q7-Q9)	64	62	97	NS	98
	Appropriateness (Q1-Q3)	64	64	100	NS	99
	Cultural (Q4-Q6)	64	64	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	48	45	94	NS	96
	Family Support Service (Y/N)(Q32)	61	48	79	NS	80
	Global(Q14-Q17)	63	63	100	NS	99
	Medication (Y/N) (Q28)	64	58	91	NS	94
	Medication Scale (Q28a-Q28e) ⁶	58	56	97	-	99
	Outcomes/Functioning (Q18-Q22)	64	49	77	-	84
	Participation (Q10-Q13)	64	64	100	NS	100
	Social Connectedness (Q23-Q27)	64	55	86	-	91
Family Service League-HCBS Waiver	Access(Q7-Q9)	7	7	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	7	7	100	NS	99
	Cultural (Q4-Q6)	7	7	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	7	7	100	+	96
	Family Support Service (Y/N)(Q32)	7	7	100	+	80
	Global(Q14-Q17)	7	7	100	NS	99
	Medication (Y/N) (Q28)	7	7	100	+	94
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	99
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	84
	Participation (Q10-Q13)	7	7	100	NS	100
	Social Connectedness (Q23-Q27)	7	7	100	+	91
Pederson-Krag - HCBW Services	Access(Q7-Q9)	89	88	99	NS	98
	Appropriateness (Q1-Q3)	89	88	99	NS	99

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	89	89	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	67	65	97	NS	96
	Family Support Service (Y/N)(Q32)	85	67	79	NS	80
	Global(Q14-Q17)	89	88	99	NS	99
	Medication (Y/N) (Q28)	89	85	96	NS	94
	Medication Scale (Q28a-Q28e) ⁶	85	85	100	NS	99
	Outcomes/Functioning (Q18-Q22)	89	80	90	NS	84
	Participation (Q10-Q13)	89	89	100	NS	100
	Social Connectedness (Q23-Q27)	89	83	93	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
JBFCS - HCBW Services	Access(Q7-Q9)	24	24	100	+	98
	Appropriateness (Q1-Q3)	24	24	100	NS	98
	Cultural (Q4-Q6)	24	24	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	21	21	100	+	94
	Family Support Service (Y/N)(Q32)	24	21	88	+	61
	Global(Q14-Q17)	24	24	100	+	97
	Medication (Y/N) (Q28)	24	17	71	-	84
	Medication Scale (Q28a-Q28e) ⁶	17	16	94	NS	92
	Outcomes/Functioning (Q18-Q22)	24	18	75	-	82
	Participation (Q10-Q13)	24	24	100	+	97
JCCA - HCBW Services	Social Connectedness (Q23-Q27)	24	19	79	-	86
	Access(Q7-Q9)	22	20	91	-	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	22	20	91	-	98
	Cultural (Q4-Q6)	22	22	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	8	5	63	-	94
	Family Support Service (Y/N)(Q32)	22	8	36	-	61
	Global(Q14-Q17)	22	18	82	-	97
	Medication (Y/N) (Q28)	22	15	68	-	84
	Medication Scale (Q28a-Q28e) ⁶	15	6	40	-	92
	Outcomes/Functioning (Q18-Q22)	22	14	64	-	82
	Participation (Q10-Q13)	22	18	82	-	97
	Social Connectedness (Q23-Q27)	22	13	59	-	86
SCO - HCBW Services	Access(Q7-Q9)	15	15	100	+	98
	Appropriateness (Q1-Q3)	15	15	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	15	15	100	NS	99
	FSS Scale (Q33,Q33a-Q33h) ⁷	11	11	100	+	94
	Family Support Service (Y/N)(Q32)	14	11	79	+	61
	Global(Q14-Q17)	15	15	100	+	97
	Medication (Y/N) (Q28)	15	13	87	NS	84
	Medication Scale (Q28a-Q28e) ⁶	13	13	100	+	92
	Outcomes/Functioning (Q18-Q22)	15	10	67	-	82
	Participation (Q10-Q13)	15	15	100	+	97
	Social Connectedness (Q23-Q27)	15	13	87	NS	86
St. Dominic's - HCBW Services	Access(Q7-Q9)	10	10	100	+	98
	Appropriateness (Q1-Q3)	10	10	100	NS	98
	Cultural (Q4-Q6)	10	10	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	5	83	-	94
	Family Support Service (Y/N)(Q32)	8	6	75	+	61
	Global(Q14-Q17)	10	9	90	-	97
	Medication (Y/N) (Q28)	10	10	100	+	84
	Medication Scale (Q28a-Q28e) ⁶	10	9	90	NS	92
	Outcomes/Functioning (Q18-Q22)	10	7	70	-	82
	Participation (Q10-Q13)	10	9	90	-	97
	Social Connectedness (Q23-Q27)	10	7	70	-	86
St. Luke's - HCBW Services	Access(Q7-Q9)	43	41	95	-	98
	Appropriateness (Q1-Q3)	43	42	98	NS	98
	Cultural (Q4-Q6)	43	42	98	-	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	21	20	95	NS	94
	Family Support Service (Y/N)(Q32)	38	21	55	NS	61
	Global(Q14-Q17)	43	42	98	NS	97
	Medication (Y/N) (Q28)	43	37	86	NS	84
	Medication Scale (Q28a-Q28e) ⁶	37	36	97	+	92
	Outcomes/Functioning (Q18-Q22)	43	40	93	+	82
	Participation (Q10-Q13)	43	42	98	NS	97
	Social Connectedness (Q23-Q27)	43	40	93	+	86
Steinway C&F - HCBW Services	Access(Q7-Q9)	45	45	100	+	98
	Appropriateness (Q1-Q3)	45	45	100	NS	98
	Cultural (Q4-Q6)	45	45	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	23	23	100	+	94
	Family Support Service (Y/N)(Q32)	44	23	52	-	61
	Global(Q14-Q17)	45	45	100	+	97
	Medication (Y/N) (Q28)	44	40	91	+	84
	Medication Scale (Q28a-Q28e) ⁶	40	40	100	+	92
	Outcomes/Functioning (Q18-Q22)	45	40	89	+	82
	Participation (Q10-Q13)	45	45	100	+	97
	Social Connectedness (Q23-Q27)	45	44	98	+	86
The Child Center - HCBW Services	Access(Q7-Q9)	18	18	100	+	98
	Appropriateness (Q1-Q3)	18	18	100	NS	98
	Cultural (Q4-Q6)	18	18	100	NS	99

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	12	11	92	NS	94
	Family Support Service (Y/N)(Q32)	18	12	67	NS	61
	Global(Q14-Q17)	18	18	100	+	97
	Medication (Y/N) (Q28)	18	16	89	NS	84
	Medication Scale (Q28a-Q28e) ⁶	16	16	100	+	92
	Outcomes/Functioning (Q18-Q22)	18	16	89	+	82
	Participation (Q10-Q13)	18	18	100	+	97
	Social Connectedness (Q23-Q27)	18	17	94	+	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family Erie - HCBW Services	Access(Q7-Q9)	29	28	97	NS	98
	Appropriateness (Q1-Q3)	29	29	100	NS	98
	Cultural (Q4-Q6)	29	29	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	15	15	100	+	96
	Family Support Service (Y/N)(Q32)	25	15	60	-	84
	Global(Q14-Q17)	29	29	100	NS	98
	Medication (Y/N) (Q28)	28	27	96	+	88
	Medication Scale (Q28a-Q28e) ⁶	27	25	93	-	98
	Outcomes/Functioning (Q18-Q22)	29	25	86	NS	82
	Participation (Q10-Q13)	29	29	100	NS	100
Hillside-Monroe - HCBW Services	Social Connectedness (Q23-Q27)	29	27	93	+	85
	Access(Q7-Q9)	42	42	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	42	41	98	NS	98
	Cultural (Q4-Q6)	42	42	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	41	41	100	+	96
	Family Support Service (Y/N)(Q32)	42	41	98	+	84
	Global(Q14-Q17)	42	41	98	NS	98
	Medication (Y/N) (Q28)	42	32	76	-	88
	Medication Scale (Q28a-Q28e) ⁶	32	32	100	NS	98
	Outcomes/Functioning (Q18-Q22)	42	36	86	NS	82
	Participation (Q10-Q13)	42	42	100	NS	100
	Social Connectedness (Q23-Q27)	42	34	81	NS	85
Hillside-NIGLO - HCBW Services	Access(Q7-Q9)	16	16	100	NS	98
	Appropriateness (Q1-Q3)	16	16	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	16	16	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	10	9	90	-	96
	Family Support Service (Y/N)(Q32)	15	10	67	-	84
	Global(Q14-Q17)	16	16	100	NS	98
	Medication (Y/N) (Q28)	16	15	94	+	88
	Medication Scale (Q28a-Q28e) ⁶	15	15	100	NS	98
	Outcomes/Functioning (Q18-Q22)	16	14	88	NS	82
	Participation (Q10-Q13)	16	16	100	NS	100
	Social Connectedness (Q23-Q27)	15	15	100	+	85
Mid-Erie Counseling - HCBW Services	Access(Q7-Q9)	16	16	100	NS	98
	Appropriateness (Q1-Q3)	16	16	100	NS	98
	Cultural (Q4-Q6)	16	16	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	14	14	100	+	96
	Family Support Service (Y/N)(Q32)	16	14	88	NS	84
	Global(Q14-Q17)	16	16	100	NS	98
	Medication (Y/N) (Q28)	16	14	88	NS	88
	Medication Scale (Q28a-Q28e) ⁶	14	14	100	NS	98
	Outcomes/Functioning (Q18-Q22)	16	16	100	+	82
	Participation (Q10-Q13)	16	16	100	NS	100
	Social Connectedness (Q23-Q27)	16	16	100	+	85
Pathways, Inc. - HCBW Services	Access(Q7-Q9)	43	42	98	NS	98
	Appropriateness (Q1-Q3)	43	41	95	-	98
	Cultural (Q4-Q6)	43	43	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	37	36	97	NS	96
	Family Support Service (Y/N)(Q32)	42	37	88	NS	84
	Global(Q14-Q17)	43	41	95	-	98
	Medication (Y/N) (Q28)	43	40	93	+	88
	Medication Scale (Q28a-Q28e) ⁶	40	39	98	NS	98
	Outcomes/Functioning (Q18-Q22)	41	33	80	NS	82
	Participation (Q10-Q13)	43	43	100	NS	100
	Social Connectedness (Q23-Q27)	43	33	77	-	85
Rehab Ctr - HCBW Services	Access(Q7-Q9)	6	5	83	-	98
	Appropriateness (Q1-Q3)	6	6	100	NS	98
	Cultural (Q4-Q6)	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	96
	Family Support Service (Y/N)(Q32)	6	3	50	-	84
	Global(Q14-Q17)	6	6	100	NS	98
	Medication (Y/N) (Q28)	6	6	100	+	88
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	98
	Outcomes/Functioning (Q18-Q22)	6	4	67	-	82
	Participation (Q10-Q13)	6	6	100	NS	100
	Social Connectedness (Q23-Q27)	6	5	83	NS	85
Villa of Hope - HCBS Services	Access(Q7-Q9)	14	14	100	NS	98
	Appropriateness (Q1-Q3)	14	14	100	NS	98
	Cultural (Q4-Q6)	14	14	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	13	10	77	-	96
	Family Support Service (Y/N)(Q32)	14	14	100	+	84
	Global(Q14-Q17)	14	14	100	NS	98
	Medication (Y/N) (Q28)	14	11	79	-	88
	Medication Scale (Q28a-Q28e) ⁶	11	11	100	NS	98
	Outcomes/Functioning (Q18-Q22)	14	7	50	-	82
	Participation (Q10-Q13)	14	14	100	NS	100
	Social Connectedness (Q23-Q27)	14	10	71	-	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
HCBS Waiver Individualized Care Coordination (Total)	318	433	73.44
HCBS Waiver Individualized Care Coordination (Central New York)	51	57	89.47
HCBS Waiver Individualized Care Coordination (Hudson River)	74	117	63.25
HCBS Waiver Individualized Care Coordination (Long Island)	128	147	87.07
HCBS Waiver Individualized Care Coordination (New York City)	29	63	46.03
HCBS Waiver Individualized Care Coordination (Western New York)	36	49	73.47

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	317	311	98	+	95
Appropriateness (Q1-Q3)	317	301	95	+	92
Cultural (Q4-Q6)	317	313	99	+	95
Global(Q15)	315	302	96	+	89
Medication (Y/N) (Q21)	318	286	90	+	84
Medication Scale (Q21a-Q21e) ⁶	286	237	83	NS	83
Outcomes/Functioning (Q16-Q20a)	317	287	91	NS	90
Participation (Q11-Q14)	317	304	96	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	50	49	98	NS	98
Appropriateness (Q1-Q3)	50	46	92	-	95
Cultural (Q4-Q6)	50	49	98	NS	99
Global(Q15)	50	45	90	-	96
Medication (Y/N) (Q21)	51	50	98	+	90
Medication Scale (Q21a-Q21e) ⁶	50	44	88	+	83
Outcomes/Functioning (Q16-Q20a)	50	42	84	-	91
Participation (Q11-Q14)	50	49	98	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	74	74	100	+	98
Appropriateness (Q1-Q3)	74	71	96	NS	95
Cultural (Q4-Q6)	74	73	99	NS	99
Global(Q15)	74	72	97	NS	96
Medication (Y/N) (Q21)	74	67	91	NS	90
Medication Scale (Q21a-Q21e) ⁶	67	56	84	NS	83
Outcomes/Functioning (Q16-Q20a)	74	66	89	NS	91
Participation (Q11-Q14)	74	70	95	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	128	125	98	NS	98
Appropriateness (Q1-Q3)	128	122	95	NS	95
Cultural (Q4-Q6)	128	126	98	NS	99
Global(Q15)	127	124	98	NS	96
Medication (Y/N) (Q21)	128	117	91	NS	90
Medication Scale (Q21a-Q21e) ⁶	117	93	79	NS	83
Outcomes/Functioning (Q16-Q20a)	128	120	94	NS	91
Participation (Q11-Q14)	128	121	95	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	29	28	97	-	98
Appropriateness (Q1-Q3)	29	29	100	+	95
Cultural (Q4-Q6)	29	29	100	+	99
Global(Q15)	29	27	93	-	96
Medication (Y/N) (Q21)	29	23	79	-	90
Medication Scale (Q21a-Q21e) ⁶	23	16	70	-	83
Outcomes/Functioning (Q16-Q20a)	29	26	90	NS	91
Participation (Q11-Q14)	29	29	100	+	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Region Compared to Statewide HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	36	35	97	NS	98
Appropriateness (Q1-Q3)	36	33	92	-	95
Cultural (Q4-Q6)	36	36	100	+	99
Global(Q15)	35	34	97	NS	96
Medication (Y/N) (Q21)	36	29	81	-	90
Medication Scale (Q21a-Q21e) ⁶	29	28	97	+	83
Outcomes/Functioning (Q16-Q20a)	36	33	92	NS	91
Participation (Q11-Q14)	36	35	97	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
C.C. Broome - HCBW Services	Access(Q7-Q10)	11	11	100	NS	98
	Appropriateness (Q1-Q3)	11	10	91	NS	92
	Cultural (Q4-Q6)	11	11	100	NS	98
	Global(Q15)	11	10	91	NS	90
	Medication (Y/N) (Q21)	11	10	91	-	98
	Medication Scale (Q21a-Q21e) ⁶	10	10	100	+	88
	Outcomes/Functioning (Q16-Q20a)	11	7	64	-	84
	Participation (Q11-Q14)	11	11	100	NS	98
NCTLS - HCBW Services	Access(Q7-Q10)	29	28	97	NS	98
	Appropriateness (Q1-Q3)	29	26	90	NS	92
	Cultural (Q4-Q6)	29	28	97	NS	98
	Global(Q15)	29	25	86	NS	90
	Medication (Y/N) (Q21)	30	30	100	NS	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	30	27	90	NS	88
	Outcomes/Functioning (Q16-Q20a)	29	26	90	NS	84
	Participation (Q11-Q14)	29	29	100	NS	98
Parsons - HCBW Services	Access(Q7-Q10)	10	10	100	NS	98
	Appropriateness (Q1-Q3)	10	10	100	+	92
	Cultural (Q4-Q6)	10	10	100	NS	98
	Global(Q15)	10	10	100	+	90
	Medication (Y/N) (Q21)	10	10	100	NS	98
	Medication Scale (Q21a-Q21e) ⁶	10	7	70	-	88
	Outcomes/Functioning (Q16-Q20a)	10	9	90	NS	84
	Participation (Q11-Q14)	10	9	90	-	98

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Astor - HCBW Services	Access(Q7-Q10)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	96
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	99
	Global(Q15)	< 5	N/A	N/A	N/A	97
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	91
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	84
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	89
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	95
Green Chimneys - HCBW Services	Access(Q7-Q10)	6	6	100	NS	100
	Appropriateness (Q1-Q3)	6	5	83	-	96
	Cultural (Q4-Q6)	6	6	100	NS	99
	Global(Q15)	6	5	83	-	97
	Medication (Y/N) (Q21)	6	4	67	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	84
	Outcomes/Functioning (Q16-Q20a)	6	5	83	NS	89
	Participation (Q11-Q14)	6	6	100	+	95
Parsons - HCBW Services	Access(Q7-Q10)	65	65	100	NS	100
	Appropriateness (Q1-Q3)	65	63	97	NS	96
	Cultural (Q4-Q6)	65	64	98	NS	99
	Global(Q15)	65	64	98	NS	97
	Medication (Y/N) (Q21)	65	61	94	NS	91
	Medication Scale (Q21a-Q21e) ⁶	61	50	82	NS	84
	Outcomes/Functioning (Q16-Q20a)	65	58	89	NS	89
	Participation (Q11-Q14)	65	61	94	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Family & Children - HCBW Services	Access(Q7-Q10)	60	58	97	NS	98
	Appropriateness (Q1-Q3)	60	57	95	NS	95
	Cultural (Q4-Q6)	60	59	98	NS	98
	Global(Q15)	60	58	97	NS	98
	Medication (Y/N) (Q21)	60	55	92	NS	91
	Medication Scale (Q21a-Q21e) ⁶	55	49	89	+	79
	Outcomes/Functioning (Q16-Q20a)	60	56	93	NS	94
	Participation (Q11-Q14)	60	58	97	NS	95
Family Service League-HCBS Waiver	Access(Q7-Q10)	8	8	100	NS	98
	Appropriateness (Q1-Q3)	8	8	100	+	95
	Cultural (Q4-Q6)	8	8	100	NS	98
	Global(Q15)	8	8	100	NS	98
	Medication (Y/N) (Q21)	8	7	88	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	7	4	57	-	79
	Outcomes/Functioning (Q16-Q20a)	8	8	100	+	94
	Participation (Q11-Q14)	8	8	100	+	95
Pederson-Krag - HCBW Services	Access(Q7-Q10)	60	59	98	NS	98
	Appropriateness (Q1-Q3)	60	57	95	NS	95
	Cultural (Q4-Q6)	60	59	98	NS	98
	Global(Q15)	59	58	98	NS	98
	Medication (Y/N) (Q21)	60	55	92	NS	91
	Medication Scale (Q21a-Q21e) ⁶	55	40	73	NS	79
	Outcomes/Functioning (Q16-Q20a)	60	56	93	NS	94
	Participation (Q11-Q14)	60	55	92	NS	95

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
JBFCS - HCBW Services	Access(Q7-Q10)	16	16	100	NS	97
	Appropriateness (Q1-Q3)	16	16	100	NS	100
	Cultural (Q4-Q6)	16	16	100	NS	100
	Global(Q15)	16	15	94	NS	93
	Medication (Y/N) (Q21)	16	12	75	NS	79
	Medication Scale (Q21a-Q21e) ⁶	12	7	58	NS	70
	Outcomes/Functioning (Q16-Q20a)	16	15	94	NS	90
	Participation (Q11-Q14)	16	16	100	NS	100
	SCO - HCBW Services	Access(Q7-Q10)	13	12	92	NS
Appropriateness (Q1-Q3)		13	13	100	NS	100
Cultural (Q4-Q6)		13	13	100	NS	100
Global(Q15)		13	12	92	NS	93
Medication (Y/N) (Q21)		13	11	85	NS	79

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	11	9	82	NS	70
	Outcomes/Functioning (Q16-Q20a)	13	11	85	NS	90
	Participation (Q11-Q14)	13	13	100	NS	100

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Child & Family Erie - HCBW Services	Access(Q7-Q10)	23	23	100	NS	97
	Appropriateness (Q1-Q3)	23	22	96	NS	92
	Cultural (Q4-Q6)	23	23	100	NS	100
	Global(Q15)	22	21	95	NS	97
	Medication (Y/N) (Q21)	23	19	83	NS	81

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	19	18	95	NS	97
	Outcomes/Functioning (Q16-Q20a)	23	21	91	NS	92
	Participation (Q11-Q14)	23	23	100	NS	97
Hillside-NIGLO - HCBW Services	Access(Q7-Q10)	10	9	90	-	97
	Appropriateness (Q1-Q3)	10	9	90	NS	92
	Cultural (Q4-Q6)	10	10	100	NS	100
	Global(Q15)	10	10	100	NS	97
	Medication (Y/N) (Q21)	10	9	90	NS	81
	Medication Scale (Q21a-Q21e) ⁶	9	9	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	10	9	90	NS	92
	Participation (Q11-Q14)	10	10	100	NS	97
Villa of Hope - HCBS Services	Access(Q7-Q10)	< 5	N/A	N/A	N/A	97

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

HCBS Waiver Individualized Care Coordination

HCBS Waiver Individualized Care Coordination Results by Program compared to Region HCBS Waiver Individualized Care Coordination Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	Global(Q15)	< 5	N/A	N/A	N/A	97
	Medication (Y/N) (Q21)	< 5	N/A	N/A	N/A	81
	Medication Scale (Q21a-Q21e) ⁶	< 5	N/A	N/A	N/A	97
	Outcomes/Functioning (Q16-Q20a)	< 5	N/A	N/A	N/A	92
	Participation (Q11-Q14)	< 5	N/A	N/A	N/A	97

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Kids ACT

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Kids ACT (Total)	49	88	55.68
Kids ACT (Central New York)	49	88	55.68

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	49	47	96	-	97
Appropriateness (Q1-Q3)	49	48	98	NS	97
Cultural (Q4-Q6)	49	49	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	32	31	97	+	95
Family Support Service (Y/N)(Q32)	48	32	67	+	58
Global(Q14-Q17)	49	48	98	+	97
Medication (Y/N) (Q28)	49	47	96	+	80
Medication Scale (Q28a-Q28e) ⁶	46	46	100	+	97
Outcomes/Functioning (Q18-Q22)	49	41	84	-	86
Participation (Q10-Q13)	49	49	100	+	98
Social Connectedness (Q23-Q27)	49	46	94	+	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results by Region Compared to Statewide Kids ACT Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	49	47	96	NS	96
Appropriateness (Q1-Q3)	49	48	98	NS	98
Cultural (Q4-Q6)	49	49	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	32	31	97	NS	97
Family Support Service (Y/N)(Q32)	48	32	67	NS	67
Global(Q14-Q17)	49	48	98	NS	98
Medication (Y/N) (Q28)	49	47	96	NS	96
Medication Scale (Q28a-Q28e) ⁶	46	46	100	NS	100
Outcomes/Functioning (Q18-Q22)	49	41	84	NS	84
Participation (Q10-Q13)	49	49	100	NS	100
Social Connectedness (Q23-Q27)	49	46	94	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results by Program compared to Region Kids ACT Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Kids Oneida ACT Team	Access(Q7-Q9)	49	47	96	NS	96
	Appropriateness (Q1-Q3)	49	48	98	NS	98
	Cultural (Q4-Q6)	49	49	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	32	31	97	NS	97
	Family Support Service (Y/N)(Q32)	48	32	67	NS	67
	Global(Q14-Q17)	49	48	98	NS	98
	Medication (Y/N) (Q28)	49	47	96	NS	96
	Medication Scale (Q28a-Q28e) ⁶	46	46	100	NS	100
	Outcomes/Functioning (Q18-Q22)	49	41	84	NS	84
	Participation (Q10-Q13)	49	49	100	NS	100
	Social Connectedness (Q23-Q27)	49	46	94	NS	94

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Kids ACT

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
Kids ACT (Total)	26	88	29.55
Kids ACT (Central New York)	26	88	29.55

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	26	26	100	+	95
Appropriateness (Q1-Q3)	26	26	100	+	92
Cultural (Q4-Q6)	26	26	100	+	95
Global(Q15)	26	24	92	+	89
Medication (Y/N) (Q21)	26	24	92	+	84
Medication Scale (Q21a-Q21e) ⁶	24	24	100	+	83
Outcomes/Functioning (Q16-Q20a)	26	26	100	+	90
Participation (Q11-Q14)	26	25	96	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results by Region Compared to Statewide Kids ACT Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	26	26	100	NS	100
Appropriateness (Q1-Q3)	26	26	100	NS	100
Cultural (Q4-Q6)	26	26	100	NS	100
Global(Q15)	26	24	92	NS	92
Medication (Y/N) (Q21)	26	24	92	NS	92
Medication Scale (Q21a-Q21e) ⁶	24	24	100	NS	100
Outcomes/Functioning (Q16-Q20a)	26	26	100	NS	100
Participation (Q11-Q14)	26	25	96	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Kids ACT

Kids ACT Results by Program compared to Region Kids ACT Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Kids Oneida ACT Team	Access(Q7-Q10)	26	26	100	NS	100
	Appropriateness (Q1-Q3)	26	26	100	NS	100
	Cultural (Q4-Q6)	26	26	100	NS	100
	Global(Q15)	26	24	92	NS	92
	Medication (Y/N) (Q21)	26	24	92	NS	92
	Medication Scale (Q21a-Q21e) ⁶	24	24	100	NS	100
	Outcomes/Functioning (Q16-Q20a)	26	26	100	NS	100
	Participation (Q11-Q14)	26	25	96	NS	96

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
Residential Treatment Facility - Children & Youth (Total)	74	229	32.31
Residential Treatment Facility - Children & Youth (Central New York)	21	43	48.84
Residential Treatment Facility - Children & Youth (Hudson River)	13	49	26.53
Residential Treatment Facility - Children & Youth (Long Island)	1	9	11.11
Residential Treatment Facility - Children & Youth (New York City)	10	52	19.23
Residential Treatment Facility - Children & Youth (Western New York)	29	76	38.16

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	74	71	96	-	97
Appropriateness (Q1-Q3)	74	68	92	-	97
Cultural (Q4-Q6)	74	72	97	-	99
FSS Scale (Q33,Q33a-Q33h) ⁷	55	48	87	-	95
Family Support Service (Y/N)(Q32)	74	56	76	+	58
Global(Q14-Q17)	74	71	96	-	97
Medication (Y/N) (Q28)	74	72	97	+	80
Medication Scale (Q28a-Q28e) ⁶	72	68	94	-	97
Outcomes/Functioning (Q18-Q22)	74	57	77	-	86
Participation (Q10-Q13)	74	70	95	-	98
Social Connectedness (Q23-Q27)	71	61	86	-	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	21	21	100	NS	96
Appropriateness (Q1-Q3)	21	21	100	+	92
Cultural (Q4-Q6)	21	21	100	NS	97
FSS Scale (Q33,Q33a-Q33h) ⁷	14	13	93	NS	87
Family Support Service (Y/N)(Q32)	21	14	67	NS	76
Global(Q14-Q17)	21	21	100	NS	96
Medication (Y/N) (Q28)	21	21	100	NS	97
Medication Scale (Q28a-Q28e) ⁶	21	20	95	NS	94
Outcomes/Functioning (Q18-Q22)	21	19	90	+	77
Participation (Q10-Q13)	21	21	100	+	95
Social Connectedness (Q23-Q27)	19	19	100	+	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	13	11	85	-	96
Appropriateness (Q1-Q3)	13	11	85	-	92
Cultural (Q4-Q6)	13	12	92	-	97
FSS Scale (Q33,Q33a-Q33h) ⁷	8	5	63	-	87
Family Support Service (Y/N)(Q32)	13	8	62	-	76
Global(Q14-Q17)	13	12	92	NS	96
Medication (Y/N) (Q28)	13	13	100	NS	97
Medication Scale (Q28a-Q28e) ⁶	13	12	92	NS	94
Outcomes/Functioning (Q18-Q22)	13	11	85	NS	77
Participation (Q10-Q13)	13	12	92	NS	95
Social Connectedness (Q23-Q27)	12	8	67	-	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	< 5	N/A	N/A	N/A	96
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	92
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	97
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	87
Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	76
Global(Q14-Q17)	< 5	N/A	N/A	N/A	96
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	97
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	77
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	95
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	10	10	100	NS	96
Appropriateness (Q1-Q3)	10	8	80	-	92
Cultural (Q4-Q6)	10	9	90	-	97
FSS Scale (Q33,Q33a-Q33h) ⁷	8	7	88	NS	87
Family Support Service (Y/N)(Q32)	10	8	80	NS	76
Global(Q14-Q17)	10	10	100	NS	96
Medication (Y/N) (Q28)	10	10	100	NS	97
Medication Scale (Q28a-Q28e) ⁶	10	9	90	NS	94
Outcomes/Functioning (Q18-Q22)	10	9	90	+	77
Participation (Q10-Q13)	10	8	80	-	95
Social Connectedness (Q23-Q27)	10	8	80	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	29	28	97	NS	96
Appropriateness (Q1-Q3)	29	27	93	NS	92
Cultural (Q4-Q6)	29	29	100	NS	97
FSS Scale (Q33,Q33a-Q33h) ⁷	25	23	92	NS	87
Family Support Service (Y/N)(Q32)	29	25	86	+	76
Global(Q14-Q17)	29	27	93	NS	96
Medication (Y/N) (Q28)	29	27	93	-	97
Medication Scale (Q28a-Q28e) ⁶	27	26	96	NS	94
Outcomes/Functioning (Q18-Q22)	29	17	59	-	77
Participation (Q10-Q13)	29	28	97	NS	95
Social Connectedness (Q23-Q27)	29	25	86	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Children's Home RTF/dba Stillwater RT	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	93
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	67
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	95
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	90
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100	
Hillside Finger Lakes Campus, RTF	Access(Q7-Q9)	18	18	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	18	18	100	NS	100
	Cultural (Q4-Q6)	18	18	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	12	11	92	NS	93
	Family Support Service (Y/N)(Q32)	18	12	67	NS	67
	Global(Q14-Q17)	18	18	100	NS	100
	Medication (Y/N) (Q28)	18	18	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	18	18	100	NS	95
	Outcomes/Functioning (Q18-Q22)	18	17	94	NS	90
	Participation (Q10-Q13)	18	18	100	NS	100
	Social Connectedness (Q23-Q27)	16	16	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
David Hall RTF	Access(Q7-Q9)	7	6	86	NS	85
	Appropriateness (Q1-Q3)	7	7	100	NS	85
	Cultural (Q4-Q6)	7	7	100	NS	92
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	63
	Family Support Service (Y/N)(Q32)	7	4	57	NS	62
	Global(Q14-Q17)	7	7	100	NS	92
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	92
	Outcomes/Functioning (Q18-Q22)	7	7	100	NS	85
	Participation (Q10-Q13)	7	7	100	NS	92
	Social Connectedness (Q23-Q27)	6	5	83	NS	67
Parsons Child & Family Center RTF	Access(Q7-Q9)	6	5	83	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	6	4	67	NS	85
	Cultural (Q4-Q6)	6	5	83	NS	92
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	63
	Family Support Service (Y/N)(Q32)	6	4	67	NS	62
	Global(Q14-Q17)	6	5	83	NS	92
	Medication (Y/N) (Q28)	6	6	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	6	5	83	NS	92
	Outcomes/Functioning (Q18-Q22)	6	4	67	NS	85
	Participation (Q10-Q13)	6	5	83	NS	92
	Social Connectedness (Q23-Q27)	6	3	50	NS	67

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
McKeown House RTF	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	.
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	100
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
August Aichhorn Center	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	80
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	90
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	88
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	80
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	90
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	90
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	80
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	80
Henry Ittleson Center RTF	Access(Q7-Q9)	6	6	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	6	5	83	NS	80
	Cultural (Q4-Q6)	6	5	83	NS	90
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	88
	Family Support Service (Y/N)(Q32)	6	5	83	NS	80
	Global(Q14-Q17)	6	6	100	NS	100
	Medication (Y/N) (Q28)	6	6	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	6	6	100	NS	90
	Outcomes/Functioning (Q18-Q22)	6	6	100	NS	90
	Participation (Q10-Q13)	6	6	100	NS	80
	Social Connectedness (Q23-Q27)	6	5	83	NS	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Baker Victory Services Residential Tr	Access(Q7-Q9)	5	5	100	NS	97
	Appropriateness (Q1-Q3)	5	5	100	NS	93
	Cultural (Q4-Q6)	5	5	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	4	80	-	92
	Family Support Service (Y/N)(Q32)	5	5	100	+	86
	Global(Q14-Q17)	5	5	100	NS	93
	Medication (Y/N) (Q28)	5	5	100	NS	93
	Medication Scale (Q28a-Q28e) ⁶	5	5	100	NS	96
	Outcomes/Functioning (Q18-Q22)	5	4	80	+	59
	Participation (Q10-Q13)	5	5	100	NS	97
	Social Connectedness (Q23-Q27)	5	5	100	+	86
Hillside Children's Center RTF	Access(Q7-Q9)	20	19	95	NS	97

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Appropriateness (Q1-Q3)	20	18	90	NS	93
	Cultural (Q4-Q6)	20	20	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	17	16	94	NS	92
	Family Support Service (Y/N)(Q32)	20	17	85	NS	86
	Global(Q14-Q17)	20	18	90	NS	93
	Medication (Y/N) (Q28)	20	18	90	NS	93
	Medication Scale (Q28a-Q28e) ⁶	18	17	94	NS	96
	Outcomes/Functioning (Q18-Q22)	20	10	50	NS	59
	Participation (Q10-Q13)	20	19	95	NS	97
	Social Connectedness (Q23-Q27)	20	16	80	NS	86
St. Joseph's Villa RTF	Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	93

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	92
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	86
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	93
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	93
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	96
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	59
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	97
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	86

¹ Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

² Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

³ 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

⁴ 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

⁵ 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

⁶ Medication Scale calculated for individuals who responded "Y" to Medication Question

⁷ Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
Residential Treatment Facility - Children & Youth (Total)	96	102	94.12
Residential Treatment Facility - Children & Youth (Central New York)	44	44	100.00
Residential Treatment Facility - Children & Youth (Long Island)	11	11	100.00
Residential Treatment Facility - Children & Youth (New York City)	29	35	82.86
Residential Treatment Facility - Children & Youth (Western New York)	12	12	100.00

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	96	91	95	NS	95
Appropriateness (Q1-Q3)	96	88	92	NS	92
Cultural (Q4-Q6)	96	88	92	-	95
Global(Q15)	96	77	80	-	89
Medication (Y/N) (Q21)	96	95	99	+	84
Medication Scale (Q21a-Q21e) ⁶	94	77	82	NS	83
Outcomes/Functioning (Q16-Q20a)	96	87	91	NS	90
Participation (Q11-Q14)	96	87	91	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	44	40	91	NS	95
Appropriateness (Q1-Q3)	44	37	84	-	92
Cultural (Q4-Q6)	44	38	86	NS	92
Global(Q15)	44	33	75	NS	80
Medication (Y/N) (Q21)	44	44	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	43	30	70	-	82
Outcomes/Functioning (Q16-Q20a)	44	39	89	NS	91
Participation (Q11-Q14)	44	35	80	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	11	11	100	+	95
Appropriateness (Q1-Q3)	11	11	100	+	92
Cultural (Q4-Q6)	11	11	100	+	92
Global(Q15)	11	9	82	NS	80
Medication (Y/N) (Q21)	11	10	91	-	99
Medication Scale (Q21a-Q21e) ⁶	10	8	80	NS	82
Outcomes/Functioning (Q16-Q20a)	11	11	100	+	91
Participation (Q11-Q14)	11	11	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	29	28	97	NS	95
Appropriateness (Q1-Q3)	29	28	97	NS	92
Cultural (Q4-Q6)	29	28	97	NS	92
Global(Q15)	29	26	90	+	80
Medication (Y/N) (Q21)	29	29	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	29	28	97	+	82
Outcomes/Functioning (Q16-Q20a)	29	25	86	NS	91
Participation (Q11-Q14)	29	29	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Region Compared to Statewide Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	12	12	100	+	95
Appropriateness (Q1-Q3)	12	12	100	+	92
Cultural (Q4-Q6)	12	11	92	NS	92
Global(Q15)	12	9	75	NS	80
Medication (Y/N) (Q21)	12	12	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	12	11	92	+	82
Outcomes/Functioning (Q16-Q20a)	12	12	100	+	91
Participation (Q11-Q14)	12	12	100	+	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Children's Home RTF/dba Stillwater R	Access(Q7-Q10)	14	12	86	NS	91
	Appropriateness (Q1-Q3)	14	12	86	NS	84
	Cultural (Q4-Q6)	14	13	93	NS	86
	Global(Q15)	14	12	86	NS	75
	Medication (Y/N) (Q21)	14	14	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	14	8	57	NS	70
	Outcomes/Functioning (Q16-Q20a)	14	12	86	NS	89
	Participation (Q11-Q14)	14	11	79	NS	80
Hillside Finger Lakes Campus, RTF	Access(Q7-Q10)	30	28	93	NS	91
	Appropriateness (Q1-Q3)	30	25	83	NS	84
	Cultural (Q4-Q6)	30	25	83	NS	86
	Global(Q15)	30	21	70	NS	75
	Medication (Y/N) (Q21)	30	30	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	29	22	76	NS	70
	Outcomes/Functioning (Q16-Q20a)	30	27	90	NS	89
	Participation (Q11-Q14)	30	24	80	NS	80

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
McKeown House RTF	Access(Q7-Q10)	11	11	100	NS	100
	Appropriateness (Q1-Q3)	11	11	100	NS	100
	Cultural (Q4-Q6)	11	11	100	NS	100
	Global(Q15)	11	9	82	NS	82
	Medication (Y/N) (Q21)	11	10	91	NS	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	10	8	80	NS	80
	Outcomes/Functioning (Q16-Q20a)	11	11	100	NS	100
	Participation (Q11-Q14)	11	11	100	NS	100

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
August Aichhorn Center	Access(Q7-Q10)	24	23	96	NS	97
	Appropriateness (Q1-Q3)	24	23	96	NS	97
	Cultural (Q4-Q6)	24	23	96	NS	97
	Global(Q15)	24	22	92	NS	90
	Medication (Y/N) (Q21)	24	24	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	24	24	100	NS	97
	Outcomes/Functioning (Q16-Q20a)	24	22	92	NS	86
	Participation (Q11-Q14)	24	24	100	NS	100
Henry Ittleson Center RTF	Access(Q7-Q10)	5	5	100	NS	97
	Appropriateness (Q1-Q3)	5	5	100	NS	97
	Cultural (Q4-Q6)	5	5	100	NS	97
	Global(Q15)	5	4	80	NS	90
	Medication (Y/N) (Q21)	5	5	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	5	4	80	-	97
	Outcomes/Functioning (Q16-Q20a)	5	3	60	-	86
	Participation (Q11-Q14)	5	5	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

Residential Treatment Facility - Children & Youth

Residential Treatment Facility - Children & Youth Results by Program compared to Region Residential Treatment Facility - Children & Youth Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
St. Joseph's Villa RTF	Access(Q7-Q10)	12	12	100	NS	100
	Appropriateness (Q1-Q3)	12	12	100	NS	100
	Cultural (Q4-Q6)	12	11	92	NS	92
	Global(Q15)	12	9	75	NS	75
	Medication (Y/N) (Q21)	12	12	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	12	11	92	NS	92
	Outcomes/Functioning (Q16-Q20a)	12	12	100	NS	100
	Participation (Q11-Q14)	12	12	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

Family Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	2356	5737	41.07
State Psychiatric Center Inpatient (Total)	63	273	23.08
State Psychiatric Center Inpatient (Central New York)	23	31	74.19
State Psychiatric Center Inpatient (Hudson River)	1	21	4.76
State Psychiatric Center Inpatient (Long Island)	3	34	8.82
State Psychiatric Center Inpatient (New York City)	24	140	17.14
State Psychiatric Center Inpatient (Western New York)	12	47	25.53

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q9)	63	61	97	NS	97
Appropriateness (Q1-Q3)	63	59	94	-	97
Cultural (Q4-Q6)	63	63	100	+	99
FSS Scale (Q33,Q33a-Q33h) ⁷	32	31	97	+	95
Family Support Service (Y/N)(Q32)	61	34	56	-	58
Global(Q14-Q17)	63	61	97	NS	97
Medication (Y/N) (Q28)	62	62	100	+	80
Medication Scale (Q28a-Q28e) ⁶	62	58	94	-	97
Outcomes/Functioning (Q18-Q22)	61	48	79	-	86
Participation (Q10-Q13)	63	60	95	-	98
Social Connectedness (Q23-Q27)	61	50	82	-	87

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	23	21	91	-	97
Appropriateness (Q1-Q3)	23	20	87	-	94
Cultural (Q4-Q6)	23	23	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	11	10	91	NS	97
Family Support Service (Y/N)(Q32)	21	11	52	NS	56
Global(Q14-Q17)	23	22	96	NS	97
Medication (Y/N) (Q28)	23	23	100	NS	100
Medication Scale (Q28a-Q28e) ⁶	23	21	91	NS	94
Outcomes/Functioning (Q18-Q22)	22	14	64	-	79
Participation (Q10-Q13)	23	21	91	NS	95
Social Connectedness (Q23-Q27)	22	17	77	NS	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	97
Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	56
Global(Q14-Q17)	< 5	N/A	N/A	N/A	97
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	79
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	95
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	< 5	N/A	N/A	N/A	97
Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	94
Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	97
Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	56
Global(Q14-Q17)	< 5	N/A	N/A	N/A	97
Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	94
Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	79
Participation (Q10-Q13)	< 5	N/A	N/A	N/A	95
Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	24	24	100	NS	97
Appropriateness (Q1-Q3)	24	24	100	+	94
Cultural (Q4-Q6)	24	24	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	16	16	100	NS	97
Family Support Service (Y/N)(Q32)	24	16	67	NS	56
Global(Q14-Q17)	24	24	100	NS	97
Medication (Y/N) (Q28)	23	23	100	NS	100
Medication Scale (Q28a-Q28e) ⁶	23	23	100	+	94
Outcomes/Functioning (Q18-Q22)	24	22	92	+	79
Participation (Q10-Q13)	24	24	100	NS	95
Social Connectedness (Q23-Q27)	24	22	92	NS	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q9)	12	12	100	NS	97
Appropriateness (Q1-Q3)	12	11	92	NS	94
Cultural (Q4-Q6)	12	12	100	NS	100
FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	97
Family Support Service (Y/N)(Q32)	12	7	58	NS	56
Global(Q14-Q17)	12	11	92	-	97
Medication (Y/N) (Q28)	12	12	100	NS	100
Medication Scale (Q28a-Q28e) ⁶	12	11	92	NS	94
Outcomes/Functioning (Q18-Q22)	11	9	82	NS	79
Participation (Q10-Q13)	12	11	92	NS	95
Social Connectedness (Q23-Q27)	11	8	73	NS	82

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q9)	23	21	91	NS	91
	Appropriateness (Q1-Q3)	23	20	87	NS	87
	Cultural (Q4-Q6)	23	23	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	11	10	91	NS	91
	Family Support Service (Y/N)(Q32)	21	11	52	NS	52
	Global(Q14-Q17)	23	22	96	NS	96
	Medication (Y/N) (Q28)	23	23	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	23	21	91	NS	91
	Outcomes/Functioning (Q18-Q22)	22	14	64	NS	64
	Participation (Q10-Q13)	23	21	91	NS	91
	Social Connectedness (Q23-Q27)	22	17	77	NS	77

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	.
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	0
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	100
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	0
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	0

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q9)	< 5	N/A	N/A	N/A	100
	Appropriateness (Q1-Q3)	< 5	N/A	N/A	N/A	100
	Cultural (Q4-Q6)	< 5	N/A	N/A	N/A	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	.
	Family Support Service (Y/N)(Q32)	< 5	N/A	N/A	N/A	0
	Global(Q14-Q17)	< 5	N/A	N/A	N/A	100
	Medication (Y/N) (Q28)	< 5	N/A	N/A	N/A	100
	Medication Scale (Q28a-Q28e) ⁶	< 5	N/A	N/A	N/A	67
	Outcomes/Functioning (Q18-Q22)	< 5	N/A	N/A	N/A	100
	Participation (Q10-Q13)	< 5	N/A	N/A	N/A	100
	Social Connectedness (Q23-Q27)	< 5	N/A	N/A	N/A	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bronx Children's Inpatient Unit	Access(Q7-Q9)	7	7	100	NS	100
	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	< 5	N/A	N/A	N/A	100
	Family Support Service (Y/N)(Q32)	7	4	57	NS	67
	Global(Q14-Q17)	7	7	100	NS	100
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	100
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	92
	Participation (Q10-Q13)	7	7	100	NS	100
	Social Connectedness (Q23-Q27)	7	6	86	NS	92
	Psychiatric Inpatient Unit	Access(Q7-Q9)	10	10	100	NS
Appropriateness (Q1-Q3)		10	10	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Cultural (Q4-Q6)	10	10	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	100
	Family Support Service (Y/N)(Q32)	10	6	60	NS	67
	Global(Q14-Q17)	10	10	100	NS	100
	Medication (Y/N) (Q28)	9	9	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	9	9	100	NS	100
	Outcomes/Functioning (Q18-Q22)	10	10	100	NS	92
	Participation (Q10-Q13)	10	10	100	NS	100
	Social Connectedness (Q23-Q27)	10	10	100	NS	92
Queens Children's Inpatient Unit	Access(Q7-Q9)	7	7	100	NS	100
	Appropriateness (Q1-Q3)	7	7	100	NS	100
	Cultural (Q4-Q6)	7	7	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	FSS Scale (Q33,Q33a-Q33h) ⁷	6	6	100	NS	100
	Family Support Service (Y/N)(Q32)	7	6	86	NS	67
	Global(Q14-Q17)	7	7	100	NS	100
	Medication (Y/N) (Q28)	7	7	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	7	7	100	NS	100
	Outcomes/Functioning (Q18-Q22)	7	6	86	NS	92
	Participation (Q10-Q13)	7	7	100	NS	100
	Social Connectedness (Q23-Q27)	7	6	86	NS	92

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Family Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q9)	12	12	100	NS	100
	Appropriateness (Q1-Q3)	12	11	92	NS	92
	Cultural (Q4-Q6)	12	12	100	NS	100
	FSS Scale (Q33,Q33a-Q33h) ⁷	5	5	100	NS	100
	Family Support Service (Y/N)(Q32)	12	7	58	NS	58
	Global(Q14-Q17)	12	11	92	NS	92
	Medication (Y/N) (Q28)	12	12	100	NS	100
	Medication Scale (Q28a-Q28e) ⁶	12	11	92	NS	92
	Outcomes/Functioning (Q18-Q22)	11	9	82	NS	82
	Participation (Q10-Q13)	12	11	92	NS	92
	Social Connectedness (Q23-Q27)	11	8	73	NS	73

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

Youth Response Rate

Region	Surveys Completed	Surveys Distributed	Response Rate
Statewide	1802	3414	52.78
State Psychiatric Center Inpatient (Total)	165	233	70.82
State Psychiatric Center Inpatient (Central New York)	26	37	70.27
State Psychiatric Center Inpatient (Hudson River)	20	21	95.24
State Psychiatric Center Inpatient (Long Island)	21	30	70.00
State Psychiatric Center Inpatient (New York City)	64	108	59.26
State Psychiatric Center Inpatient (Western New York)	34	37	91.89

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results Compared to All Programs Statewide

Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ³	Statewide % Positive
Access(Q7-Q10)	164	147	90	-	95
Appropriateness (Q1-Q3)	165	136	82	-	92
Cultural (Q4-Q6)	165	139	84	-	95
Global(Q15)	163	118	72	-	89
Medication (Y/N) (Q21)	162	161	99	+	84
Medication Scale (Q21a-Q21e) ⁶	160	126	79	-	83
Outcomes/Functioning (Q16-Q20a)	164	142	87	-	90
Participation (Q11-Q14)	164	136	83	-	91

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Central New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	25	22	88	NS	90
Appropriateness (Q1-Q3)	26	24	92	+	82
Cultural (Q4-Q6)	26	19	73	-	84
Global(Q15)	25	22	88	+	72
Medication (Y/N) (Q21)	25	25	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	25	20	80	NS	79
Outcomes/Functioning (Q16-Q20a)	26	21	81	-	87
Participation (Q11-Q14)	25	21	84	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Hudson River

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	20	19	95	+	90
Appropriateness (Q1-Q3)	20	15	75	-	82
Cultural (Q4-Q6)	20	18	90	+	84
Global(Q15)	20	13	65	-	72
Medication (Y/N) (Q21)	20	19	95	-	99
Medication Scale (Q21a-Q21e) ⁶	19	14	74	NS	79
Outcomes/Functioning (Q16-Q20a)	20	18	90	NS	87
Participation (Q11-Q14)	20	17	85	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Long Island

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	21	20	95	+	90
Appropriateness (Q1-Q3)	21	19	90	+	82
Cultural (Q4-Q6)	21	17	81	NS	84
Global(Q15)	21	15	71	NS	72
Medication (Y/N) (Q21)	21	21	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	20	13	65	-	79
Outcomes/Functioning (Q16-Q20a)	21	20	95	+	87
Participation (Q11-Q14)	21	18	86	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=New York City

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	64	54	84	-	90
Appropriateness (Q1-Q3)	64	50	78	NS	82
Cultural (Q4-Q6)	64	53	83	NS	84
Global(Q15)	63	40	63	-	72
Medication (Y/N) (Q21)	62	62	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	62	48	77	NS	79
Outcomes/Functioning (Q16-Q20a)	63	53	84	NS	87
Participation (Q11-Q14)	64	51	80	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Region Compared to Statewide State Psychiatric Center Inpatient Results

Region_Desc=Western New York

Domain	Region N ¹	Region N Positive ²	Region % Positive	95% Confidence Interval ⁴	Statewide Region % Positive
Access(Q7-Q10)	34	32	94	NS	90
Appropriateness (Q1-Q3)	34	28	82	NS	82
Cultural (Q4-Q6)	34	32	94	+	84
Global(Q15)	34	28	82	+	72
Medication (Y/N) (Q21)	34	34	100	NS	99
Medication Scale (Q21a-Q21e) ⁶	34	31	91	+	79
Outcomes/Functioning (Q16-Q20a)	34	30	88	NS	87
Participation (Q11-Q14)	34	29	85	NS	83

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Central New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q10)	25	22	88	NS	88
	Appropriateness (Q1-Q3)	26	24	92	NS	92
	Cultural (Q4-Q6)	26	19	73	NS	73
	Global(Q15)	25	22	88	NS	88
	Medication (Y/N) (Q21)	25	25	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	25	20	80	NS	80
	Outcomes/Functioning (Q16-Q20a)	26	21	81	NS	81
	Participation (Q11-Q14)	25	21	84	NS	84

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Hudson River

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q10)	20	19	95	NS	95
	Appropriateness (Q1-Q3)	20	15	75	NS	75
	Cultural (Q4-Q6)	20	18	90	NS	90
	Global(Q15)	20	13	65	NS	65
	Medication (Y/N) (Q21)	20	19	95	NS	95
	Medication Scale (Q21a-Q21e) ⁶	19	14	74	NS	74
	Outcomes/Functioning (Q16-Q20a)	20	18	90	NS	90
	Participation (Q11-Q14)	20	17	85	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Long Island

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q10)	21	20	95	NS	95
	Appropriateness (Q1-Q3)	21	19	90	NS	90
	Cultural (Q4-Q6)	21	17	81	NS	81
	Global(Q15)	21	15	71	NS	71
	Medication (Y/N) (Q21)	21	21	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	20	13	65	NS	65
	Outcomes/Functioning (Q16-Q20a)	21	20	95	NS	95
	Participation (Q11-Q14)	21	18	86	NS	86

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Bronx Children's Inpatient Unit	Access(Q7-Q10)	45	37	82	NS	84
	Appropriateness (Q1-Q3)	45	34	76	NS	78
	Cultural (Q4-Q6)	45	37	82	NS	83
	Global(Q15)	44	25	57	NS	63
	Medication (Y/N) (Q21)	43	43	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	43	32	74	NS	77
	Outcomes/Functioning (Q16-Q20a)	44	36	82	NS	84
	Participation (Q11-Q14)	45	35	78	NS	80
	Psychiatric Inpatient Unit	Access(Q7-Q10)	10	10	100	+
Appropriateness (Q1-Q3)		10	9	90	+	78
Cultural (Q4-Q6)		10	9	90	NS	83
Global(Q15)		10	9	90	+	63
Medication (Y/N) (Q21)		10	10	100	NS	100

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=New York City

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
	Medication Scale (Q21a-Q21e) ⁶	10	10	100	+	77
	Outcomes/Functioning (Q16-Q20a)	10	10	100	+	84
	Participation (Q11-Q14)	10	9	90	+	80
Queens Children's Inpatient Unit	Access(Q7-Q10)	9	7	78	NS	84
	Appropriateness (Q1-Q3)	9	7	78	NS	78
	Cultural (Q4-Q6)	9	7	78	NS	83
	Global(Q15)	9	6	67	NS	63
	Medication (Y/N) (Q21)	9	9	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	9	6	67	-	77
	Outcomes/Functioning (Q16-Q20a)	9	7	78	NS	84
	Participation (Q11-Q14)	9	7	78	NS	80

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question

NYSOMH Youth Assessment of Care Survey Results 2015

State Psychiatric Center Inpatient

State Psychiatric Center Inpatient Results by Program compared to Region State Psychiatric Center Inpatient Results

Region_Desc=Western New York

Program	Domain	Program N ¹	Program N Positive ²	Program % Positive	95% Confidence Interval ⁵	Region % Positive
Psychiatric Inpatient Unit	Access(Q7-Q10)	34	32	94	NS	94
	Appropriateness (Q1-Q3)	34	28	82	NS	82
	Cultural (Q4-Q6)	34	32	94	NS	94
	Global(Q15)	34	28	82	NS	82
	Medication (Y/N) (Q21)	34	34	100	NS	100
	Medication Scale (Q21a-Q21e) ⁶	34	31	91	NS	91
	Outcomes/Functioning (Q16-Q20a)	34	30	88	NS	88
	Participation (Q11-Q14)	34	29	85	NS	85

1 Program N = Number of response; N varies because of missing data; N <5 are not shown to protect confidentiality

2 Program N Positive = Response value of 1 or 2 (1=agree; 2=agree slightly)

3 95% Confidence interval compares program % Positive to statewide % Positive; + = Program positively significant compared to state; - = Program negatively significant compared to state; NS = Program not significant

4 95% Confidence interval compares region % Positive to statewide region % Positive; + = region positively significant compared to statewide region; - = Program negatively significant compared to statewide region; NS = Program not significant compared to statewide region

5 95% Confidence interval compares program % Positive to region % Positive + = Program positively significant compared to region; - = Program negatively significant compared to region; NS = Program not significant compared to region;

6 Medication Scale calculated for individuals who responded "Y" to Medication Question

7 Family Support Service Scale calculated for individuals who responded "Y" to Family Support Service Question